

# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

CREATION DATE : 03-DEC-19  
 BID NUMBER: 7599876  
 TITLE: ENVIRONMENTAL POLICE UNIFORMS - DEM  
 BLANKET START : 01-JAN-20  
 BLANKET END : 31-DEC-21  
 BID CLOSING DATE AND TIME: 30-DEC-2019 11:00:00

BUYER: McGurn, Cheryl A  
 PHONE #: 401-574-8130

**B  
I  
L  
L  
T  
O**  
 DOA CONTROLLER  
 ONE CAPITOL HILL, 4TH FLOOR  
 SMITH ST  
 PROVIDENCE, RI 02908  
 US

**S  
H  
I  
P  
T  
O**  
 DEM DIV OF LAW ENFORCEMENT  
 235 PROMENADE STREET  
 PROVIDENCE, RI 02908  
 US

Requisition Number: 1637523

Line	Description	Quantity	Unit	Unit Price	Total
1	BLANKET REQUIREMENTS 01/01/2020 - 12/31/2021  PER THE ATTACHED SPECIFICATIONS WITH THE OPTION TO EXTEND FOR ONE (1) ADDITIONAL 12 MONTH PERIOD AT THE 1/1/2020 - 12/31/2021 PRICING AT THE SOLE DISCRETION OF THE STATE OF RHODE ISLAND  VENDOR MUST PROVIDE PROPER MEASUREMENT FOR ITEMS REQUESTED  VENDOR MUST ADHERE TO THE SPECIFICATION REQUIREMENTS FOR THE ITEMS REQUESTED.  QUESTIONS CONCERNING THIS SOLICITATION MAY BE EMAILED TO THE DIVISION OF PURCHASES AT CHERYL.MCGURN@PURCHASING.RI.GOV NO LATER THAN 12/19/2020 @ 3:00 PM. PLEASE REFERENCE THE RFQ# ON ALL CORRESPONDENCE. QUESTIONS SHOULD BE SUBMITTED IN A MICROSOFT WORD ATTACHMENT. ANSWERS TO QUESTIONS RECEIVED, IF ANY, WILL BE POSTED ON THE INTERNET AS AN ADDENDUM TO THIS SOLICITATION (WWW.PURCHSING.RI.GOV). IT IS THE RESPONSIBILITY OF ALL INTERESTED PARTIES TO DOWNLOAD THIS INFORMATION.	10.00	Each		
2	1/1/2020 - 12/31/2021- ENVIRONMENTAL POLICE UNIFORM - L/S DRESS SHIRT	10.00	Each		
3	1/1/2020 - 12/31/2021- ENVIRONMENTAL POLICE UNIFORM - CLASS A SUMMER TROUSER	10.00	Each		
4	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - CLASS A WINTER TROUSER	10.00	Each		
5	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 TACLITE S/S PRO SHIRT 71175 TDU GREEN	80.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

CREATION DATE : 03-DEC-19  
 BID NUMBER: 7599876  
 TITLE: ENVIRONMENTAL POLICE UNIFORMS - DEM  
 BLANKET START : 01-JAN-20  
 BLANKET END : 31-DEC-21  
 BID CLOSING DATE AND TIME:30-DEC-2019 11:00:00

BUYER: McGurn, Cheryl A  
 PHONE #: 401-574-8130


**B  
I  
L  
L  
T  
O**  
 DOA CONTROLLER  
 ONE CAPITOL HILL, 4TH FLOOR  
 SMITH ST  
 PROVIDENCE, RI 02908  
 US

**S  
H  
I  
P  
T  
O**  
 DEM DIV OF LAW ENFORCEMENT  
 235 PROMENADE STREET  
 PROVIDENCE, RI 02908  
 US

Requisition Number: 1637523

Line	Description	Quantity	Unit	Unit Price	Total
6	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 TACLITE TDU PANT 74280 TDU GREEN	80.00	Each		
7	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 RIPSTOP TDU L/S SHIRT 72002 TDU GREEN	40.00	Each		
8	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 RIPSTOP TDU PANT 74003 TDU GREEN	80.00	Each		
9	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 TACTICAL WATCH CAP 89250 OD GREEN	40.00	Each		
10	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 FLEECE JACKET 48038 BLACK	12.00	Each		
11	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 L/S PRO SHIRT 72175 TDU GREEN	40.00	Each		
12	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 BLAUER REVERSIBLE RAIN JACKET 233R	38.00	Each		
13	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - BLAUER MOCK TURTLENECK 8110X BLACK	20.00	Each		
14	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - FRISKERS LEATHER GLOVES DFS2000 BLACK	60.00	Each		
15	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - BALL CAP 89381 BLACK	60.00	Each		
16	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - PACIFIC HEADWARE BALL CAP 148C BLAZE ORANGE	50.00	Each		
17	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - DRESS BLOUSE COAT	5.00	Each		
18	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - PROPPER I.C.E. S/S POLO SHIRT F5341 BLACK	55.00	Each		
19	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - PROPPER I.C.E. L/S POLO SHIRT F5315 BLACK	55.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



# Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
 ONE CAPITOL HILL  
 PROVIDENCE RI 02908

BUYER: McGurn, Cheryl A  
 PHONE #: 401-574-8130

CREATION DATE : 03-DEC-19  
 BID NUMBER: 7599876  
 TITLE: ENVIRONMENTAL POLICE UNIFORMS - DEM  
 BLANKET START : 01-JAN-20  
 BLANKET END : 31-DEC-21  
 BID CLOSING DATE AND TIME:30-DEC-2019 11:00:00

**B  
I  
L  
L  
T  
O**  
 DOA CONTROLLER  
 ONE CAPITOL HILL, 4TH FLOOR  
 SMITH ST  
 PROVIDENCE, RI 02908  
 US

**S  
H  
I  
P  
T  
O**  
 DEM DIV OF LAW ENFORCEMENT  
 235 PROMENADE STREET  
 PROVIDENCE, RI 02908  
 US

Requistion Number: 1637523

Line	Description	Quantity	Unit	Unit Price	Total
20	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - CAMPAIGN HAT - NATIONAL PARK SERVICE F-44 CONSERVATION GREEN	5.00	Each		
21	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - MISC. ACCOUNTREMENTS AND UNIFORM ACCESSORIES @ \$3,500	3,500.00	Each		
22	1/1/2020 - 12/31/2021 - ENVIRONMENTAL POLICE UNIFORM - 5.11 5 IN 1 JACKET 48017 BLACK (1/1/2020 - 12/31/2021)  . ****DISCOUNT FROM LIST PRICE _____% FOR MISCELLANOUS ACCESSORIES AND ALTERATIONS	9.00	Each		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

**RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
DIVISION OF LAW ENFORCEMENT**

**REQUIREMENTS FOR REQUEST FOR QUOTE- POLICE UNIFORMS**

**2 YEAR AGREEMENT FOR PERIOD JANUARY 01, 2020 – DECEMBER 31, 2021 WITH OPTION TO EXTEND FOR ONE ADDITIONAL 12 MONTH PERIOD FROM JANUARY 01, 2022- DECEMBER 31, 2022 AT THE SOLE DISCRETION OF THE STATE.**

**THE SELECTED SUPPLIER MUST BE AN 5.11 TACTICAL INC. DISTRIBUTER FOR 5.11 ITEMS REQUESTED ON THE BID.**

**VENDOR WILL INCLUDE SHIPPING COSTS IN BID PRICING.**

**VENDOR MUST PROVIDE PROPER MEASUREMENT AND ALTERATION IF REQUIRED FOR ITEMS REQUESTED.**

**VENDOR MUST ADHERE TO THE SPECIFICATION REQUIREMENTS FOR THE ITEMS REQUESTED.**

**AGENCY WILL PROVIDE VENDOR DIVISION SHOULDER EMBLEMMS TO BE APPLIED TO GARMENTS AS SPECIFIED.**

**RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT**  
**DIVISION OF LAW ENFORCEMENT**  
**UNIFORM SPECIFICATIONS**

- SHORT SLEEVE DRESS SHIRT (CUSTOM)
- LONG SLEEVE DRESS SHIRT (CUSTOM)
- SUMMER DRESS TROUSER (CUSTOM)
- WINTER DRESS TROUSER (CUSTOM)
- 5.11 SHORT SLEEVE TACLITE PRO SHIRT, STYLE# 71175
- 5.11 LONG SLEEVE TACLITE PRO SHIRT, STYLE# 72175
- 5.11 TACLITE TDU PANT, STYLE # 74280

---

- 5.11 LONG SLEEVE TDU SHIRT, STYLE # 72002
- 5.11 RIPSTOP TDU PANT, STYLE # 74003
- 5.11 5 IN 1 JACKET, STYLE # 48017
- 5.11 TACTICAL FLEECE JACKET, STYLE # 48038
- BLAUER MOCK TURTLENECK, STYLE # 8110X
- FRISKERS LEATHER GLOVES, STYLE # DFS2000
- 5.11 BALL CAP, STYLE # 89381
- PACIFIC HEADWEAR BALL CAP HIGH VISABILITY, STYLE # 148C
- 5.11 TACTICAL WATCH CAP, STYLE # 89250
- BLAUER REVERSIBLE RAIN JACKET, STYLE # 233R
- DRESS BLOUSE (CUSTOM)
- STRATTON NATIONAL PARK SERVICE CAMPAIGN HAT, STYLE # F-44
- PROPPER I.C..E SHORT SLEEVE POLO SHIRT, STYLE # F5341
- PROPPER I.C..E SLONG SLEEVE POLO SHIRT, STYLE # F5315

Rhode Island DEM Enforcement  
SHORT SLEEVE DRESS SHIRT SPECIFICATIONS

**SCOPE:**

This specification covers the requirement for uniform long sleeve shirts made from first quality 55% Dacron polyester and 45% wool, 3-ply tropical fabric for the Rhode Island DEM enforcement agency.

The garment shall be custom made to measure according to individual measurements and fittings.

**REQUIREMENTS:**

First quality 55% Dacron polyester and 45% wool 3-ply tropical fabric as detailed in specifications.

**FABRIC SPECIFICATIONS:**

**WEAVE – TROPICAL**

**WEIGHT – 11 OUNCES PER LINEAR YARD**

**FIBER CONTENT – 55% DACRON POLYESTER  
45% WOOL WORSTED**

**PLY OF YARN – 3-PLY WARP AND FILLING**

**SHIRT FABRICATION:**

**MATERIAL:** Green (ref: Raeford shade #93389), 11oz, 55% Dacron polyester and 45% worsted wool, 3-ply, tropical finish.

**STYLE:** regulation police short sleeve shirt with hard shoulder straps and metal eyelet badge holder tab. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be center pointed (4 ½" from the bottom neckband to point of yoke on a male size 16 ½" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color. Shoulder and side seams will be sewn with a double needle style machine.

**FRONT:** Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1 3/8" wide and to be lined with fusible Pellon. The shirt is to have a hidden zipper front, which is to be molded flat yak zipper #vfo-36, 7/16" wide, 15" in length and molded. Zipper will begin at the 2<sup>nd</sup> button from the top down.

**CONSTRUCTION:** The collars are to be ¼" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.

**BADGE HOLDER:** Badge tab to be lined with fusible Pellon and two metal eyelets approximately 1 inch wide and 2 ½" inches long having a center stitch for reinforcement, to be sewn all the way around.

**VELCRO NUMBER BOARD:** There will be black female side of Velcro sewn on the right chest parallel to the badge tab. The size of the velcro is: 1 ½" x 2 ½"

**COLLAR:** To be open style. Collar to have permanently fused shrink proof 100% cotton interlining, extra heavy grade, collar to be 2 5/8" long. Collar stays which measure 3/8" x 2 ½" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. Neckband to be lined with same material as the body of the shirt. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside with poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through the outside of the collar. The collar stays will be of the best possible quality staler. The collar stays will be 2-5/8" in length and 1/4" in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be of sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

**SLEEVE:** To have a 1" plain hem and will available in sleeve lengths.

**POCKETS:** Pockets to be pleated approximately 5 7/8" deep and 5 ¼" wide. Pockets are to be scalloped style with velcro in each corner. Velcro is to measure 5/8" x 5/8" and to be sewn in place on all four sides. The flaps are to be interlined with Pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1 ¼" pencil division. Pockets will accommodate a permanent plastic 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to top of flap.

**SHOULDER STRAPS:** Rhode Island style sewn into sleeve seams. Center shall be made of specified shirt fabric with Black 3 ply 10oz poly/wool trim, comprising a stiff collar buckram lining. Shoulder straps shall be sewn in sleeve seam and cross stitched. End of strap shall extend under collar approximately 1". Straps shall measure 2-1/4" at shoulder seam and 1-3/4" at buttonhole. Point of shoulder strap shall be sewn down. Buttonhole shall be placed so that center of button shall be 3/4" from edge of the collar and visible, not hidden underneath collar.

**BUTTONS:** The front of the shirt will have permanent 24 ligne plastic buttons. The pocket flaps & epaulets will have 24 ligne brass RI State seal buttons.

**CERTIFICATION:** vendor shall be responsible for all requirements, specifications and standards, and shall certify compliance with all of the above. There shall be no sub-contracting of either the cutting or the manufacturing of the shirts and doing so will be cause for rejection of the garment.

EMBLEMS: A regulation Rhode Island DEM Enforcement emblem shall be attached to each sleeve, set 1" below shoulder seam. Where needed, regulation Rhode Island DEM Enforcement rank chevrons will be attached to each sleeve below the shoulder emblem.



Rhode Island DEM Enforcement  
LONG SLEEVE DRESS SHIRT SPECIFICATIONS

SCOPE:

This specification covers the requirement for uniform long sleeve shirts made from first quality 55% Dacron polyester and 45% wool, 3-ply tropical fabric for the Rhode Island DEM enforcement agency.

The garment shall be custom made to measure according to individual measurements and fittings.

REQUIREMENTS:

First quality 55% Dacron polyester and 45% wool 3-ply tropical fabric as detailed in specifications.

FABRIC SPECIFICATIONS:

WEAVE – TROPICAL

WEIGHT – 11 OUNCES PER LINEAR YARD

FIBER CONTENT – 55% DACRON POLYESTER  
45% WOOL WORSTED

PLY OF YARN – 3-PLY WARP AND FILLING

SHIRT FABRICATION:

MATERIAL: Green (ref: Raeford shade #93389), 11oz, 55% Dacron polyester and 45% worsted wool, 3-ply, tropical finish.

STYLE: regulation police long sleeve shirt with hard shoulder straps and metal eyelet badge holder tab. Five permanently sewn in military creases. Rear creases to be sewn under the yoke to the base of the rear inner lining below the neck. Yoke to be center pointed (4 1/2" from the bottom neckband to point of yoke on a male size 16 1/2" shirt, comparable distance for other sizes) for comfort and to be lined with 55% cotton and 45% polyester broadcloth of a coordinating color. Shoulder and side seams will be sewn with a double needle style machine.

FRONT: Seven button front with vertical buttonholes. Buttonholes are to be extra heavy duty, approximately 50 stitches per inch. Center placket is to be approximately 1 3/8" wide and to be lined with fusible Pellon. The shirt is to have a hidden zipper front, which is to be molded flat yak zipper #vfo-36, 7/16" wide, 15" in length and molded. Zipper will begin at the 2<sup>nd</sup> button from the top down.

CONSTRUCTION: The collars and cuffs are to be 1/4" top stitched and all seams are to have no less than 10 stitches per inch. All parts of the shirts to be computer cut and mirrored to insure uniformity of shape and size. All seams to have reinforcing tack stitching of no less than 3 stitches at the beginning and end of each seam.

**BADGE HOLDER:** Badge tab to be lined with fusible Pellon and two metal eyelets approximately 1 inch wide and 2 ½" inches long having a center stitch for reinforcement, to be sewn all the way around.

**VELCRO NUMBER BOARD:** There will be black female side of Velcro sewn on the right chest parallel to the badge tab. The size of the velcro is: 1 ½" X 2 ½"

**COLLAR:** To be stand up style. Collar to have permanently fused shrink proof 100% cotton interlining, extra heavy grade, collar to be 2 5/8" long. Collar stays which measure 3/8" x 2 ½" shall be stitched in such a manner that the collar stays are sewn directly to the tip of the collar. Neckband to be lined with same material as the body of the shirt. The collar will consist of a leaf with a separate stitched on stand. The collar stand will be made of the basic cloth and will be lined on the inside with poly/cotton broadcloth. The collar stand will be sewn and turned single needle construction. The collar stand and collar stand lining shall be fused with pellon #ah3643 white. The collar stand is to fasten with one (1) button, with a corresponding buttonhole. The collar leaf is to be top stitched with two (2) rows of stitching. The points of the collar leaf will be 2-7/8" +/- 1/8" in length when finished at the points. The collar leaf after being completed and folded down will measure approximately 1-3/4" in the center, at the back of the collar. The collar stays shall be inserted to the very point of the collar and sewn into the point of the collar in the inner part of the collar leaf in a manner that no stitches will show through the outside of the collar. When completed, the collar will have a tie space opening of 3/8" to 1/2". The interlining of the collar leaf will be of pellon woven fusible #n5772 white. The collar stays will be of the best possible quality staler. The collar stays will be 2-5/8" in length and 1/4" in width. Collar stays must be affixed in a manner so as not to interfere with the centering of collar brass on the collar. The collar stays must be of sufficient thickness to prevent puckering, wrinkling and rolling of the collar.

**SLEEVE:** To have double reinforced elbows. Reinforcement is to be one-piece construction and to be double stitched at opening and single stitched throughout the elbow. Reinforcement to be approximately 6 ¾" at the widest point, to vary depending on the shirt size, and is to be sewn into the inseam of the sleeve and into the cuff. Two button cuff will accommodate a permanent plastic 24 ligne button. Cuff to have permanently fused shrink proof 100% cotton interlining, extra heavy grade. Cuff to be 3" wide and squared off, rounded or barrel cuff is not acceptable. There shall be ¾" Black 3ply 10oz Poly/wool stripe sewn on the sleeve just above the cuff.

**POCKETS:** Pockets to be pleated approximately 5 7/8" deep and 5 ¼" wide. Pockets are to be scalloped style with velcro in each corner. Velcro is to measure 5/8" x 5/8" and to be sewn in place on all four sides. The flaps are to be interlined with Pellon crease and tac, 100% polyester. The left pocket at the top is to have a 1 ¼" pencil division. Pockets will accommodate a permanent plastic 24 ligne button. Pockets and flaps to be die creases for uniformity. Pockets will be equally distant from the center placket. The plastic buttons are to be attached to top of flap.

**SHOULDER STRAPS:** Rhode Island style sewn into sleeve seams. Center shall be made of specified shirt fabric with Black 3 ply 10oz poly/wool trim, comprising a stiff collar buckram lining. Shoulder straps shall be sewn in sleeve seam and cross stitched. End of strap shall extend under collar approximately 1". Straps shall measure 2-1/4" at shoulder seam and 1-3/4" at buttonhole. Point of shoulder strap shall be sewn down.

Buttonhole shall be placed so that center of button shall be 3/4" from edge of the collar and visible, not hidden underneath collar.

**BUTTONS:** The front and cuffs of the shirt will have permanent 24 ligne plastic buttons. The pocket flaps & epaulets will have 24 ligne brass RI State seal buttons.

**CERTIFICATION:** vendor shall be responsible for all requirements, specifications and standards, and shall certify compliance with all of the above. There shall be no sub-contracting of either the cutting or the manufacturing of the shirts and doing so will be cause for rejection of the garment.

**EMBLEMS:** A regulation Rhode Island DEM Enforcement emblem shall be attached to each sleeve, set 1" below shoulder seam. Where needed, regulation Rhode Island DEM Enforcement rank chevrons will be attached to each sleeve below the shoulder emblem.

## SUMMER DRESS CLASS A TROUSER SPECIFICATIONS

THIS SPECIFICATION COVERS THE REQUIREMENTS FOR UNIFORM TROUSERS MADE FROM FIRST QUALITY 55% DACRON POLYESTER AND 45% WOOL TROPICAL FABRIC FOR THE RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT.

THE GARMENTS SHALL BE CUSTOM MADE TO MEASURE ACCORDING TO INDIVIDUAL MEASUREMENTS AND FITTINGS.

### REQUIREMENTS:

FIRST QUALITY 55% DACRON POLYESTER AND 45% WOOL TROPICAL FABRIC AS DETAILED IN THE SPECIFICATIONS.

### FABRIC SPECIFICATIONS:

WEAVE – TROPICAL WEAVE #573-93389

WEIGHT – 10.5 OUNCES PER LINEAR YARD

FIBER CONTENT – 55% DACRON POLYESTER  
45% WORSTED WOOL

PLY OF YARN -3 PLY WARP AND FILLING

COLOR-FOREST GREEN

### TROUSER FABRICATION:

MATERIAL: SLATE GREY 55% DACRON POLYESTER AND 45% WOOL, 3-PLY, TROPICAL, 10.5 OUNCE.

STYLE: MODERN UP TO DATE MILITARY PATTERNS SHALL BE USED WITH FITTED WAISTBANDS AND FINISHED HEMS PRODUCED ACCORDING TO INDIVIDUAL SIZING. THE WIDTH OF THE LEGS SHALL BE PROPORTIONAL TO INDIVIDUAL INSEAM AND SHOE SIZES. TO BE MADE WITH TWO QUARTER TOP STYLE SIDE POCKETS AND TWO REAR POCKETS. THE LEFT REAR POCKET WILL HAVE BUTTON TAB WITH A CENTER BUTTON HOLE. THE DENSITY OF BUTTONHOLE IS 50 STITCHES PER INCH WITH A FOUR HOLE 24 LIGNE PLASTIC BUTTON. ONE

POCKETS: FRONT ON QUARTER TOP STYLE POCKETS APPROXIMATELY 6 ¼" OPENING AND MEASURING FROM THE TOP OF THE OPENING TO THE BOTTOM OF THE POCKET MEASURES APPROXIMATELY 13". THE BACK-POCKET OPENING IS TO BE 5 ½" WIDE AND 7" DEEP. ALL POCKETS ARE TO BE SEWN INSIDE OUT AND TURNED THEN TOP STITCHED FOR EXTRA STRENGTH. ALL POCKET WELTS ARE TO BE INTERLINED WITH PELLON AND THEN TOP STITCHED.

BELT LOOPS: ALL TROUSERS ARE TO HAVE 7 BELT LOOPS 7/8" WIDE AND 2" LONG. ALL LOOPS ARE TO HAVE DOUBLE STITCHING FOR EXTRA STRENGTH. ALL LOOPS ARE TO BE SEWN INTO WAISTBAND AT THE TOP ACCOMMODATE A 1 3/4" BELT. ALL LOOPS ARE TO BE SEWN IN SUCH A MANNER AS NOT TO ALLOW RAW EDGES. THE BASE OF THE LOOPS TO BE STITCHED FOR EXTRA STRENGTH WITH A MINIMUM OF 28 STITCHES PER LOOP.

**POCKETING: TO BE 2.5 NATURAL DRILL, POLY/COTTON TWILL #230 AS MANUFACTURED BY QST INDUSTRIES. BLEND TO BE 70% COTTON AND 30% POLYESTER.**

**WAISTBAND: WAISTBAND CURTAIN TO BE BLACK, APPROXIMATELY 2 3/4" WIDE WITH 3 ROWS OF SNUG-TEX COMPLETELY AROUND THE INTERIOR OF THE PANTS AND 1 5/8" BANROLL TO PREVENT ROLLING SHALL BE CAUGHT IN THE TOP STITCHING.**

**SNUG-TEX TO EXTEND OVER THE FRENCH FLY AND WAISTBAND CURTAIN WITH SNUG-TEX TO COVER THE BACK-SEAM OUTLET. TOP OF THE WAISTBAND TO BE SINGLE NEEDLE TOP STITCHED AT THE TOP AND BOTTOM OF BAND FOR EXTRA STRENGTH. ZIG-ZAG OR CHAIN STITCH IS NOT ACCEPTABLE. WAISTBAND CURTAIN SHALL BE CONSTRUCTED WITH 3" WIDE BUCKRAM BACKING. POLYESTER WILL NOT BE ACCEPTED.**

**FLY: TALON ZIPPER IS TO BE BRASS #603-0-025 WITH A #001-5310-05-03-04-000 SLIDE, CUT AND GAPPED TO PRECISE LENGTHS FOR INDIVIDUAL TROUSERS. ZIPPER SLIDE TO BE HEAVY DUTY SELF-LOCKING TYPE. ZIPPER TAPE TO BE ALL COTTON TWILL STYLE #06-1310. TROUSER CLOSURE TO BE CRUSH PROOF HEAVY DUTY HOOK AND EYE STYLE WITH A 1 PIECE FRENCH FLY AND FLY BUTTON FASTENING AT THE BASE OF THE WAISTBAND. TWO PIECE FLY AND BUTTON TAB IS NOT ACCEPTABLE.**

**STRIPE: STRIPE TO BE 1" BLACK RAYON STRIPE. STRIPE IS TO BE SEWN INTO THE TROUSER IN SUCH A MANNER AS TO SHOW TOP STITCHING EXCEPT AT POCKET OPENING REINFORCEMENT. STRIPE TO BE MOUNTED TO THE BACK PANEL**

**CONSTRUCTION: ALL STRESS POINTS ARE TO BE PROPERLY BAR TACKED AND CLOSING SEAMS TO HAVE #40 POLYESTER CORD REINFORCED THREAD FOR EXTRA STRENGTH. TROUSERS MUST BE PROPERLY SHAPED, THE OUT SEAMS AND INSEAMS TO BE PRESSED OPEN FLAT. ALL EDGES WILL BE FINISHED SMOOTH WITH 15 STITCHES PER INCH. THERE WILL BE NO RAW EDGES INSIDE OR OUTSIDE OF THE TROUSER. ALL TROUSERS ARE TO HAVE APPROXIMATELY A 5" POLYESTER AND COTTON CROTCH REINFORCEMENT SEWN IN, SIZE MAY VARY ACCORDING ON THE TROUSER SIZE. FRONT CREASES ARE TO BE PERMANENTLY SEWN IN WITH A LOCK STITCH.**

**CERTIFICATION: VENDOR SHALL BE RESPONSIBLE FOR ALL REQUIREMENTS, SPECIFICATIONS AND STANDARDS AND SHALL CERTIFY COMPLIANCE WITH ALL OF THE ABOVE**

**CUTTING: ALL GARMENTS ARE TO BE CUT FROM COMPUTERIZED PATTERNS UTILIZING A LECTRA OR GERBER COMPUTERIZED CUTTING SYSTEM. THIS MODERN EQUIPMENT PROVIDES AND INSURES THE PRODUCTION OF EXTREMELY PRECISE PATTERNS AS WELL AS PROPERLY ALIGNED SEAMS FOR FUTURE ALTERATIONS. IN ADDITION TO ENHANCING TAILORING OF FINELY PROPORTIONED PATTERNS FOR MAXIMUM DRAPING QUALITIES AND CONSISTENT SIZING.**

**Revised 10/23/14**

## WINTER DRESS CLASS A TROUSER SPECIFICATIONS

### SCOPE:

THIS SPECIFICATION COVERS THE REQUIREMENTS FOR UNIFORM TROUSERS MADE FROM FIRST QUALITY 55% DACRON POLYESTER AND 45% WOOL ELASTIQUE FABRIC FOR THE RHODE ISLAND DEPARTMENT OF ENVIROMENTAL MANAGEMENT.

THE GARMENTS SHALL BE CUSTOM MADE TO MEASURE ACCORDING TO INDIVIDUAL MEASUREMENTS AND FITTINGS.

### REQUIREMENTS:

FIRST QUALITY 55% DACRON POLYESTER AND 45% WOOL ELASTIQUE FABRIC AS DETAILED IN THE SPECIFICATIONS.

### FABRIC SPECIFICATIONS:

WEAVE – ELASTIQUE WEAVE #645-92727

WEIGHT – 16.5 OUNCES PER LINEAR YARD

FIBER CONTENT – 55% DACRON POLYESTER  
45% WORSTED WOOL

PLY OF YARN -2 PLY WARP AND FILLING

COLOR-FOREST GREEN

### TROUSER FABRICATION:

MATERIAL: SLATE GREY 55% DACRON POLYESTER AND 45% WOOL, 2-PLY, ELASTIQUE FINISH, 16.5 OUNCE.

STYLE: MODERN UP TO DATE MILITARY PATTERNS SHALL BE USED WITH FITTED WAISTBANDS AND FINISHED HEMS PRODUCED ACCORDING TO INDIVIDUAL SIZING. THE WIDTH OF THE LEGS SHALL BE PROPORTIONAL TO INDIVIDUAL INSEAM AND SHOE SIZES. TO BE MADE WITH TWO QUARTER TOP STYLE SIDE POCKETS AND TWO REAR POCKETS. THE LEFT REAR POCKET WILL HAVE BUTTON TAB WITH A CENTER BUTTON HOLE. THE DENSITY OF BUTTONHOLE IS 50 STITCHES PER INCH WITH A FOUR HOLE 24 LIGNE PLASTIC BUTTON. ONE

POCKETS: FRONT ON QUARTER TOP STYLE POCKETS APPROXIMATELY 6 ¼" OPENING AND MEASURING FROM THE TOP OF THE OPENING TO THE BOTTOM OF THE POCKET MEASURES APPROXIMATELY 13". THE BACK-POCKET OPENING IS TO BE 5 ½" WIDE AND 7" DEEP. ALL POCKETS ARE TO BE SEWN INSIDE OUT AND TURNED THEN TOP STITCHED FOR EXTRA STRENGTH. ALL POCKET WELTS ARE TO BE INTERLINED WITH PELLON AND THEN TOP STITCHED.

BELT LOOPS: ALL TROUSERS ARE TO HAVE 7 BELT LOOPS 7/8" WIDE AND 2" LONG. ALL LOOPS ARE TO HAVE DOUBLE STITCHING FOR EXTRA STRENGTH. ALL LOOPS ARE TO BE SEWN INTO WAISTBAND AT THE TOP ACCOMMODATE A 1 3/4" BELT. ALL LOOPS ARE TO BE SEWN IN SUCH A MANNER AS NOT TO

ALLOW RAW EDGES. THE BASE OF THE LOOPS TO BE STITCHED FOR EXTRA STRENGTH WITH A MINIMUM OF 28 STITCHES PER LOOP.

POCKETING: TO BE 2.5 NATURAL DRILL, POLY/COTTON TWILL #230 AS MANUFACTURED BY QST INDUSTRIES. BLEND TO BE 70% COTTON AND 30% POLYESTER.

WAISTBAND: WAISTBAND CURTAIN TO BE BLACK, APPROXIMATELY 2 3/4" WIDE WITH 3 ROWS OF SNUG-TEX COMPLETELY AROUND THE INTERIOR OF THE PANTS AND 1 5/8" BANROLL TO PREVENT ROLLING SHALL BE CAUGHT IN THE TOP STITCHING.

SNUG-TEX TO EXTEND OVER THE FRENCH FLY AND WAISTBAND CURTAIN WITH SNUG-TEX TO COVER THE BACK-SEAM OUTLET. TOP OF THE WAISTBAND TO BE SINGLE NEEDLE TOP STITCHED AT THE TOP AND BOTTOM OF BAND FOR EXTRA STRENGTH. ZIG-ZAG OR CHAIN STITCH IS NOT ACCEPTABLE. WAISTBAND CURTAIN SHALL BE CONSTRUCTED WITH 3" WIDE BUCKRAM BACKING. POLYESTER WILL NOT BE ACCEPTED.

FLY: TALON ZIPPER IS TO BE BRASS #603-0-025 WITH A #001-5310-05-03-04-000 SLIDE, CUT AND GAPPED TO PRECISE LENGTHS FOR INDIVIDUAL TROUSERS. ZIPPER SLIDE TO BE HEAVY DUTY SELF-LOCKING TYPE. ZIPPER TAPE TO BE ALL COTTON TWILL STYLE #06-1310. TROUSER CLOSURE TO BE CRUSH PROOF HEAVY DUTY HOOK AND EYE STYLE WITH A 1 PIECE FRENCH FLY AND FLY BUTTON FASTENING AT THE BASE OF THE WAISTBAND. TWO PIECE FLY AND BUTTON TAB IS NOT ACCEPTABLE.

STRIPE: STRIPE TO BE 1" BLACK RAYON STRIPE. STRIPE IS TO BE SEWN INTO THE TROUSER IN SUCH A MANNER AS TO SHOW TOP STITCHING EXCEPT AT POCKET OPENING REINFORCEMENT. STRIPE TO BE MOUNTED TO THE BACK PANEL

CONSTRUCTION: ALL STRESS POINTS ARE TO BE PROPERLY BAR TACKED AND CLOSING SEAMS TO HAVE #40 POLYESTER CORD REINFORCED THREAD FOR EXTRA STRENGTH. TROUSERS MUST BE PROPERLY SHAPED, THE OUT SEAMS AND INSEAMS TO BE PRESSED OPEN FLAT. ALL EDGES WILL BE FINISHED SMOOTH WITH 15 STITCHES PER INCH. THERE WILL BE NO RAW EDGES INSIDE OR OUTSIDE OF THE TROUSER. ALL TROUSERS ARE TO HAVE APPROXIMATELY A 5" POLYESTER AND COTTON CROTCH REINFORCEMENT SEWN IN, SIZE MAY VARY ACCORDING ON THE TROUSER SIZE. FRONT CREASES ARE TO BE PERMANENTLY SEWN IN WITH A LOCK STITCH.

CERTIFICATION: VENDOR SHALL BE RESPONSIBLE FOR ALL REQUIREMENTS, SPECIFICATIONS AND STANDARDS AND SHALL CERTIFY COMPLIANCE WITH ALL OF THE ABOVE.

CUTTING: ALL GARMENTS ARE TO BE CUT FROM COMPUTERIZED PATTERNS UTILIZING A LECTRA OR GERBER COMPUTERIZED CUTTING SYSTEM. THIS MODERN EQUIPMENT PROVIDES AND INSURES THE PRODUCTION OF EXTREMELY PRECISE PATTERNS AS WELL AS PROPERLY ALIGNED SEAMS FOR FUTURE ALTERATIONS. IN ADDITION TO ENHANCING TAILORING OF FINELY PROPORTIONED PATTERNS FOR MAXIMUM DRAPING QUALITIES AND CONSISTENT SIZING.

Revised 10/23/14

## **5.11 SHORT SLEEVE TACLITE PRO SHIRT, STYLE# 71175**

### **PRODUCT DESCRIPTION:**

Taclite® Pro SS Shirt

### **STYLE NUMBER:**

71175,

### **FABRIC TYPE:**

**Main Body:** 65% polyester 35% cotton 4.4 oz Taclite® with Teflon® finish

**Lining:** 100% Polyester Mesh

### **FEATURES & BENEFITS:**

Polyester cotton blend for a professional appearance and comfort

Teflon® finish for stain resistance

Large horizontal back vent lined with mesh that has good wicking properties

Locker loop at inside back neck

Collar features hidden button-down tabs

Two bellowed chest pockets and pencil pocket openings on each flap

Double pencil pocket on wearer's left sleeve

5.11 patented hidden document pocket

Comes with an épaulette and badge holder kit for easy conversion

UPF Rating: 25

### **STITCHING & FINISHING:**

**Seams** are durable with 10-12 stitches per inch on all operations

**Triple needle stitching** on the armholes, front yoke, back cape, document pocket, pocket bags, both sides of center front placket and collar edge

**Double needle topstitching** on pocket flaps, sleeve hems and clean finished shirt tail

**2 Vertical bar tacks** on each of the pocket flaps spaced 1 1/2" apart for the pen pocket opening

**Bartacks** at top corners of pocket flaps and chest pockets, top and bottoms of document pocket openings and at center back of cape

### **CLOSURES:**

**Buttons** – 4 hole Melamine buttons that won't melt, burn, or crack

20 Ligne Buttons:

1 at center front neck band, 6 buttons on front placket, 1 spare button and 2 buttons provided for optional épaulettes

14 Ligne Buttons:

2 buttons at hidden button-down tab, under collar

1 spare

**Hook and loop** closure on document pockets and chest pockets

**LABELS:** Parts # label, woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the inside of the shirt



**CUSTOM FINISHING:**

Installation of two shoulder patches (emblems) sewn on both shoulders positioned **one inch** below the shoulder seam and centered on the shoulder portion of this garment. We shall require our badge to be embroidered on the left breast area and a badge number tape (1 ½ "X 3") sewn onto the right breast area, or a number board embroidered directly on the garment (1 ½ "X 3"). These badge number tapes are to be included and made to our specifications. The positioning of the embroidered badge and badge number tape shall be positioned centered on the respective breast area and be placed not more than ½" above any breast pocket. There shall be sergeant chevrons attached to the shirt ordered specifically for sergeants in the agency. These chevrons are to be supplied by the vendor. These chevrons are to be centered below the agency shoulder patches (emblems) on both sleeves of the shirt.

**The agency has sample shirts that can be provided for confirming of said finishing.**

---

**STOCK SIZES:**

S-2XL Regular

**COLORS:** 190 TDU GREEN

## **5.11 LONG SLEEVE TACLITE PRO SHIRT, STYLE# 72175**

### **PRODUCT DESCRIPTION:**

Taclite® Pro LS Shirt

### **STYLE NUMBER:**

72175,

### **FABRIC TYPE:**

**Main Body:** 65% polyester 35% cotton 4.4 oz Taclite® with Teflon® finish

**Lining:** 100% Polyester Mesh

### **FEATURES & BENEFITS:**

Polyester cotton blend for a professional appearance and comfort  
Teflon® finish for stain resistance  
Large horizontal back vent lined with mesh that has good wicking properties  
Locker loop at inside back neck  
Collar features hidden button-down tabs  
Two belled chest pockets and pencil pocket openings on each flap  
Double pencil pocket on wearer's left sleeve  
5.11 patented hidden document pocket  
Comes with an epaulette and badge holder kit for easy conversion  
Stitched eyelets arm pit vents that are reinforced for stability  
Professional cuff strap feature at four rolls of the sleeve  
Double fabric for added elbow durability  
yPF Rating: 25

### **STITCHING & FINISHING:**

**Seams** are durable with 10-12 stitches per inch on all operations  
**Triple needle stitching** on the armholes, front yoke, back cape, document pocket, pocket bags, both sides of center front placket and collar edge  
**Double needle topstitching** on pocket flaps, sleeve hems and clean finished shirt tail  
2 **Vertical bar tacks** on each of the pocket flaps spaced 1 1/2" apart for the pen pocket opening  
**Bartacks** at top corners of pocket flaps and chest pockets, top and bottoms of document pocket openings and at center back of cape

### **CLOSURES:**

**Buttons** – 4 hole Melamine buttons that won't melt, burn, or crack  
20 Ligne Buttons:  
1 at center front neck band, 6 buttons on front placket, 1 spare button and 2 buttons provided for optional epaulettes  
14 Ligne Buttons:  
2 buttons at hidden button-down tab, under collar  
1 spare  
**Hook and loop** closure on document pockets and chest pockets

**LABELS:** Parts # label, woven logo label, care label, size label, country of origin label and

fiber content label are permanently attached to the inside of the shirt

**CUSTOM FINISHING:**

Installation of two shoulder patches (emblems) sewn on both shoulders positioned **one inch** below the shoulder seam and centered on the shoulder portion of this garment. We shall require our badge to be embroidered on the left breast area and a badge number tape (1 ½ "X 3") sewn onto the right breast area, or a number board embroidered directly on the garment (1 ½ "X 3"). These badge number tapes are to be included and made to our specifications. The positioning of the embroidered badge and badge number tape shall be positioned centered on the respective breast area and be placed not more than ½" above any breast pocket. There shall be sergeant chevrons attached to the shirt ordered specifically for sergeants in the agency. These chevrons are to be supplied by the vendor. These chevrons are to be centered below the agency shoulder patches (emblems) on both sleeves of the shirt.

**The agency has sample shirts that can be provided for confirming of said finishing.**

**STOCK SIZES:**

S-2XL Regular

**COLORS: 190 TDU GREEN**

## 5.11 TACLITE TDU PANT, STYLE # 74280

### **PRODUCT DESCRIPTION:**

Men's TacLite TDU Pant

### **STYLE NUMBER:**

74280

### **FABRIC TYPE:**

**Main Body:** 65% Polyester, 35% Cotton 7.25 oz TacLite® with Teflon® finish

**Pocketing:** 80% Polyester 20% Cotton 4.0 oz. Plain Weave

### **FEATURES & BENEFITS:**

Teflon® treated for spill and stain resistance

Self-adjusting tunnel waistband that moves with the wearer

Front pocket openings have extra reinforcement on knife clipping area

Deep front pockets, clean finished inside the pant and double stitched for heavy duty

Large pleated cargo pockets with bellows on back and 2-compartment pockets with BBS feature inside

Cargo pockets have large flaps designed to close even when pockets are full.

Divided pockets inside have double function: small items fit inside and several types of rigs attach to loop fabric on the face side. Pleats and bellows camouflage the exact nature of the items on the rigs.

Back pockets have single welts and generous size flaps. Pocket bags are deep, clean finished inside and double stitched.

Double knees with inside opening for inserting Neoprene knee pad (sold separately) and double seat in, self fabric

Leg openings have removable draw cords tacked to inseam so that it will not slip out. The tack is removable.

UPF Rating: 50

### **STITCHING & FINISHING:**

**Seams** are durable with 10 stitches per inch and extra heavy 5-thread construction

**Top Stitchings** are non-raveling lock stitching

**Three-needle top stitching** at side seams, seat seam and front rise have

**Double needle top stitching** for fly outline, hand pocket openings, cargo pockets and all pocket flaps, knee patches and seat patch

**Bar tacked** belt loops at all corners, back pocket openings, crotch points and cargo pocket openings. Flaps are cross bar tacked.

**Box stitching** at all Hook and Loop

### **CLOSURES:**

**Fly zipper** is metallic YKK® zipper with locking slider

**Waist snap** is metallic PRYM® 5.11 logo snap with extra strong grip.

**Buttons** at wearer's right back pocket and inside front back-up button are 4 hole Melamine buttons that won't melt, burn or crack

**Hook and Loop** closure at cargo pockets and back pockets

**LABELS:**

The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pants.

**STOCK SIZES:** XS-2XL (Short, Reg, Long)

Short = 29.5", Reg = 32.5", Long = 33.5"

**COLORS:** TDU GREEN (190)

## 5.11 LONG SLEEVE TDU SHIRT, STYLE # 72002

### **PRODUCT DESCRIPTION**

TDU LS Shirt

### **STYLE NUMBER:**

72002

### **FABRIC TYPE**

: **Main Body:** 65% polyester 35% cotton  
6.14 oz Ripstop with Teflon® finish

### **FEATURES & BENEFITS**

: Comfortable, durable and functional  
Teflon® treated for stain and soil resistance  
Locker loop at inside back neck  
Bi-swing shoulder design allows for extra movement through the back shoulder  
Two chest pockets with a bellow at one side (closest to armhole) and pencil pocket openings on each flap  
5.11 patented hidden document pocket  
Hidden lower front placket (buttons are hidden between a double front placket)  
Comes with an epaulette and badge holder kit for easy conversion  
Double-reinforced elbows with inside opening for insertion of elbow pad (not included)  
Duel pen-pocket on left forearm  
28 bartacks in high stress areas  
UPF Rating: 50

### **STITCHING & FINISHING:**

**Seams** are durable with 10-12 stitches per inch on all operations  
**Triple needle stitching** on the patented document pockets, armholes, Bi-swings, front and back yokes, sleeve seam and elbow patch  
**Double needle** top stitching on cuffs, pocket bag and flaps  
**Single needle** top stitching at collar edge, both sides of front placket, duel pen-pockets on sleeve, sleeve plackets and body hem  
**Clean finished** straight cut body hem  
**2 Vertical bar tacks** on each of the pocket flaps spaced 1 1/2" apart for the pen pocket  
**Bartacks** at top corners of pocket flaps and chest pockets, top and bottoms of document pocket openings, bottom miter corners of the document pocket, 3/4" up from side seam on the Bi-swing gusset, top, bottom and middle of the hidden placket and top of sleeve placket

### **CLOSURES:**

**Buttons** – 4 hole Melamine buttons that won't melt, burn, or crack  
30 Ligne Buttons:  
1. at center front neck, 4 buttons hidden under front placket, 2 buttons on each cuff for adjustability, 1 button on each sleeve placket, 1 spare button and 2 buttons provided for optional epaulettes  
**Hook and loop** closure on document pockets and chest pockets

### **LABELS:**

Parts # label, woven logo label, care label, size label, country of origin label and fiber

content label are permanently attached to the inside of the shirt

**CUSTOM FINISHING:**

Installation of two shoulder patches (emblems) sewn on both shoulders positioned **one inch** below the shoulder seam and centered on the shoulder portion of this garment. We shall require our badge to be embroidered on the left breast area and a badge number tape (1 ½ "X 3") sewn onto the right breast area, or a number board embroidered directly on the garment (1 ½ "X 3"). These badge number tapes are to be included and made to our specifications. The positioning of the embroidered badge and badge number tape shall be positioned centered on the respective breast area and be placed not more than ½" above any breast pocket. There shall be sergeant chevrons attached to the shirt ordered specifically for sergeants in the agency. These chevrons are to be supplied by the vendor. These chevrons are to be centered below the agency shoulder patches (emblems) on both sleeves of the shirt.

**The agency has sample shirts that can be provided for confirming of said finishing.**

**STOCK SIZES:**

S-2XL Regular

**COLORS: 190 TDU GREEN**

## **5.11 RIPSTOP TDU PANT, STYLE # 74003**

### **PRODUCT DESCRIPTION Men's TDU® Pant**

#### **STYLE NUMBER:**

74003

#### **FABRIC TYPE:**

**Main Body:** 65% Polyester, 35% Cotton 7.5 oz Ripstop with Teflon® finish

**Pocketing:** 80% Polyester 20% Cotton 4.0 oz. Plain Weave

**FEATURES & BENEFITS:** Teflon® treated for spill and stain resistance

Self-adjusting tunnel waistband that moves with the wearer

Front pocket openings have extra reinforcement on knife clipping area

Deep front pockets, clean finished inside the pant and double stitched for heavy duty

Large pleated cargo pockets with bellows on back and 2-compartment pockets with BBS feature inside

Cargo pockets have large flaps designed to close even when pockets are full.

Divided pockets inside have double function: small items fit inside and several types of rigs attach to loop fabric on the face side. Pleats and bellows camouflage the exact nature of the items on the rigs.

Back pockets have single welts and generous size flaps. Pocket bags are deep, clean finished inside and double stitched.

Double knees with inside opening for inserting Neoprene knee pad (sold separately) and double seat in, self fabric

Leg openings have removable draw cords tacked to inseam so that it will not slip out. The tack is removable.

UPF Rating: 50

#### **STITCHING & FINISHING:**

**Seams** are durable with 10 stitches per inch and extra heavy 5-thread construction

**Top Stitchings** are non-raveling lock stitching

**Three-needle top stitching** at side seams, seat seam and front rise have

**Double needle top stitching** for fly outline, hand pocket openings, cargo pockets and all pocket flaps, knee patches and seat patch

**Bar tacked** belt loops at all corners, back pocket openings, crotch points and cargo pocket openings. Flaps are cross bar tacked.

**Box stitching** at all Hook and Loop

#### **CLOSURES:**

**Fly zipper** is metallic YKK® zipper with locking slider

**Waist snap** is metallic PRYM® 5.11 logo snap with extra strong grip.

**Buttons** at wearer's right back pocket and inside front back-up button are 4 hole Melamine buttons that won't melt, burn or crack

**Hook and Loop** closure at cargo pockets and back pockets

#### **LABELS:**

The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pants.



**STOCK SIZES:**

XS-2XL (Short, Reg, Long)

Short = 29.5", Reg = 32.5", Long = 33.5"

**COLORS:**

TDU GREEN (190)

## **5.11 5 IN 1 JACKET, STYLE # 48017**

### **PRODUCT DESCRIPTION:**

5 in 1 Jacket

### **STYLE NUMBER:**

48017

### **FABRIC TYPE:**

Outer Jacket/Coat: Shell is 100% Nylon

Fleece Jacket: Shell is 100% Polyester Fleece

### **FEATURES & BENEFITS:**

The 5-in-1 Parka features the 100% Nylon FD which delivers an exceptional warmth and waterproof-breathable versatility. The 100% Polyester Taffeta offers a breathable lining.

The 100% Polyester Fleece Jacket is wind resistant and offers great comfort to your body and warmth.

Water Resistant: Waterproof treated fabrics with especially designed zippers, closures and seams completely seal out water and rain.

Outer Pockets: 11 – Space for hand warming and storage.

Back-Up Belt System rounds out this great parka and offers ability to carry additional gear.

The jacket is made of abrasion resistant lower lining on coat and shoulder, elbows a and lower inside lining of fleece jacket.

UPF Rating: 50

### **STITCHING & FINISHING:**

Fully seam sealed shell, over locked seams with single needle details stitching, to reinforce seams and pocket corners.

### **CLOSURES:**

YKK zippers, VELCRO Hook and Loop

PRYM Snap – Plastic Cap Snap

### **LABELS:**

Jackets have a care label, size label, country of origin and fiber content label permanently attached to the garment.

### **CUSTOM FINISHING:**

Installation of four shoulder patches (emblems), two of which will be sewn on both shoulders of the outer shell and two of which will be sewn on both shoulders of the inner fleece removable liner. These shoulder patches (emblems) will be positioned **one inch** below the shoulder seam and centered on the shoulder portion of the garment. A badge holder will be sewn centered onto the left breast outer shell of the garment and a Velcro strip (1 ½ "X 3") for a number board will be sewn centered on the right front breast area of the outer shell of the jacket. On the inner fleece liner, we shall require our badge to be embroidered on the left breast area and a badge number tape (1 ½ "X 3") sewn onto the right breast area, or a number board embroidered

directly on the garment (1 ½ "X 3"). The badge number tapes are to be included and made to our specifications. The positioning of the badge holder, embroidered badge, Velcro strip, badge number tape, and embroidered number board shall be positioned centered on the respective breast area and be placed so that the attached accoutrement shall not hang or be displayed over any breast pocket. All fold out tabs will have "POLICE" silk- screened block lettering in reflective silver. The front tabs shall have 2" block lettering and the rear panel tab shall have 3 ½" block lettering. There shall be sergeant chevrons attached to outer jacket and inner fleece ordered specifically for sergeants in the agency. These chevrons are to be supplied by the vendor. These chevrons are to be centered below the agency shoulder patches (emblems) on both sleeves of the outer shell of the jacket and on the fleece.

**The agency has a sample jacket that can be provided for confirming of said finishing.**

**STOCK SIZES:**

XS-2XL

**COLORS:** 019 Black,

## **5.11 TACTICAL FLEECE JACKET, STYLE # 48038**

### **PRODUCT DESCRIPTION:**

Tactical Fleece Jacket

### **STYLE NUMBER:**

48038

### **FABRIC TYPE**

: MAIN BODY: 100% Polyester Fleece, 2 sided brushed fabric with anti pilling on 2 sides, Wind Resistant by construction, 350 g/m2

WOVEN LINING/POCKETING: 100% Polyester Taffeta

KNIT LINING/POCKETING: 100% Polyester 180g Tricot

### **FEATURES & BENEFITS:**

- Heavy weight, Wind Resistant fleece with great warmth to weight ratio
  - Taffeta lined for comfort and mobility
  - Ideal for moderately cool, blustery days
  - 100% Nylon abrasion resistant collar, shoulders, biceps and back of forearm
  - Zippered exterior hand warmer pockets and interior pocket
  - Sideseam zippers with elastic snap tab offer sidearm access or additional ventilation
  - Elastic corded hem adjustability
  - Mic Loops
  - Perfect for soft badge embroidery
  - 7 cargo and utility pockets including 2 zippered hand warming pockets, 2 internal pockets, 1 zippered forearm pocket and 2 Back Up Belt System™ compatible quick access chest pockets.
- UPF Rating: 40

### **STITCHING & FINISHING:**

**Single Needle Topstitch: Sleeve and sweep hem**

**Edge Stitch :** At front vertical document pockets, lower front zip pockets, wearer's left internal pocket.

**1/4" Topstitch Single Needle :** Placed at collar edge, around center front zipper, armholes, front and

back yoke seam, sleeve patches, sleeve seams, around side seam zipper vents.

**Shadow Stitch:** Placed at hem turn back of vertical document pocket.

### **BARTACK &**

### **REINFORCEMENT:**

**Heavy Bartacks** for extra support, placed at all pocket ends, Mic loop ends, and center front zipper top and bottom for extra reinforcement.

**LABELS:** Permanently attached Care/Content/Country of Origin, Size and style labels

### **CLOSURES:**

**Zippers:** YKK®

\* Center front opening- #5 Vislon\* Sideseams- #3 Coil, closed end

\* Pockets - #3 coil on all pockets

**Velcro:**

\* Hook and Loop , 1" wide by 2 1/2" long , placed at chest documentation pocket closure hem.

**Snaps:**

\* Non Prym Plain non logo Metal snaps: Placed at hem internal adjustable side tabs,

**CUSTOM FINISHING:**

Installation of two shoulder patches (emblems) sewn on both shoulders positioned **one inch** below the shoulder seam and centered on the shoulder portion of this garment. We shall require our badge to be embroidered on the left breast area and a badge number tape (1 ½ "X 3") sewn onto the right breast area, or a number board embroidered directly on the garment (1 ½ "X 3"). These badge number tapes are to be included and made to our specifications. The positioning of the embroidered badge and badge number tape shall be positioned centered on the respective breast area and be placed not more than ½" above any breast pocket. There shall be sergeant chevrons attached to the shirt ordered specifically for sergeants in the agency. These chevrons are to be supplied by the vendor. These chevrons are to be centered below the agency shoulder patches (emblems) on both sleeves of the shirt.

**The agency has a sample fleece jacket that can be provided for confirming of said finishing.**

**STOCK SIZES:**

XS-2XL

**COLORS:** 019 Black,

## **BLAUER MOCK TURTLENECK, STYLE # 8110X**

Item #: 8110X

### **PRODUCT DESCRIPTION:**

Blauer mock turtleneck

### **PRODUCT MATERIAL:**

90% Cotton/ 10% Spandex

### **Features:**

- Performance blend of cotton and Lycra® with moisture wicking treatment wicks sweat away from your body to keep you warmer and drier in cold weather
- High cotton content is safe for public safety use
- Beefy jersey knit
- ~~Collar and cuffs use the same fabric as the body for true color matching~~
- Collar and cuffs reinforced with stretch fusible
- Interlining for better appearance
- Extra-long tail stays tucked in
- Reinforced shoulder seam

### **Finishing**

Embroidered ½" block letters in silver thread "RI DEM" left front.

### **STOCK SIZES:**

S-6XL Regular and Tall

**COLORS: BLACK**

## **FRISKERS LEATHER GLOVES, STYLE DFS2000**

Item #: DFS2000

### **PRODUCT DESCRIPTION:**

Frisker Leather Gloves

### **PRODUCT MATERIAL:**

Premium aniline finished cowhide.

### **Features:**

- With 100% Honeywell® Spectra® U.S. Made cut resistant protective liners
- Smooth premium quality aniline finished cowhide
- Extended gathered wrist

Water resistant

### **STOCK SIZES:**

S- 2XL

**COLORS: BLACK**

## 5.11 BALL CAP STYLE, #89381

### 1. Requirements:

- 1.1 **Color:** Black.
- 1.2 The Agency's Division badge is to be embroidered, centered on the front panel and the embroidered badge is to be embroidered to 2 Inches wide and 2 1/2 Inches in height in multi-color threads as per agency's ball cap sample.
- 1.3 "ENVIRONMENTAL POLICE" 5/16-inch block lettering in forest green thread is to be embroidered on the back of the ball cap arched over the top of opening on the back as per the agency's ball cap sample.

---

**BID SAMPLES:** Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.



## PACIFIC HEADWEAR BALL CAP 148C HIGH VISIBILITY

### 1. Requirements:

- 1.1 **Color.** High Visibility 148C ball cap color will be Blaze Orange. Brushed Twill 101C ball cap color will be Black.
- 1.2 The Agency's Division badge is to be embroidered, centered on the front panel and the embroidered badge is to be embroidered to 2 inches wide and 2 1/2 inches in height in multi-color threads as per agency's ball cap sample.
- 1.3 **"ENVIRONMENTAL POLICE"** 5/16-inch block lettering in forest green thread is to be embroidered on the back of the ball cap arched over the top of opening on the back as per the agency's ball cap sample.

---

BID SAMPLES: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

## **5.11 TACTICAL WATCH CAP, STYLE # 89250**

Item #: 89250

### **PRODUCT DESCRIPTION:**

5.11 Tactical Watch Cap

### **PRODUCT MATERIAL:**

Polyester fleece

### **Features & Benefits**

- Warm, lightweight cap
- Wind-resistant, water-resistant, and anti-pilling
- Ideal for hunting, camping, and the range

---

### **Specifications**

- Polyester fleece
- Anti-pilling construction
- Wind-resistant
- Water-resistant

### **Finishing**

Embroidered ½" block letters in silver thread "RI DEM" left front.

### **STOCK SIZES:**

Small and Large

**COLORS:** OD GREEN (182)

## **BLAUER REVERSIBLE RAIN JACKET, STYLE # 233R**

Item #: 233R

### **PRODUCT DESCRIPTION:**

REVERSIBLE HI-VIS RAIN JACKET WITH SNAP ON HOOD

### **PRODUCT MATERIAL:**

Waterproof materials

### **FEATURES:**

- B.DRY® waterproof, windproof, breathable laminates on both black and vis sides
- Fully reversible to fade resistant hi-vis fluorescent polyester for safety
- 2" SCOTCHLITE™ hi-contrast reflective trim around chest, sleeves, bottom hem and cuffs on hi-vis side
- Black perimeter facing prevents "peek through" when worn black side out
- Double storm flaps with reversible zipper
- Sport collar zips to top for protection from wind and rain
- Seams sealed with thermal tape
- 10" go-through slash pockets with welts
- Waterproof side zippers for equipment access
- Raglan shoulder design for freedom of movement
- Snap front closures
- Microphone tabs on left and right sides (black and hi-vis sides)
- Optional badge tabs on both sides
- 32.5" length
- Certified to ANSI 107-2010 Class III
- Authorized for purchase under the Homeland Security Grant Program & Fire Act Grant as PPE

Snap-on hood (Style #123) as an add on option to jacket

### **FINISHING:**

Installation of two shoulder patches sewn on both shoulders positioned **one inch** below the shoulder seam and centered on the shoulder portion of this garment. A badge holder will be sewn centered onto the left breast outer shell of the garment. Silk screened on the upper back of the hi-visibility side of the outer jacket will be 3" block lettering "DEM POLICE" with "DEM" above "POLICE", all lettering centered.

### **STOCK SIZES:**

S-3XL SHORT, REGULAR, TALL

**COLORS:** HI-VIS YELLOW WITH REVERSIBLE BLACK

## DRESS BLOUSE

### SCOPE:

This specification covers the requirements for uniform blouses made from first quality 55% polyester and 45% wool worsted elastique fabric for the Rhode Island DEM.

The garments shall be tailor fit according to individual measurements and fittings.

### REQUIREMENTS:

First quality 55% polyester and 45% wool worsted elastique fabric as detailed in specifications.

The production of the blouse shall be first class in every respect. All material necessary to produce the blouse must be first quality and the garments shall be clean, well finished and pressed.

Blouses in custom made to measure sizes will be required. Custom fit blouses are to be made to individual measurements and fittings. Measurements are to be taken at Headquarters.

All garments shall be manufactured in one establishment where sanitary conditions shall prevail. During normal working hours the vendor's plant shall be open for inspection of work by duly authorized representative of the Rhode Island DEM.

The vendor shall demonstrate that facilities are available for promptly making necessary alterations and adjustments.

### SPECIFICATIONS, FABRIC:

Weave – Elastique Weave

Weight – 16 ½ - 17 oz. Per Linear Yard

Fiber Content – 55% Dacron Polyester  
45% Wool

Ply of Yarn – 2 Ply Warp and Filling

Tensile Strength – 260 lbs. In Warp Minimum  
150 lbs. In Filling Minimum

Construction – 125 Ends Per Inch  
80 Picks Per Inch

### BLOUSE FABRICATION:

**MATERIALS:** Raeford Mills BB #645, Black 16 ½-17 oz 55% dacron/polyester and 45% wool 2 ply elastique. London cold water shrunk. Green piping will be #333-168.

**STYLE:** Five button front, no buttons on cuff, single breasted, choker collar, cut snug at waist, flare in skirt (Sam Browne belt will be worn), double bi-swing back. There will be #333-168 piping sewn on the front edge of the jacket.

**COLLAR:** Choker collar. The color fabric of the collar will be Raeford #646-black. The neck shall be secured with a hidden snap, reinforced with buckram and lined with satin against the neck. At the top edge of the collar, there will be #333-168 green piping that will be sewn on.

**POCKETS:** Blouse shall have two upper breast and two lower hip outside pockets with pleats and scalloped flaps. The corners of the pockets shall be slightly rounded. The pleat in each pocket shall be 1 1/2" wide. All pocket flaps will be made with Raeford 646-black. The blouse shall also be constructed with two inside breast pockets. The pockets shall be 5 3/4" wide by 6 inches deep. The pocket opening shall be neatly piped. Dimensions for breast and lower pockets shall be scaled in accordance with garment size and length. All four pockets will accommodate a removable metal 24-ligne button.

**BACK:** Shall be constructed with a resilient true double bi-swing to facilitate movement. The opening of both the interior and exterior bi-swing shall start 1 1/2" below epaulet seam and extend 1 1/2" above waistband. There shall be the placement of a 1 1/2" elastic strap inside the lining to provide a true bi-swing.

**VENT:** Yes, center

**LINING:** Full-lining of polyester twill fabric, black in color. Front innercloth shall be the best grade on nonwoven fusible pellon. There shall be no substitute for pellon. Chest and shoulder of coat to be padded with hymo haircloth and felt, to be sewn with two rows of blindstitch including one inch woven braid tape. The back of the blouse is to be constructed with a bi-swing that is connected with a one-inch elastic strap.

**SLEEVE:** The lining shall be the same as the body lining. A department emblem shall be sewn on both sleeves 1 inch below shoulder seam. Emblems shall be supplied by the agency. There shall be a New England style cuff that will be made with 645-black and HWC #333-168 green fabric piping.

**EPAULETS:** Shall be 2 1/4" wide at shoulder seam and tapered to 1 1/2", and the point extending well under the collar. Each epaulet will be open, (not cross stitched) and button near the collar with a metal 24 ligne button. The epaulets will be 645-black with 333-168 green piping. Under the left epaulet, 2 inches from the shoulder seam, there will be a plastic button to attach a shoulder cord.

**SEAMS:** Outside body seams shall be plain. Shoulder seams shall be stayed around armhole with tape from back notch to front notch.

**OUTLETS:** Side seams - 3/4" each side; 3/4" in underseam. The turnup at the bottom of the cuff shall be no less than 2 1/2". The turnup at the bottom of the coat shall be no less than 1 1/4".

**BUTTONS:** Front closure: five, 36 ligne, metal buttons. Pocket flaps and epaulets: six 24 ligne, metal buttons as manufactured by the Waterbury Button Company. Brass RI state seal buttons will be used.

**BUTTONHOLES:** Shall be a cut first or after type, positioned 1/2" from edge of coat and finished with separate bartacks.

**BELT HOOKS:** Front and Rear total of 4

**SHOULDER PADS:** Shall be 1/2" thick needle punch type with 100% cotton padding fill.

**SEWING THREADS:** All sewing threads shall be the best quality nylon, cotton polyester and blends of polyester and cotton as is applicable to specific seams. Manufacturer shall certify that the seams, sewing threads, tensile strength elongation and number of stitches per inch will

withstand the stresses exerted in the performance of the normal duties of a law enforcement officer.

**TOP AND EDGE STITCHING:** Uniform ¼" double stitching shall be used on all flaps, epaulets, upper pockets, lapel, belts and at hem of blouse.

**CUTTING:** Garments are to be cut from computerized patterns utilizing a Lectra or Gerber computerized cutting systems. This modern equipment provides and insures the production of extremely precise patterns as well as properly aligned seams for future alterations. In addition to enhancing tailoring of finely proportioned patterns for maximum garment draping qualities and consistent sizing, this equipment makes possible the production of a complete set of individual customized patterns further assuring continuity in visual effect.

**FITTING:** All uniform garments shall be custom made to the measurements taken of the individual. All measurements shall be taken in the presence of an official designated by the Rhode Island DEM. This official shall also be present at the try-on in the baste; shall approve alterations and acceptance of the finished product. Measurements shall be recorded and the Rhode Island DEM representative shall retain one copy until acceptance of the final garment is approved, at which time it will be surrendered upon demand by the contractor. Acceptance or rejection of the garments shall be at the discretion of the above-designated official. One try-on in the baste is required and one alteration permitted. If the uniform is judged to be unacceptable after one alteration, it will be rejected and a new garment shall be produced. A rejected uniform may not be accepted after alteration for any other individual.

**STANDARDS:** Color fastness (carbon – arc type fadometer):

To light: 20 hours, no appreciable change in shade of color.

To dry Cleaning, perspiration and crocking: must meet commercially acceptable minimum standards according to the A.A.T.C.C. test methods (132-1976, 15-1976), class 4 transference of or alteration in color after dry cleaning; perspiration acid and alkaline; as well as wet and dry crocking tests.

The residual sizing, finish, protein or other non-fibrous material, including chloroform soluble and water-soluble material, shall not exceed 2%.

**FABRIC ABRASION:** Must meet commercially acceptable ratings.

**CERTIFICATION:** Vendor shall be responsible for all requirements, specifications and standards and shall certify compliance with all of the above. All blouses shall be properly sized and delivered clean and well pressed.

**LABELING:** All coats are to be custom made for each individual officer, to be produced and filed in CAD Computer System (Computer Aided Design). All coats are to have a care label permanently affixed, with the department name, officer's name, manufacturer's name, specification, size, date of manufacture also to have a tracking code (bar code), which corresponds to the packing slip and invoice number.

**ADDITIONS:** There shall be a self-goods badge holder sewn above the left breast pocket, 2" long and 1" wide, with two brass eyelets and sewn all the way around. There shall be a rectangle piece of black Velcro (soft side) for the attachment of the officer's number board.

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DIVISION OF LAW ENFORCEMENT

UNIFORM SPECIFICATIONS

**NATIONAL PARK SERVICE CAMPAIGN HAT  
STRATTON STYLE # F-44**

**1. Classification and Scope:**

- 1.1 This specification sheriff Stetson as described herein.
- 1.2 Material: FELT
- 1.3 Color: Conservation green
- 1.4 Sizes: 6 ½- 7 ¾

**2. Requirements:**

- 2.1 The brim shall be 3 inches.
- 2.2 There shall be vent holes.
- 2.3 There shall be brim eyelets on each side of the brim.
- 2.4 There shall be one badge eyelet 2 7/16 inches above the front center brim.
- 2.5

NOTE: In all details not specifically described herein, the tailoring, styling, and the construction of the components shall conform to the standard sample.

BID SAMPLES: Buyer, subsequent to bid opening, may instruct (3) lowest bidders to submit samples. Samples shall not be submitted with bid.

**PROPPER I.C.E PERFORMANCE SHORT SLEEVE POLO SHIRT, STYLE # F5341**

Item #: F5341

**PRODUCT DESCRIPTION:**

PROPPER SHORT SLEEVE POLO SHIRT

**PRODUCT MATERIAL:**

6.8 OZ 94% polyester/ 6% spandex

Features:

- Advanced wicking fabric dries 125% faster than cotton, 30% faster than traditional polyester
- Fade, shrink and wrinkle resistant
- Low profile appearance for use both on and off duty
- Hidden collar stays provide a clean, professional look
- Mic clips on both shoulders and sunglasses clip under placket
- Gusseted mesh underarm increases ventilation and range of motion
- Extended length for tucking into pant
- Two-channel pen pocket on left shoulder

Finishing

Embroidered Division patch artwork and or Division badge artwork over left breast with 3/8" bold block lettering arched above artwork displaying rank or specialization. Lettering color will be specified.

**STOCK SIZES:**

S-5XL Regular

**COLORS: BLACK**



**PROPPER I.C.E PERFORMANCE LONG SLEEVE POLO SHIRT, STYLE # F5315**

Item #: F5315

**PRODUCT DESCRIPTION:**  
PROPPER LONG SLEEVE POLO SHIRT

**PRODUCT MATERIAL:**  
6.8 OZ 94% polyester/ 6% spandex

Features:

- Advanced wicking fabric dries 125% faster than cotton, 30% faster than traditional polyester
- Fade, shrink and wrinkle resistant
- Low profile appearance for use both on and off duty
- ~~Hidden collar stays provide a clean, professional look~~
- Mic clips on both shoulders and sunglasses clip under placket
- Gusseted mesh underarm increases ventilation and range of motion
- Extended length for tucking into pant
- Two-channel pen pocket on left shoulder

Finishing

Embroidered Division patch artwork and or Division badge artwork over left breast with 3/8" bold block lettering arched above artwork displaying rank or specialization. Lettering color will be specified.

**STOCK SIZES:**  
S-5XL Regular

**COLORS:** BLACK

**Contract Terms and Conditions**

**Table of Contents**

Terms and Conditions.....XIII  
    BID STANDARD TERMS AND CONDITIONS .....XIII  
        TERMS AND CONDITIONS FOR THIS BID .....XIII  
        RIVIP INFO - BID SUBMISSION REQUIREMENTS .....XIII  
        DELIVERY PER AGENCY .....XIII  
        MULTI YEAR AWARD .....XIII  
        AWARD .....XIV  
        VENDOR SPECIFICATIONS .....XIV  
        TERMS AND CONDITIONS OF PRICING AGREEMENT .....XIV

**Terms and Conditions**

**BID STANDARD TERMS AND CONDITIONS**

**TERMS AND CONDITIONS FOR THIS BID**

**RIVIP INFO - BID SUBMISSION REQUIREMENTS**

It is the vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form should be attached to the front of the offer. Each bid proposal must be submitted in a separate sealed envelope with the bidder's name and address and the specific "Solicitation Number," "Solicitation Title," and the "Bid Proposal Submission Deadline" marked in the upper left-hand corner of the envelope.

The bid proposal must be delivered (via mail, messenger service, or personal delivery) to the Division of Purchases and date-stamped/receipted by the date and time specified for the bid proposal submission deadline. Bidders should mail bid proposals sufficiently in advance of the bid proposal submission deadline to ensure timely delivery to the Division of Purchases or, when delivering a bid proposal in person or by messenger, should allow additional time for parking and clearance through security checkpoints. Bid proposals must be addressed to:

Rhode Island Department of Administration  
Division of Purchases, 2nd Floor  
One Capitol Hill, Providence, RI 02908-5855

Bid proposals that are not received by the Division of Purchases by the bid proposal submission deadline for whatever reason will be deemed late and will not be considered. The submission time will be determined by the time clock in the Division of Purchases. Postmarks will not be considered proof of timely submission.

Bid proposals in electronic format are not accepted at this time.

At the bid proposal submission deadline, bid proposals will be opened and read aloud in public.

**DIVESTITURE OF INVESTMENTS IN IRAN REQUIREMENT:**

No vendor engaged in investment activities in Iran as described in R.I. Gen. Laws §37-2.5-2(b) may submit a bid proposal to, or renew a contract with, the Division of Purchases. Each vendor submitting a bid proposal or entering into a renewal of a contract is required to certify that the vendor does not appear on the list maintained by the General Treasurer pursuant to R.I. Gen. Laws §37-2.5-3.

**DELIVERY PER AGENCY**

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.

**MULTI YEAR AWARD**

THIS IS A MULTI-YEAR BID/CONTRACT. PER RHODE ISLAND STATE LAW 37-2-33, CONTRACT OBLIGATIONS BEYOND THE CURRENT FISCAL YEAR ARE SUBJECT TO AVAILABILITY OF FUNDS. CONTINUATION OF THE CONTRACT BEYOND THE INITIAL FISCAL YEAR WILL BE AT THE DISCRETION OF THE STATE. TERMINATION MAY BE EFFECTED BY THE STATE BASED UPON DETERMINING FACTORS SUCH AS UNSATISFACTORY PERFORMANCE OR THE DETERMINATION BY THE STATE TO DISCONTINUE THE GOODS/SERVICES, OR TO REVISE THE SCOPE AND NEED FOR THE TYPE OF GOODS/SERVICES; ALSO MANAGEMENT OWNER DETERMINATIONS THAT MAY PRECLUDE THE NEED FOR GOODS/SERVICES.

**AWARD**

THE STATE, AT ITS SOLE DISCRETION, SHALL RESERVE THE RIGHT TO MAKE ONE OR MULTIPLE AWARDS FOR THIS REQUIREMENT AND/OR TO REJECT ANY OR ALL BIDS.

**VENDOR SPECIFICATIONS**

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

**TERMS AND CONDITIONS OF PRICING AGREEMENT**

**SCOPE AND LIMITATIONS - This Agreement covers requirements as described herein, ordered by State agencies during the Agreement Period. No additional or alternative requirements are covered, unless added to the Agreement by formal amendment by the State Purchasing Agent or his designee.**

Under State Purchasing Law, 37-2-54, no purchase or contract shall be binding on the state or any agency thereof unless approved by the department [of administration] or made under general regulations which the chief purchasing officer may prescribe. Under State Purchasing Regulation 8.2.1.1.2, any alleged oral agreement or arrangements made by a bidder or contractor with any agency or an employee of the Office of Purchases may be disregarded and shall not be binding on the state.

**PRODUCT ACCEPTANCE** - All merchandise offered or otherwise provided shall be new, of prime manufacture, and of first quality unless otherwise specified by the State. The State reserves the right to reject all nonconforming goods, and to cause their return for credit or replacement, at the State's option.

- a) Failure by the state to discover latent defect(s) or concealed damage or non-conformance shall not foreclose the State's right to subsequently reject the goods in question.
- b) Formal or informal acceptance by the State of non-conforming goods shall not constitute a precedent for successive receipts or procurements.

Where the vendor fails to cure the defect promptly or replace the goods, the State reserves the right to cancel the Release, contract with a different vendor, and to invoice the original vendor for any differential in price over the original contract price.

**ORDER AUTHORIZATION AND RELEASE AGAINST PRICING AGREEMENT**

**In no event shall the Vendor deliver goods or provide service until such time as a duly authorized release document is certified by the ordering Agency.**

**State Agencies shall request release as follows: All releases shall reference the Price Agreement number, the Contract Issue number, the item(s) covered, and the unit pricing in the same format as described herein.**

A Department Purchase Order (DPO) listing the items ordered shall be created by the agency. The agency may mail or fax a copy of the order to the Vendor. In some cases the agency may request delivery by telephone, but must provide the Vendor with a DPO Order Number reference for billing purposes. Vendors are encouraged to require written orders to assure payments are processed accurately and promptly.

**DELIVERY** If this is an MPA, Vendor will obtain "ship to" information from each participating agency. This information will be contained in the DPO. APA delivery information will be contained in the Notice of Award.

**PRICING** - All pricing shall be as described herein, and is considered to be fixed and firm for the term of the Agreement, unless specifically noted to the contrary herein. All prices include prepaid freight. Freight, taxes, surcharges, or other additional charges will not be honored unless reflected herein.

**INVOICING** All invoices shall reference the DPO Order Number(s), Price Agreement number, the Contract Issue number, the item(s) covered, and the unit pricing in the same format as described herein. If this is an MPA, Vendor will obtain "bill to" information from each participating agency. This information will be contained in the DPO. APA billing information will be contained in the Notice of Award.

**PAYMENT** - Invoices for items not received, not priced according to contract or for work not yet

performed will not be honored. No payment will be processed to any vendor for whom there is no IRS W-9 on file with the State Controller.