2 P1.01 PLUMBING PLAN – GROUND FLOOR LEVEL WATER

1/8" = 1'-0"

FINISH FLOOR ELEVATION : 114.70

1 P1.01 PLUMBING PLAN – GROUND FLOOR LEVEL WASTE

1/8" = 1'-0"

JUN-22-99 WED 9:00 AM SACCOCCIO AND ASSOC INC
Jun 18 99 02:04p J.S. CATAUDELLA 401-728-2244 p.1

CAi CONSULTING ENGINEERS
CATAUDELLA ASSOCIATES, INC.

Page 1 of 1

MEMORANDUM

DATE: June 18, 1999
TO: Dan Peloquin - Saccoccio & Associates, Inc.
FROM: J. S. Cataudella, PE
RE: Center General CAI Ref: 97-116
SUBJ: Plumbing Inverts, Bldg. 69, 69A

1. Dan, pursuant to our discussion, the Building leaving inverts can be raised to:

Bldg. 69A 112.50'
Bldg. 69 116.00'

1223 MINERAL SPRING AVE., NO. PROVIDENCE, RI 02904 • 401-728-1122•FAX 728-2344• E-MAIL CAIENG@IDS.NET

DEMOLITION NOTE :

REMOVE AND DISPOSE OF ALL EXISTING PIPING, FIXTURES, EQUIPMENT, ETC. - WASTE, VENT, HOT AND COLD WATER ROOF DRAINS, ETC. AND REPLACE WITH ALL NEW AS INDICATED

NOTE :

BEFORE STARTING ANY WORK FIELD VERIFY ALL EXISTING LINES AS INDICATED. VERIFY ALL LOCATIONS, SIZES, INVERTS, ETC. FOR CONNECTION POINTS

SA·GCA Architects
An association of Saccoccio & Associates And Goody, Clancy & Associates
28 Garfield Avenue Cranston, R.I. 02920
tel 401. 942. 7970 fax 401. 942. 7975

RENOVATION AND RESTORATION OF CENTER GENERAL COMPLEX

FOR
THE STATE OF RHODE ISLAND
DEPARTMENT OF LABOR AND TRAINING
NEW HEADQUARTERS BUILDING
PONTIAC AVENUE
CRANSTON, RHODE ISLAND

CAi CONSULTING ENGINEERS
CATAUDELLA ASSOCIATES, INC.
1223 MINERAL SPRING AVENUE
NORTH PROVIDENCE, RI 02904
401-728-1122

7/24/98

No.	REVISIONS	DATE

KEYPLAN

TITLE: **BUILDING 69A PLUMBING PLAN GROUND FLOOR**

SA Job No. 97112	GCA Job No. 3940
DRAWN: WFH	DATE:
CHECKED: JSC	DRAWING: 1/8"=1'-0"

J. S. CATAUDELLA NO. 3694 REGISTERED PROFESSIONAL ENGINEER

P1.01

Copyright: © SA/GCA ARCHITECTS 1997