



REQUEST FOR QUOTE (RFQ) – BID# 7602854

2020-CH-019 ROUTE 5 LAMBERT LIND HIGHWAY C-1

SUBMISSION DEADLINE: Tuesday, April 21, 2020 at 01:00 PM (ET)

PRE-BID CONFERENCE: NO
 YES _____

Mandatory: NO
 YES: _____

Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in disqualification of the vendor's bid proposal as non-responsive to the solicitation.

Buyer Name: Lisa Hill
Title: Assistant Administrator

QUESTIONS Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

SURETY REQUIRED: YES

BOND REQUIRED: YES

DISK BASED BID: NO
 YES: See attached Disk Based Bidding Information

NOTE TO VENDORS:

Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed four-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

THIS IS NOT A BIDDER CERTIFICATION FORM



State of Rhode Island Department of Administration
Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED
November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

State of Rhode Island and Providence Plantations
Department of Transportation

Notice to Contractors
Special Provisions
Proposal
Contract Agreement
Contract Bond

for the Performance of

Rhode Island Contract Number: 2020-CH-019

Rhode Island Federal-Aid/State-Aid Project Numbers: BHO-0185(001), NHP-0005(030)

Project: Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)

Limits: Mayfield Avenue to Interstate 95 Bridge

City/Town: Cranston, Warwick

County: PROVIDENCE, KENT

Submitted By: _____

Address: _____

Name of Surety: _____

Total Bid: _____

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

* Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on April 21, 2020 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: Rhode Island Contract No. 2020-CH-019, Federal Aid- Project Nos. NHP-0005(030) and BHO-0185(001) is for the Highway Improvements to Route 5 (Contract 1) from Mayfield Avenue to Interstate 95 bridge, approximately 1.1 miles, including replacement of Greenwich Avenue Bridge No. 185 over the Pawtuxet River in the City of Cranston and City of Warwick, Providence and Kent Counties. The rehabilitation of Bridge No. 185 includes a complete replacement of the bridge superstructure and rehabilitation of the existing substructure. The existing two-span steel superstructure will be replaced in two phases with two simple-spans consisting of steel beams and a composite concrete deck. The existing reinforced concrete abutments and center pier shall be retrofitted to accommodate the new superstructure. In addition to being retrofitted, substructure work shall include concrete repairs to the wingwalls and refacing all abutment and pier faces down to the mudline. Refacing will incorporate a galvanic encapsulation system installed on the existing reinforcing steel to mitigate future corrosion. The work encompassed in this Contract shall also include, but not be limited to, roadway pavement improvements including full depth pavement reconstruction, full depth pavement widening and 2-inch milling and overlay. Traffic signal modifications proposed under this contract shall include but not be limited to traffic signal system reconstruction, replacement of controllers and cabinets, new mast arm poles and foundations, new steel span poles and foundations, pedestal poles and foundations, vehicle signal heads, pedestrian signal heads, accessible pedestrian signals, loop and video detectors, handholes, conduit, interconnect system, and trench excavation and backfill. Geometric modifications proposed under this contract shall include but not be limited to realignment of the Greenwich Avenue approach to Route 5 and realignment of the Knight Street approach to Route 5. Greenwich Avenue at the northern end will be realigned to provide a typical 90-degree approach to Route 5 while eliminating the channelized movements. In addition, Knight Street will be realigned to form a four-way, signalized intersection with Route 5 and the southern Warwick Mall driveway with Greenwich Avenue intersecting Knight Street to form an unsignalized "T" type intersection as part of the realignment. Other items shall include installation of concrete curbing and cement concrete sidewalks including ADA-compliant curb ramps, installation of new drainage structures, stormwater management facilities, utility boxes, utility structure adjustments, exposed aggregate concrete islands, landscape amenities including plantings, signing, and permeable pavers, removing and resetting of a RIPTA bus shelter including preparation of an area for future installation of a new bus shelter each on the easterly and westerly side of Route 5 in the vicinity of the intersection with Knight Street, providing tree protection, pavement markings, loaming and seeding, signing, traffic control and all other incidentals necessary to complete the work to the satisfaction of the Engineer.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 14.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (I)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after March 25, 2020 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Item List

Date: 3/20/2020

Estimate Name - Advertising
 Project Name - Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)
 R.I. Contract No. - 2020-CH-019
 FAP Nos. - BHO-0185(001), NHP-0005(030)

Seq No.	Item Code	Description	Quantity	UM
001	201.0301	CUTTING AND DISPOSING ISOLATED TREES AND STUMPS (4"- 24")	5.00	EACH
002	201.0321	CLEARING AND GRUBBING	2,000.00	SY
003	201.0406	REMOVE AND DISPOSE HIGHWAY BOUNDS	10.00	EACH
004	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	5,500.00	SY
005	201.0410	REMOVE AND DISPOSE CATCH BASINS	8.00	EACH
006	201.0412	REMOVE AND DISPOSE MANHOLE	1.00	EACH
007	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	100.00	LF
008	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	2,000.00	LF
009	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	85.00	EACH
010	201.0440	REMOVE AND DISPOSE ASBESTOS CEMENT PIPE/ DUCT (TRANSITE) ALL TYPES AND SIZES	2,210.00	LF
011	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	100.00	EACH
012	201.9901	DEMOLITION AND SITE PREPARATION	1.00	LS
013	201.9902	REMOVE AND DISPOSE STONES	300.00	SY
014	201.9903	REMOVE AND RELOCATE BUS SHELTER	1.00	EACH
015	202.0100	EARTH EXCAVATION	3,600.00	CY
016	203.0100	STRUCTURAL EXCAVATION EARTH	800.00	CY
017	203.0700	PERVIOUS FILL	480.00	CY
018	203.9901	TEMPORARY COFFERDAM AND CONTROL OF WATER	1.00	LS
019	204.0100	TRIMMING AND FINE GRADING	14,700.00	SY
020	205.0240	TRENCH ROCK EXCAVATION (0-7')	50.00	CY
021	206.0301	COMPOST FILTER SOCK	2,700.00	LF
022	209.0200	SACK INSERT CATCH BASIN INLET PROTECTION	60.00	EACH
023	212.2100	MAINTENANCE AND CLEANING OF EROSION AND POLLUTION CONTROLS	1.00	LS
024	213.0100	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	2,300.00	LF
025	302.0100	GRAVEL BORROW SUBBASE COURSE	3,100.00	CY
026	401.1000	CLASS 19.0 HMA	3,000.00	TON
027	401.2110	MODIFIED CLASS 12.5 HMA WITH PAY ADJUSTMENTS	5,400.00	TON
028	401.3101	MODIFIED CLASS 9.5 HMA FOR BRIDGE DECKS	150.00	TON
029	401.9901	PAY ADJUSTMENTS	50,000.00	EACH
030	403.0300	ASPHALT EMULSION TACK COAT	54,000.00	SY
031	601.0200	CLASS XX PORTLAND CEMENT CONCRETE	50.00	CY

Item List

Date: 3/20/2020

Estimate Name - Advertising
 Project Name - Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)
 R.I. Contract No. - 2020-CH-019
 FAP Nos. - BHO-0185(001), NHP-0005(030)

Seq No.	Item Code	Description	Quantity	UM
032	603.1000	CONTROLLED LOW STRENGTH MATERIAL	150.00	CY
033	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	900.00	LF
034	701.0415	REINFORCED CONCRETE PIPE M 170 CLASS III 15 INCH	1,000.00	LF
035	701.7712	12 INCH REINFORCED CONCRETE PIPE END SECTION STANDARD 2.3.0	2.00	EACH
036	701.9901	6 INCH PVC DRAIN PIPE	400.00	LF
037	702.0516	FRAME AND GRATE, HIGH CAPACITY, STANDARD 6.3.4	15.00	EACH
038	702.0517	FRAME AND GRATE, STANDARD 6.3.2	38.00	EACH
039	702.0521	FRAME AND COVER STANDARD 6.2.0	26.00	EACH
040	702.0522	FRAME AND COVER STANDARD 6.2.1	21.00	EACH
041	702.0530	PRECAST CONCRETE INLET STONE 5' STANDARD 7.1.5	22.00	EACH
042	702.0531	PRECAST CONCRETE INLET STONE 38" STANDARD 7.1.6	20.00	EACH
043	702.0605	PRECAST CATCH BASIN 4' DIAMETER STANDARD 4.4.0	27.00	EACH
044	702.0630	PRECAST MANHOLE 4' DIAMETER STANDARD 4.2.0	6.00	EACH
045	702.0635	PRECAST MANHOLE 5' DIAMETER STANDARD 4.2.1	1.00	EACH
046	702.0705	CATCH BASIN W/GUTTER INLET STANDARD 3.4.1	1.00	EACH
047	702.9901	STORMWATER TREATMENT SYSTEM 1	1.00	LS
048	702.9902	STORMWATER TREATMENT SYSTEM 2	1.00	LS
049	702.9903	STORMWATER TREATMENT SYSTEM 3	1.00	LS
050	702.9904	STORMWATER TREATMENT SYSTEM 4	1.00	LS
051	702.9905	SPECIAL MANHOLE - 4 FOOT DOGHOUSE	4.00	EACH
052	702.9906	DIVERSION MANHOLE	1.00	EACH
053	702.9907	DIVERSION MANHOLE - DOGHOUSE	2.00	EACH
054	702.9908	HYDRO-DYNAMIC SEPARATOR UNIT	3.00	EACH
055	703.9901	GAS MAIN INSTALLATION ACROSS BRIDGE NO. 185	1.00	LS
056	703.9902	INSTALL 6 INCH SANITARY FORCE MAIN SEWER PIPE	1,070.00	LF
057	704.0100	RECONSTRUCT CATCH BASIN/CORBEL CONES	26.00	EACH
058	704.0200	RECONSTRUCT MANHOLE/CORBEL CONES	7.00	EACH
059	706.9000	PLUG AND CAP PIPE ALL SIZES	17.00	EACH
060	707.0950	ADJUST TELEPHONE MANHOLE TO GRADE	8.00	EACH
061	707.0955	ADJUST ELECTRICAL MANHOLE TO GRADE	8.00	EACH
062	707.1000	ADJUST SANITARY MANHOLE	17.00	EACH
063	707.1200	ADJUST CATCH BASIN TO MANHOLE	8.00	EACH

Item List

Date: 3/20/2020

Estimate Name - Advertising
 Project Name - Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)
 R.I. Contract No. - 2020-CH-019
 FAP Nos. - BHO-0185(001), NHP-0005(030)

Seq No.	Item Code	Description	Quantity	UM
064	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	8,000.00	LF
065	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	95.00	EACH
066	708.9042	CLEANING MANHOLES ALL TYPES AND SIZES	79.00	EACH
067	709.0200	CONCRETE HEADWALLS FOR PIPE CULVERTS STANDARD 2.1.0	5.00	CY
068	712.0100	WATER GATE BOX	7.00	EACH
069	712.0200	GAS GATE BOX	7.00	EACH
070	713.8268	ADJUST CURB STOP BOX TO GRADE	5.00	EACH
071	713.8269	ADJUST WATER GATE BOXES TO GRADE	45.00	EACH
072	713.8300	ADJUST GAS GATE BOXES TO GRADE	45.00	EACH
073	714.8263	REMOVE AND RELOCATE POST TYPE HYDRANT	2.00	EACH
074	800.9901	ROUTE 5 BRIDGE NO. 0185	1.00	LS
075	803.0100	REMOVE AND DISPOSE EXISTING SUPERSTRUCTURE	1.00	LS
076	803.0200	REMOVE AND DISPOSE EXISTING SUBSTRUCTURE	1.00	LS
077	803.0500	TEMPORARY DECK UNDERSIDE AND SIDE PROTECTIVE SHIELDING	10,000.00	SF
078	803.9901	GALVANIC ENCAPSULATION SYSTEM	2,450.00	SF
079	805.9901	TEMPORARY EARTH RETAINING SYSTEMS	1.00	LS
080	817.2112	REPAIRS TO STRUCTURE CONCRETE MASONRY - PATCHING MORTAR	46.00	CF
081	817.2142	REPAIRS TO STRUCTURE CONCRETE MASONRY - FORM AND CAST IN PLACE CONCRETE	1,410.00	CF
082	819.0800	DRILL AND GROUT REINFORCING DOWELS	336.00	EACH
083	820.0100	CONCRETE SURFACE TREATMENT PROTECTIVE SEALER	1,200.00	SF
084	836.0100	STRUCTURAL CONCRETE CRACK REPAIR BY EPOXY-RESIN BASE ADHESIVE INJECTION	40.00	LF
085	901.0160	REFLECTORIZED TRIANGULAR DELINEATORS STANDARD 34.2.5	200.00	EACH
086	901.0196	GUARDRAIL CONNECTION TO EXISTING ENDPOST TRAILING END SECTION, STANDARD 34.3.6	2.00	EACH
087	901.0197	GUARDRAIL CONNECTION TO EXISTING ENDPOST APPROACH END SECTION, STANDARD 34.3.5	1.00	EACH
088	901.0199	GUARDRAIL END TREATMENT, ENERGY ABSORBING TERMINAL	6.00	EACH
089	901.9901	GUARDRAIL STEEL BEAM SINGLE FACE - TEST LEVEL 3 (MASH)	2,000.00	LF
090	901.9902	TRAILING END ANCHORAGE SECTION FOR GUARDRAIL (MASH)	8.00	EACH
091	901.9903	GUARDRAIL TRANSITION (MASH) TO EXISTING GUARDRAIL	1.00	EACH
092	905.9901	EXPOSED AGGREGATE CONCRETE SIDEWALK	85.00	CY
093	905.9902	PERMEABLE PAVERS	50.00	SY
094	905.9903	BRICK WALK REMOVED AND RELAID	5.00	SY

Item List

Date: 3/20/2020

Estimate Name - Advertising
 Project Name - Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)
 R.I. Contract No. - 2020-CH-019
 FAP Nos. - BHO-0185(001), NHP-0005(030)

Seq No.	Item Code	Description	Quantity	UM
095	906.9910	CURBING AND SIDEWALKS	7,940.00	SY
096	907.0100	WATER FOR DUST CONTROL	290.00	MGA L
097	907.0200	CALCIUM CHLORIDE FOR DUST CONTROL (PROJECT WIDE)	26.00	TON
098	914.5010	FLAGPERSONS	5,760.00	MHRS
099	914.5020	FLAGPERSONS - OVERTIME	1,440.00	MHRS
100	915.0100	HIGHWAY BOUND GRANITE STANDARD 14.2.0	19.00	EACH
101	916.9901	TEMPORARY TRAFFIC CONTROL FOR REHABILITATION OF BRIDGE NO. 185	1.00	LS
102	917.9901	REMOVE AND RESET USPS MAILBOX	1.00	EACH
103	919.0101	TEST PITS	15.00	EACH
104	920.0085	PLACED STONE RIPRAP R-3, R-4, R-5 STANDARD 8.3.0	55.00	CY
105	920.9901	CONCRETE FILLED GROUT BAGS FOR SCOUR	66.00	CF
106	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	550.00	SF
107	923.0105	DRUM BARRICADE STANDARD 26.2.0	21,600.00	BDAY
108	923.0125	PLASTIC PIPE TYPE III BARRICADE STANDARD 26.3.1	5.00	EACH
109	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	100.00	EACH
110	924.0113	ADVANCE WARNING ARROW PANEL	720.00	PDAY
111	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	720.00	PDAY
112	929.0110	FIELD OFFICE	36.00	PMO
113	931.0110	CLEANING AND SWEEPING PAVEMENT	430.00	HSY
114	932.0100	CUTTING AND MATCHING ASPHALT	900.00	LF
115	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	34,500.00	SY
116	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00	LS
117	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
118	943.0200	TRAINEE MAN-HOURS	2,000.00	MHRS
119	945.0200	REMOVE AND SALVAGE TRAFFIC SIGNAL EQUIPMENT	1.00	LS
120	L01.0102	LOAM BORROW 4 INCHES DEEP	7,400.00	SY
121	L02.0102	RESIDENTIAL SEEDING (TYPE 2)	7,400.00	SY
122	L05.0506	JUTE MESH	7,400.00	SY
123	L06.0513	WOOD CHIPS FURNISH AND SPREAD 4" DEPTH	500.00	SY
124	L06.9901	AMELANCHIER - 'AUTUMN BRILLIANCE' 2-2.5 INCH CALIPER	4.00	EACH
125	L06.9902	MAPLE - 'OCTOBER GLORY' 2-2.5 INCH CALIPER	3.00	EACH
126	L06.9903	MAPLE - 'RED SUNSET' 2.5-3 INCH CALIPER	11.00	EACH

Item List

Date: 3/20/2020

Estimate Name - Advertising
 Project Name - Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)
 R.I. Contract No. - 2020-CH-019
 FAP Nos. - BHO-0185(001), NHP-0005(030)

Seq No.	Item Code	Description	Quantity	UM
127	L06.9904	TULIP TREE 2.5-3 INCH CALIPER	1.00	EACH
128	L06.9905	TUPELO - 'WILDFIRE' 2-2.5 INCH CALIPER	2.00	EACH
129	L06.9906	SPRUCE - 'HOOPSI BLUE' 5-6 FEET	11.00	EACH
130	L06.9907	SPRUCE - 'HOOPSI BLUE' 7-8 FEET	5.00	EACH
131	L06.9908	SPRUCE - 'HOOPSI BLUE' 8-10 FEET	5.00	EACH
132	L06.9909	SPRUCE - 'COLORADO BLUE' 7-8 FEET	1.00	EACH
133	L06.9910	ARBORVITAE - 'GREEN GIANT' 6-7 FEET	10.00	EACH
134	L06.9911	ARBORVITAE - 'EMERALD GREEN' 6-7 FEET	20.00	EACH
135	L06.9912	ARBORVITAE - 'EMERALD GREEN' 8-10 FEET	21.00	EACH
136	L06.9913	AMERICAN ARBORVITAE - 'SKINNER DWARF' 2-2.5 INCH CALIPER	7.00	EACH
137	L06.9914	PAPER BIRCH TREE #10	1.00	EACH
138	L06.9915	AMERICAN REDBUD 2-2.5 INCH CALIPER	3.00	EACH
139	L06.9916	LONDON PLANETREE - 'BLOODGOOD' 3-3.5 INCH CALIPER	2.00	EACH
140	L06.9917	LILAC TREE - 'IVORY SILK' 2-2.5 INCH CALIPER	8.00	EACH
141	L06.9918	AZALEA - 'PINK & SWEET' 18-24 INCH	55.00	EACH
142	L06.9919	HAZEL - 'JELENA WITCH' 36-42 INCH	18.00	EACH
143	L06.9920	WINTERBERRY - 'MALE' 18-24 INCH	3.00	EACH
144	L06.9921	WINTERBERRY - 'RED SPRITE' 24-36 INCH	22.00	EACH
145	L06.9922	JUNIPER - 'SEA GREEN' 18-24 INCH	12.00	EACH
146	L06.9923	LOWBRUSH BLUEBERRY 24-36 INCH	45.00	EACH
147	L06.9924	WEIGELA - 'WINE AND ROSE' 2-2.5 INCH CALIPER	6.00	EACH
148	L06.9925	LILAC TREE - 'ANTHONY WATERER' 2-2.5 INCH CALIPER	14.00	EACH
149	L06.9926	DAYLILY - 'HAPPY RETURNS' 2-2.5 INCH CALIPER	61.00	EACH
150	L11.0102	TREE PLANT PROTECTION DEVICE STANDARD 51.1.0	25.00	EACH
151	L11.0103	SHRUB PLANT PROTECTION DEVICE STANDARD 51.2.0	1,250.00	LF
152	L15.9901	DECORATIVE CRUSHED STONE	140.00	CY
153	L15.9902	DECORATIVE BOULDERS	10.00	EACH
154	T01.9901	NATIONAL GRID PRECAST CONCRETE MANHOLE	2.00	EACH
155	T01.9902	NATIONAL GRID 8-5" PVC CONDUIT	550.00	LF
156	T01.9903	NATIONAL GRID BRIDGE-MOUNTED FIBERGLASS CONDUIT	180.00	LF
157	T04.5001	6 AWG SINGLE CONDUCTOR CABLE 600V INSULATION	700.00	LF
158	T04.5302	14 AWG 2 CONDUCTOR TWISTED SHIELDED CABLE	100.00	LF
159	T04.5303	14 AWG 3 CONDUCTOR CABLE	7,000.00	LF

Item List

Date: 3/20/2020

Estimate Name - Advertising
 Project Name - Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)
 R.I. Contract No. - 2020-CH-019
 FAP Nos. - BHO-0185(001), NHP-0005(030)

Seq No.	Item Code	Description	Quantity	UM
160	T04.5305	14 AWG 5 CONDUCTOR CABLE	16,300.00	LF
161	T04.5307	14 AWG 7 CONDUCTOR CABLE	1,400.00	LF
162	T04.5309	14 AWG 9 CONDUCTOR CABLE	1,400.00	LF
163	T04.7500	SPLICE KIT	4.00	EACH
164	T04.9901	VIDEO DETECTION SYSTEM CABLE	2,100.00	LF
165	T04.9902	19 AWG 6 PAIR TWISTED SHIELDED COMMUNICATION CABLE 300V	2,200.00	LF
166	T05.0100	PRECAST TYPE A HANDHOLE STANDARD 18.2.0	34.00	EACH
167	T05.0400	BREAK INTO EXISTING HANDHOLE	4.00	EACH
168	T06.1020	2 IN. RIGID STEEL CONDUIT - UNDERGROUND	120.00	LF
169	T06.2020	2 IN. RIGID STEEL CONDUIT-OVERHEAD	50.00	LF
170	T06.3030	3 IN. RIGID STEEL CONDUIT-UNDER EXISTING PAVEMENT	330.00	LF
171	T06.5330	3 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	2,540.00	LF
172	T06.5430	3 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	1,300.00	LF
173	T06.6020	2 INCH POLYVINYL CHLORIDE PLASTIC CONDUIT-OVERHEAD	50.00	LF
174	T11.0825	25 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STANDARD 19.2.0	2.00	EACH
175	T11.0830	30 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STANDARD 19.2.0	1.00	EACH
176	T11.0845	45 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STANDARD 19.2.0	1.00	EACH
177	T11.2008	TRAFFIC SIGNAL STANDARD,8 FOOT,STD 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION	13.00	EACH
178	T11.2010	TRAFFIC SIGNAL STANDARD,10 FT, STD 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION	1.00	EACH
179	T11.2510	STEEL TRAFFIC SIGNAL SPAN POLE AND FOUNDATION STANDARD 19.3.0	2.00	EACH
180	T11.6005	TETHER WIRE 5/16	300.00	LF
181	T11.6007	SPAN AND MESSENGER WIRES 7/16	300.00	LF
182	T11.9901	45 FOOT STANDARD LOAD STEEL CURVED TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STD. 19.2.0 (GLOSS BLACK)	1.00	EACH
183	T11.9902	DUAL CURVED MAST ARM (25X35) GALVANIZED STEEL TRAFFIC SIGNAL POST AND FOUNDATION STD. 19.2.0 (GLOSS BLACK)	1.00	EACH
184	T11.9903	30 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STD. 19.2.0 (GLOSS BLACK)	1.00	EACH
185	T11.9904	40 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STD. 19.2.0 (GLOSS BLACK)	1.00	EACH
186	T11.9905	45 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STD. 19.2.0 (GLOSS BLACK)	1.00	EACH

Item List

Date: 3/20/2020

Estimate Name - Advertising
 Project Name - Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)
 R.I. Contract No. - 2020-CH-019
 FAP Nos. - BHO-0185(001), NHP-0005(030)

Seq No.	Item Code	Description	Quantity	UM
187	T11.9906	STEEL TRAFFIC SIGNAL SPAN POLE AND FOUNDATION STD. 19.3.0 (GLOSS BLACK)	2.00	EACH
188	T11.9907	TRAFFIC SIGNAL STANDARD, 8 FOOT, STD. 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION (GLOSS BLACK)	10.00	EACH
189	T11.9908	TRAFFIC SIGNAL STANDARD, 10 FOOT, STD. 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION (GLOSS BLACK)	1.00	EACH
190	T12.0018	ACTUATED CONTROLLER TS-2, TYPE 1 W/8 PHASE ASSEMBLY GROUND MOUNTED INCLUDING FOUNDATION AND CABINET STD. 19.1.0	3.00	EACH
191	T12.9150	METER SOCKET W/MANUAL BY-PASS	5.00	EACH
192	T12.9901	MODIFY EXISTING TRAFFIC SIGNAL CONTROLLER CABINET	1.00	LS
193	T12.9902	SYSTEM MASTER	2.00	EACH
194	T12.9903	ACTUATED CONTROLLER TS-2, TYPE 1 W/ 8 PHASE ASSEMBLY GROUND MOUNTED INCLUDING FOUNDATION AND CABINET STD. 19.1.0 (GLOSS BLACK)	2.00	EACH
195	T13.1000	TRAFFIC DETECTORS-LOOP, STANDARD 19.6.0	440.00	LF
196	T13.1002	TRAFFIC DETECTOR RELAY-LOOP 2 CHANNEL	1.00	EACH
197	T13.8210	ACCESSIBLE PEDESTRIAN DETECTOR - PUSHBUTTON WITH SIGN	34.00	EACH
198	T13.9901	VIDEO DETECTION CAMERA	8.00	EACH
199	T13.9902	VIDEO DETECTION SYSTEM HARDWARE	2.00	EACH
200	T13.9903	SINGLE POINT VIDEO DETECTION SYSTEM	1.00	LS
201	T13.9904	PEDESTRIAN PUSHBUTTON EXTENSION MODULE	7.00	EACH
202	T13.9905	PEDESTRIAN PUSHBUTTON EXTENSION MODULE (GLOSS BLACK)	3.00	EACH
203	T14.3413	1 WAY 3 SECTION SPAN MOUNTED SIGNAL HEAD 12 INCH	6.00	EACH
204	T14.3423	2 WAY 3 SECTION SPAN MOUNTED SIGNAL HEAD 12 INCH	1.00	EACH
205	T14.3513	1 WAY 3 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH	12.00	EACH
206	T14.3516	1 WAY 4 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH (W/ DUAL IND DUAL ROW L.E.D. ARROW)	1.00	EACH
207	T14.3613	1 WAY 3 SECTION BRACKET MOUNTED SIGNAL HEAD 12 INCH	1.00	EACH
208	T14.3713	1 WAY 3 SECTION PEDESTAL MOUNTED SIGNAL HEAD 12 INCH	1.00	EACH
209	T14.9901	1-WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	12.00	EACH
210	T14.9902	2-WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	1.00	EACH
211	T14.9903	1-WAY BRACKET MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH	6.00	EACH
212	T14.9904	1-WAY 4 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH (W/FLASHING YELLOW ARROW)	1.00	EACH
S213	T14.9905	BRACKET MOUNTED L.E.D PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH (RETROFIT)	1.00	LS

Item List

Date: 3/20/2020

Estimate Name - Advertising
 Project Name - Rt 5 - Lambert Lind Hwy C-1 (Mayfield Ave - I-95)
 R.I. Contract No. - 2020-CH-019
 FAP Nos. - BHO-0185(001), NHP-0005(030)









Seq No.	Item Code	Description	Quantity	UM
214	T14.9906	1 WAY 3 SECTION SPAN MOUNTED SIGNAL HEAD 12 INCH (GLOSS BLACK)	4.00	EACH
215	T14.9907	2 WAY 3 SECTION SPAN MOUNTED SIGNAL HEAD 12 INCH (GLOSS BLACK)	4.00	EACH
216	T14.9908	1 WAY 3 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH (GLOSS BLACK)	14.00	EACH
217	T14.9909	1 WAY 3 SECTION PEDESTAL MOUNTED SIGNAL HEAD 12 INCH (GLOSS BLACK)	1.00	EACH
218	T14.9910	1-WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH (GLOSS BLACK)	8.00	EACH
219	T14.9911	2-WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH (GLOSS BLACK)	2.00	EACH
220	T14.9912	1-WAY BRACKET MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER, 12-INCH (GLOSS BLACK)	2.00	EACH
221	T14.9913	1-WAY 4 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH (W/ FLASHING YELLOW ARROW) (GLOSS BLACK)	2.00	EACH
222	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	520.00	SF
223	T15.0110	GUIDE SIGNS STANDARD 29.2.0	60.00	SF
224	T15.1000	STREET SIGN ASSEMBLY STD. 24.6.1	18.00	EACH
225	T15.1100	STREET SIGN - OVERHEAD MOUNTED	9.00	EACH
226	T15.9901	SPECIAL SIGN - RIPTA BUS STOP	2.00	EACH
227	T15.9902	GATEWAY SIGN	1.00	EACH
228	T16.9901	REMOVE AND RELOCATE PRIVATE SIGN	2.00	EACH
229	T16.9902	REMOVE AND STOCKPILE PRIVATE SIGN	1.00	EACH
230	T20.4506	REMOVE PAVEMENT MARKING LINE - LESS THAN OR EQUAL TO 6 INCHES WIDE	6,000.00	LF
231	T20.4508	REMOVE PAVEMENT MARKING LINE - GREATER THAN 6 INCHES WIDE	1,000.00	LF
232	T20.9901	EPOXY RESIN PAVEMENT MARKINGS - ALL SIZES, ALL COLORS	33,900.00	LF
233	T20.9902	TEMPORARY AND PERMANENT PAVEMENT MARKINGS - WORDS, ARROWS, AND SYMBOLS	64.00	EACH
234	T20.9903	TEMPORARY PAVEMENT MARKINGS - ALL TYPES, COLORS, AND WIDTHS	73,000.00	LF

*** THIS IS A DISK-BASED BID ***

**ELECTRONIC BIDDING
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software
Office Hours: 8:00 AM – 4:00 PM

****Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

NO BID OFFER WILL BE CONSIDERED

UNLESS ACCOMPANIED BY A COMPACT DISK (CD)

CONTAINING THE BID PROPOSAL FILE

GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept of Administration Division of Purchases Procurement Regulations

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

CONTACT: **RIDOT CONTRACTS & SPECIFICATIONS**
Rm. 108, Two Capitol Hill, Providence, RI 02903
Phone: **401-222-2495**
Hours: **Mon – Fri, 8:00AM – 4:00PM**

- 1. Required Registration Codes for Each Bidder.**
Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.
- 2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.**
The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents
- 3. Minimum Computer Hardware and Operating System Requirements.**
 - Windows XP SP2 w/Pentium IV processor
 - CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
 - 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
 - 512 MB RAM (1 GB recommended)
 - 32 MB Video Card (64 MB SVGA recommended)
 - Internet Explorer 6 0 SP 2
- 4. Addenda, when necessary, are available on Purchases' RIVIP website.**
at: <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>
RIDOT will make all necessary addenda available at Purchases' web site It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.
- 5. Training may be requested up to three days prior to the Bid Opening.**
Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project
- 6. Technical Support.**
Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov.

01/25/2011

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions – Complete Installation

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.