

REQUEST FOR QUOTE (RFQ) – BID# 7603795

2020-CT-021 HSIP SIGNALIZATION OF ALLENS AVENUE - C5

SUBMISSION DEADLINE: Thursday, May 21, 2020 at 02:00 PM (ET)

**PRE-BID CONFERENCE:**  NO  
 YES \_\_\_\_\_

**Mandatory:**  NO  
 YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in disqualification of the vendor's bid proposal as non-responsive to the solicitation.

*lisahill*

**Buyer Name:** Lisa Hill  
**Title:** Assistant Administrator

**QUESTIONS** Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids> by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted.

**SURETY REQUIRED:** YES

**BOND REQUIRED:** YES

**DISK BASED BID:**  NO  
 YES: See attached Disk Based Bidding Information

**NOTE TO VENDORS:**  
Vendors must register on-line at the Rhode Island Division of Purchases website at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). Offers received without the completed three-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.

**THIS IS NOT A BIDDER CERTIFICATION FORM**



State of Rhode Island Department of Administration  
Division of Purchases

**RHODE ISLAND DEPARTMENT OF TRANSPORTATION**

**REVISED**  
**November 20, 2013**

**NOTICE TO VENDORS**

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.**

To comply with this requirement, *in addition to* the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a *read-only* CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 *et seq.*

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at [www.purchasing.ri.gov](http://www.purchasing.ri.gov).

State of Rhode Island and Providence Plantations  
Department of Transportation

Notice to Contractors  
Special Provisions  
Proposal  
Contract Agreement  
Contract Bond

for the Performance of

Rhode Island Contract Number: 2020-CT-021

Rhode Island Federal-Aid\State-Aid Project                      STPG-HSIP(077)  
Numbers:

Project:     HSIP - Signalization of Allens Ave. C-5

Limits:     The limits of work for this contract start at Station 141+30 and end at Station 26+16 (Eddy Street).

City/Town: Providence

County:     PROVIDENCE

Submitted By: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Name of Surety: \_\_\_\_\_

Total Bid: \_\_\_\_\_

**(BIDDER MUST FILL IN ALL ABOVE SPACES)**

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.

**\* Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on May 21, 2020 at 2:00PM. All bidders MUST register online at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

**DESCRIPTION: Rhode Island Contract No. 2020-CT-021, Federal Aid Project Number STPG-HSIP(077) is for Arterial Traffic Control Systems Improvements to Allens Avenue. The limits of work for this contract start at Station 141+30 and end at Station 26+16 (Eddy Street). The work encompassed by this contract shall include, but is not limited to, the removal and stockpiling of existing traffic signal equipment, construction of new fully-actuated traffic signal systems at Allens Avenue and New York Avenue, Baker Street, and Ernest Street; modifications to existing signal systems at Allens Avenue and Terminal Road, Pedestrian Crossing, Thurbers Avenue, Public Street and Blackstone Street; installation of a fiber optic communication system; installation of mid-block crosswalk, wheelchair ramps and rapid rectangular flashing beacon (RRFB) sign units; micro milling and removing existing bituminous pavement; installation of new bituminous concrete overlay; removing sidewalks and installing new concrete sidewalks and wheelchair ramps; removing and disposing granite curb; installing and resetting granite curb; cleaning existing storm drain pipes and structures; adjusting drainage and utility structures to grade; minor drainage improvements at the intersections of Allens Avenue with Thurbers Avenue and with Public Street, relocation of a 12-inch drainage line at the intersection of Allens Avenue and New York Avenue; limited grading, seeding and planting; removing, disposing, and stockpiling existing signs; installation of new roadside signs and pavement markings, including extending bike lane striping and signage to Eddy Street; cleaning and sweeping pavement, installation, removal and cleaning of erosion controls, maintenance and protection of traffic, and all other incidentals, complete in place, and accepted as necessary to complete the work of this contract to the satisfaction of the Engineer.**

**The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or Contract Goal, of not less than 13.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in contract payments by the amount determined by multiplying the awarded contract value by the established DBE percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (f)(C) of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.**

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after April 28, 2020 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

**The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.**

**Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.**

**For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail [Quest@dot.ri.gov](mailto:Quest@dot.ri.gov).**

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations.

There will be no Pre-Bid Conference scheduled for this project.

## SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

## NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## Item List

Date: 4/22/2020

Estimate Name - Advertisement  
 Project Name - HSIP - Signalization of Allens Ave, C-5  
 R.I. Contract No. - 2020-CT-021  
 FAP Nos. - STPG-HSIP(077)

Seq No.	Item Code	Description	Quantity	UM
001	201.0301	CUTTING AND DISPOSING ISOLATED TREES AND STUMPS (4" - 24")	1.00	EACH
002	201.0402	REMOVE AND DISPOSE CONCRETE CURB	298.00	LF
003	201.0403	REMOVE AND DISPOSE SIDEWALKS	3,207.00	SY
004	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	250.00	SY
005	201.0413	REMOVE AND DISPOSE RISERS	4.00	EACH
006	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	23.00	LF
007	201.0418	REMOVE AND DISPOSE HYDRANT	4.00	EACH
008	201.0419	REMOVE AND DISPOSE FENCE	115.00	LF
009	201.0423	REMOVE AND DISPOSE HANDHOLE	20.00	EACH
010	201.0450	REMOVE AND STOCKPILE ON SITE GRANITE CURB	1,703.00	LF
011	201.0604	REMOVE AND DISPOSE GROUND MOUNTED SIGN POSTS	1.00	EACH
012	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	47.00	EACH
013	201.0617	REMOVE AND DISPOSE CONDUIT - ALL SIZES	745.00	LF
014	201.0710	LOAD AND HAUL SALVAGED MATERIAL	1.00	LS
015	201.9901	REMOVE AND DISPOSE FLEXIBLE PAVEMENT MANUALLY	678.00	SY
016	201.9902	REMOVE, HANDLE, HAUL, TRIM AND RESET EXISTING GRANITE APRON STONE	4.00	EACH
017	201.9903	REMOVE, STOCKPILE AND RESET OR RELOCATE SIGN	5.00	EACH
018	202.0100	EARTH EXCAVATION	810.00	CY
019	202.9901	REMOVAL AND DISPOSAL OF SOIL IMPACTED BY HAZARDOUS MATERIAL	1.00	TON
020	204.0100	TRIMMING AND FINE GRADING	3,671.00	SY
021	206.0312	COMPOST FILTER SOCK 12 INCH DIAMETER	75.00	LF
022	209.9901	STORMWATER FILTER FOR INLET PROTECTION (SFP)	40.00	EACH
023	209.9902	STORMWATER BASIN BARRIER FOR CURB INLET PROTECTION (SBB)	38.00	EACH
024	212.2100	MAINTENANCE AND CLEANING OF EROSION AND POLLUTION CONTROLS	1.00	LS
025	302.0100	GRAVEL BORROW SUBBASE COURSE	960.00	CY
026	401.1000	CLASS 19.0 HMA	37.00	TON
027	401.2100	MODIFIED CLASS 12.5 HMA	2,485.00	TON
028	401.3100	MODIFIED CLASS 9.5 HMA	151.00	TON
029	403.0300	ASPHALT EMULSION TACK COAT	16,900.00	SY
030	410.1000	TEMPORARY PATCHING MATERIAL/TRENCHES	15.00	TON
031	601.0300	CLASS A PORTLAND CEMENT CONCRETE	92.00	CY

## Item List

Date: 4/22/2020

Estimate Name - Advertisement  
 Project Name - HSIP - Signalization of Allens Ave. C-5  
 R.I. Contract No. - 2020-CT-021  
 FAP Nos. - STPG-HSIP(077)

Seq No.	Item Code	Description	Quantity	UM
032	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	65.00	LF
033	701.9901	8 INCH DUCTILE IRON STORM DRAIN	1.00	LS
034	702.0510	HEAVY-DUTY SQUARE FRAME AND ROUND COVER STANDARD 6.1.1	1.00	EACH
035	702.0517	FRAME AND GRATE, STANDARD 6.3.2	7.00	EACH
036	702.0522	FRAME AND COVER STANDARD 6.2.1	1.00	EACH
037	702.0541	GRANITE INLET STONE 38" STANDARD 7.3.6	2.00	EACH
038	702.0605	PRECAST CATCH BASIN 4' DIAMETER STANDARD 4.4.0	2.00	EACH
039	702.0711	DROP INLET BRICK STANDARD 3.6.0	1.00	EACH
040	702.0712	PRECAST CONCRETE DROP INLET STANDARD 4.5.0	2.00	EACH
041	702.0840	ALTERNATE TOP COVER ROUND PRECAST MANHOLES AND CATCH BASINS STANDARD 4.7.2	1.00	EACH
042	702.9901	GRANITE APRON STONE 38" RI STD. 7.3.8 MODIFIED 7-INCH	6.00	EACH
043	702.9902	GRANITE APRON STONE (30" OPENING), PROVIDENCE STANDARD 7.3.8P	3.00	EACH
044	702.9903	GRANITE APRON STONE (24" OPENING), PROVIDENCE STANDARD 7.3.7P	4.00	EACH
045	702.9904	GRANITE INLET STONE (30" OPENING), PROVIDENCE STANDARD 7.3.5P	1.00	EACH
046	702.9905	GRANITE INLET STONE (24" OPENING) PROVIDENCE STANDARD 7.3.6P	2.00	EACH
047	702.9906	FURNISH AND INSTALL NEW OIL AND DEBRIS TRAP	2.00	EACH
048	704.0200	RECONSTRUCT MANHOLE/CORBEL CONES	2.00	EACH
049	706.9000	PLUG AND CAP PIPE ALL SIZES	2.00	EACH
050	707.0900	ADJUST MANHOLES TO GRADE	92.00	EACH
051	707.0955	ADJUST ELECTRICAL MANHOLE TO GRADE	16.00	EACH
052	707.1000	ADJUST SANITARY MANHOLE	24.00	EACH
053	707.1100	ADJUST CATCH BASINS	66.00	EACH
054	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	1,966.00	LF
055	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	42.00	EACH
056	708.9042	CLEANING MANHOLES ALL TYPES AND SIZES	18.00	EACH
057	713.8268	ADJUST CURB STOP BOX TO GRADE	8.00	EACH
058	713.8269	ADJUST WATER GATE BOXES TO GRADE	54.00	EACH
059	713.8300	ADJUST GAS GATE BOXES TO GRADE	20.00	EACH
060	714.8163	POST TYPE HYDRANT	4.00	EACH
061	901.9901	CONCRETE BOLLARDS	6.00	EACH



## Item List

Date: 4/22/2020

Estimate Name - Advertisement  
 Project Name - HSIP - Signalization of Allens Ave. C-5  
 R.I. Contract No. - 2020-CT-021  
 FAP Nos. - STPG-HSIP(077)

Seq No.	Item Code	Description	Quantity	UM
062	903.0205	CHAIN LINK FENCE 5' STD 31.2.0	43.00	LF
063	903.9901	CHAIN LINK FENCE 6' STANDARD 31.2.0 WITH BARBED WIRE TOP	101.00	LF
064	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	317.00	CY
065	905.9901	REMOVE, STOCKPILE AND RESET GRANITE PAVING STONES	1.00	LS
066	905.9902	BITUMINOUS SIDEWALK MODIFIED CLASS 9.5 HMA STANDARD 43.2.0 - MODIFIED	64.00	TON
067	905.9903	PORTLAND CEMENT CONCRETE DRIVEWAY STD. - MODIFIED 7" WIDE (43.5.0 M)	79.00	CY
068	906.0210	CEMENT CONCRETE CURB PRECAST STRAIGHT STANDARD 7.1.0	63.00	LF
069	906.0211	CEMENT CONCRETE CURB PRECAST CIRCULAR STANDARD 7.1.0	12.00	LF
070	906.0221	6' PRECAST CONCRETE TRANSITION CURB STANDARD 7.1.2	5.00	EACH
071	906.0280	3' PRECAST CONCRETE TRANSITION CURB STANDARD 7.1.1	1.00	EACH
072	906.0700	REMOVE, HANDLE, HAUL TRIM RESET CURB EDGING, STRAIGHT, CIRCULAR ALL TYPES	805.00	LF
073	906.9901	PRECAST CONCRETE SLOPED FACE CURB, STRAIGHT, RI STD. 7.2.0 MODIFIED 7-INCH	124.00	LF
074	906.9902	PRECAST CONCRETE SLOPED FACE CURB, CIRCULAR, RI STD. 7.2.0 MODIFIED 7-INCH	59.00	LF
075	906.9903	PRECAST CONCRETE SLOPED FACE TRANSITION CURB RI STD. 7.2.1 MODIFIED 7-INCH	1.00	EACH
076	906.9904	PRECAST CONCRETE TRANSITION CURB RI STD. 7.2.2 MODIFIED 7-INCH	5.00	EACH
077	906.9905	GRANITE CURB QUARRY SPLIT, STRAIGHT, RI STD. 7.3.0 MODIFIED 7-INCH	1,185.00	LF
078	906.9906	GRANITE CURB QUARRY SPLIT, CIRCULAR, RI STD. 7.3.0 MODIFIED 7-INCH	90.00	LF
079	906.9907	GRANITE CURB QUARRY SPLIT, 2 FOOT CORNERS, RI STD. 7.3.4 MODIFIED 7-INCH	23.00	EACH
080	906.9908	6' GRANITE TRANSITION CURB QUARRY SPLIT SPECIAL TRANSITION, RI STD. 7.3.2 MODIFIED 7-INCH	27.00	EACH
081	906.9909	3' GRANITE TRANSITION CURB, RI STD. 7.3.1 MODIFIED 7-INCH	4.00	EACH
082	906.9910	GRANITE WHEELCHAIR RAMP CURB, RI STDS. 7.3.3, 43.3.0 AND 43.3.1 MODIFIED 7-INCH	27.00	EACH
083	906.9911	GRANITE RAMP STONE, STRAIGHT, RI STD. 7.3.9 MODIFIED 7-INCH	16.00	EACH
084	906.9912	GRANITE RAMP STONE, CIRCULAR, RI STD. 7.3.9 MODIFIED 7-INCH	9.00	EACH
085	906.9913	PRECAST CONCRETE WHEELCHAIR RAMP CURB STANDARDS 7.1.3, 43.3.0 AND 43.3.1 MODIFIED 7-INCH	3.00	EACH
086	906.9914	PRECAST CONCRETE RAMP STONE 18-INCH STRAIGHT RI STD. 7.1.9 MODIFIED 7-INCH	2.00	EACH
087	906.9915	PRECAST CONCRETE RAMP STONE 18-INCH CIRCULAR RI STD 7.1.9 MODIFIED 7-INCH	1.00	EACH

## Item List

Date: 4/22/2020

Estimate Name - Advertisement  
 Project Name - HSIP - Signalization of Allens Ave. C-5  
 R.I. Contract No. - 2020-CT-021  
 FAP Nos. - STPG-HSIP(077)

Seq No.	Item Code	Description	Quantity	UM
088	907.0100	WATER FOR DUST CONTROL	10.00	MGA L
089	914.5010	FLAGPERSONS	3,200.00	MHRS
090	914.5020	FLAGPERSONS - OVERTIME	320.00	MHRS
091	915.0200	HIGHWAY BOUNDS REINFORCED CONCRETE STANDARD 14.1.0	6.00	EACH
092	919.0101	TEST PITS	25.00	EACH
093	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	1,670.00	SF
094	923.0105	DRUM BARRICADE STANDARD 26.2.0	15,000.00	BDAY
095	923.0120	PLASTIC PIPE BARRICADE STANDARD 26.3.0	15.00	EACH
096	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	320.00	EACH
097	924.0113	ADVANCE WARNING ARROW PANEL	560.00	PDAY
098	928.0500	SHADOW OR ADVANCE WARNING VEHICLE WITH IMPACT ATTENUATOR AND FLASHING ARROW BOARD	1,080.00	HRS
099	929.0110	FIELD OFFICE	18.00	PMO
100	931.0110	CLEANING AND SWEEPING PAVEMENT	168.00	HSY
101	932.0100	CUTTING AND MATCHING ASPHALT	1,701.00	LF
102	932.0110	TRANSVERSE PAVEMENT CUT AND MATCH STANDARD 47.1.1	1,136.00	LF
103	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	5,220.00	LF
104	932.0220	FULL DEPTH SAWCUT OF BITUMINOUS SIDEWALK/DRIVEWAY	1,081.00	LF
105	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	618.00	LF
106	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	16,808.00	SY
107	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00	LS
108	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00	LS
S109	942.0200	DETECTABLE WARNING PANEL STANDARD 48.1.0	266.00	SF
S110	943.9901	CONTINUING EDUCATION CLASS	1.00	LS
S111	945.0100	REMOVE AND DISPOSE TRAFFIC SIGNAL EQUIPMENT	1.00	LS
S112	945.0200	REMOVE AND SALVAGE TRAFFIC SIGNAL EQUIPMENT	1.00	LS
S113	946.9901	ATBR RED FIRE ALARM TERMINAL BOX	10.00	EACH
S114	946.9902	STRANDWISE 1/4" UNIVERSAL GRADE STRAND PART 5200 - 50 COUNT BOX	3.00	EACH
S115	L01.0104	PLANTABLE SOIL 4 INCHES DEEP	80.00	SY
S116	L02.0101	GENERAL HIGHWAY SEEDING (TYPE 1)	80.00	SY
S117	L04.0514	FERTILIZATION OF SEEDED AND GRASSED AREAS	1.00	ACRE
S118	L06.9901	PYRUS CALLERYANA 'CLEVELAND SELECT' CLEVELAND PEAR, 3-3-1/2" CAL., B&B	3.00	EACH

## Item List

Date: 4/22/2020

Estimate Name - Advertisement  
 Project Name - HSIP - Signalization of Allens Ave, C-5  
 R.I. Contract No. - 2020-CT-021  
 FAP Nos. - STPG-HSIP(077)

Seq No.	Item Code	Description	Quantity	UM
S119	L06.9902	PINE BARK MULCH FURNISHED AND SPREAD 3" DEPTH	22.00	SY
S120	L11.0102	TREE PLANT PROTECTION DEVICE STANDARD 51.1.0	4.00	EACH
121	L13.9901	TREE WELL	7.00	EACH
S122	T04.5001	6 AWG SINGLE CONDUCTOR CABLE 600V INSULATION	1,000.00	LF
S123	T04.5302	14 AWG 2 CONDUCTOR TWISTED SHIELDED CABLE	5,500.00	LF
S124	T04.5303	14 AWG 3 CONDUCTOR CABLE	6,850.00	LF
S125	T04.5305	14 AWG 5 CONDUCTOR CABLE	8,375.00	LF
S126	T04.5307	14 AWG 7 CONDUCTOR CABLE	460.00	LF
S127	T04.5309	14 AWG 9 CONDUCTOR CABLE	500.00	LF
S128	T04.9901	ADVANCED VIDEO DETECTION SYSTEM CABLE	470.00	LF
S129	T04.9902	OPTICAL DETECTOR CABLE	2,600.00	LF
S130	T05.0100	PRECAST TYPE A HANDHOLE STANDARD 18.2.0	27.00	EACH
S131	T05.0200	PRECAST TYPE H HEAVY DUTY HANDHOLE STANDARD 18.2.1	1.00	EACH
S132	T05.0400	BREAK INTO EXISTING HANDHOLE	11.00	EACH
S133	T05.1030	ADJUST HANDHOLE TO GRADE	11.00	EACH
S134	T05.9901	FIBER OPTIC HANDHOLE	8.00	EACH
S135	T06.1020	2 IN. RIGID STEEL CONDUIT - UNDERGROUND	200.00	LF
S136	T06.1030	3 IN. RIGID STEEL CONDUIT-UNDERGROUND	410.00	LF
S137	T06.2020	2 IN. RIGID STEEL CONDUIT-OVERHEAD	100.00	LF
S138	T06.5120	2 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	325.00	LF
S139	T06.5130	3 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	420.00	LF
S140	T06.5140	4 INCH SCHEDULE 40 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDERGROUND	25.00	LF
S141	T06.5420	2 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	200.00	LF
S142	T06.5430	3 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	830.00	LF
S143	T06.6020	2 INCH POLYVINYL CHLORIDE PLASTIC CONDUIT-OVERHEAD	130.00	LF
S144	T06.6030	3 INCH POLYVINYL CHLORIDE PLASTIC CONDUIT-OVERHEAD	255.00	LF
S145	T06.9901	SINGLE 1-1/4 IN. HDP DUCT - UNDERGROUND	155.00	LF
S146	T06.9902	2 IN. 2-CELL MAXCELL INNERDUCT	695.00	LF
S147	T06.9903	P.V.C. 90 DEGREES SWEEP ELBOW, 3", 36" RADIUS, SCHEDULE 40	8.00	EACH
S148	T11.0825	25 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STANDARD 19.2.0	1.00	EACH

## Item List

Date: 4/22/2020

Estimate Name - Advertisement  
 Project Name - HSIP - Signalization of Allens Ave. C-5  
 R.I. Contract No. - 2020-CT-021  
 FAP Nos. - STPG-HSIP(077)

Seq No.	Item Code	Description	Quantity	UM
S149	T11.0830	30 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STANDARD 19.2.0	3.00	EACH
S150	T11.0945	45 FOOT HEAVY LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STANDARD 19.2.0	1.00	EACH
S151	T11.2008	TRAFFIC SIGNAL STANDARD,8 FOOT,STD 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION	17.00	EACH
S152	T11.2010	TRAFFIC SIGNAL STANDARD,10 FT, STD 19.4.0 ALUMINUM PEDESTAL POLE AND FOUNDATION	1.00	EACH
S153	T11.6005	TETHER WIRE 5/16	240.00	LF
S154	T11.9901	25 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STD. 19.2.0 (MODIFIED)	1.00	EACH
S155	T11.9902	30 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND FOUNDATION STD. 19.2.0 (MODIFIED)	1.00	EACH
S156	T11.9903	35 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM POLE AND FOUNDATION STD. 19.2.0 (MODIFIED)	2.00	EACH
S157	T11.9904	25 FOOT STANDARD LOAD STEEL TRAFFIC SIGNAL MAST ARM, POLE AND DRILLED SHAFT FOUNDATION, STD. 19.2.0 (MODIFIED) AT NEW YORK AVENUE INTERSECTION	1.00	EACH
S158	T11.9905	TEMPORARY REMOVAL AND RE-ATTACHMENT OF EXISTING MAST ARMS	1.00	LS
S159	T12.0018	ACTUATED CONTROLLER TS-2, TYPE 1 W/8 PHASE ASSEMBLY GROUND MOUNTED INCLUDING FOUNDATION AND CABINET STD. 19.1.0	6.00	EACH
S160	T12.9170	3 WIRE 120/240METER SOCKET WITH MANUAL BYPASS	6.00	EACH
S161	T12.9901	ACTUATED CONTROLLER TS-2, TYPE 1 W/8 PHASE ASSEMBLY GROUND MOUNTED INCLUDING CABINET ON EXISTING FOUNDATION	1.00	EACH
S162	T12.9902	FIBER ETHERNET SWITCH	8.00	EACH
S163	T12.9903	SFP-12A SINGLE MODE 1310 TX/1550 RX NM BI-DIRECTIONAL FIBER OPTIC TRANSCEIVER	9.00	EACH
S164	T12.9904	SFP-12B SINGLE MODE 1550 TX/1310 RX NM BI-DIRECTIONAL FIBER OPTIC TRANSCEIVER	8.00	EACH
S165	T12.9905	SFP-18B SINGLE MODE 1550 TX/1310 RX NM BI-DIRECTIONAL FIBER OPTIC TRANSCEIVER	2.00	EACH
S166	T12.9906	MODIFY EXISTING REMOTE COMPUTER STATIONS DATABASE	1.00	LS
S167	T12.9907	INSTALL AND REWIRE EXISTING METER TO NEW CONTROLLER CABINET	1.00	EACH
S168	T12.9908	TRAFFIC CONTROL CABINET 12-INCH RISER BASE	6.00	EACH
S169	T12.9909	MODIFICATION TO EXISTING CONTROLLER CABINET AT TERMINAL ROAD	1.00	LS
S170	T13.1000	TRAFFIC DETECTORS-LOOP, STANDARD 19.6.0	4,030.00	LF
S171	T13.1002	TRAFFIC DETECTOR RELAY-LOOP 2 CHANNEL	1.00	EACH
S172	T13.1004	TRAFFIC DETECTOR RELAY-LOOP 4 CHANNEL	13.00	EACH

## Item List

Date: 4/22/2020

Estimate Name - Advertisement  
 Project Name - HSIP - Signalization of Allens Ave. C-5  
 R.I. Contract No. - 2020-CT-021  
 FAP Nos. - STPG-HSIP(077)

Seq No.	Item Code	Description	Quantity	UM
S173	T13.8210	ACCESSIBLE PEDESTRIAN DETECTOR - PUSHBUTTON WITH SIGN	28.00	EACH
S174	T13.9901	OPTICAL DETECTOR - ONE WAY, SINGLE CHANNEL	11.00	EACH
S175	T13.9902	OPTICAL PHASE SELECTOR AND CHASSIS, FOUR CHANNEL	3.00	EACH
S176	T13.9903	OPTICAL CONFIRMATION BEACON	11.00	EACH
S177	T13.9904	OPTICAL PHASE SELECTOR AND CHASSIS, TWO CHANNEL	3.00	EACH
S178	T13.9905	OPTICAL DETECTOR - ONE WAY, SINGLE CHANNEL WITH SPAN WIRE CLAMP	5.00	EACH
S179	T13.9906	OPTICAL CONFIRMATION BEACON WITH SPAN WIRE CLAMP	5.00	EACH
S180	T13.9907	ADVANCE VIDEO DETECTION CAMERA WITH WIDE DYNAMIC RANGE	4.00	EACH
S181	T14.3413	1 WAY 3 SECTION SPAN MOUNTED SIGNAL HEAD 12 INCH	6.00	EACH
S182	T14.3423	2 WAY 3 SECTION SPAN MOUNTED SIGNAL HEAD 12 INCH	4.00	EACH
S183	T14.3513	1 WAY 3 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH	15.00	EACH
S184	T14.3516	1 WAY 4 SECTION MAST ARM MOUNTED SIGNAL HEAD 12 INCH (W/ DUAL IND DUAL ROW L.E.D. ARROW)	1.00	EACH
S185	T14.3517	1 WAY 3 SECTION MAST ARM MTD SIGNAL HEAD 2-12 INCH SECTIONS, 1-8 INCH SECTION	4.00	EACH
S186	T14.3713	1 WAY 3 SECTION PEDESTAL MOUNTED SIGNAL HEAD 12 INCH	1.00	EACH
S187	T14.9901	1 WAY 2 SECTION MAST ARM MOUNTED SIGNAL HEAD (1) 12 INCH & (1) 8 INCH	2.00	EACH
S188	T14.9902	1 WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER 12 INCH	15.00	EACH
S189	T14.9903	2 WAY PEDESTAL MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER 12 INCH	2.00	EACH
S190	T14.9904	1 WAY BRACKET MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER 12 INCH	7.00	EACH
S191	T14.9905	2 WAY BRACKET MOUNTED L.E.D. PEDESTRIAN SIGNAL HEAD WITH COUNTDOWN TIMER 12 INCH	1.00	EACH
S192	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	405.93	SF
S193	T15.1000	STREET SIGN ASSEMBLY STD. 24.6.1	6.00	EACH
S194	T15.1100	STREET SIGN - OVERHEAD MOUNTED	13.00	EACH
S195	T15.2000	PARKING SIGNS	19.50	SF
S196	T15.9901	REFLECTIVE SIGN POST PANEL - RED	10.00	EACH
S197	T15.9902	REFLECTIVE SIGN POST PANEL - YELLOW	18.00	EACH
S198	T15.9903	RECTANGULAR RAPID FLASHING BEACON SYSTEM	1.00	LS
S199	T20.2406	6 INCH WHITE FINAL EPOXY RESIN PAVEMENT MARKINGS	26,195.00	LF
S200	T20.2408	8 INCH WHITE FINAL EPOXY RESIN PAVEMENT MARKINGS	110.00	LF

## Item List

Date: 4/22/2020

Estimate Name - Advertisement  
 Project Name - HSIP - Signalization of Allens Ave. C-5  
 R.I. Contract No. - 2020-CT-021  
 FAP Nos. - STPG-HSIP(077)

Seq No.	Item Code	Description	Quantity	UM
S201	T20.2412	12 INCH WHITE FINAL EPOXY RESIN PAVEMENT MARKINGS	4,396.00	LF
S202	T20.2424	24 INCH WHITE FINAL EPOXY RESIN PAVEMENT MARKINGS	250.00	LF
S203	T20.2506	6 INCH WHITE INTERIM EPOXY RESIN PAVEMENT MARKINGS	12,100.00	LF
S204	T20.2512	12 INCH WHITE INTERIM EPOXY RESIN PAVEMENT MARKINGS	1,500.00	LF
S205	T20.2804	4 INCH YELLOW FINAL EPOXY RESIN PAVEMENT MARKINGS	14,983.00	LF
S206	T20.2812	12 INCH YELLOW FINAL EPOXY RESIN PAVEMENT MARKINGS	60.00	LF
S207	T20.2904	4 INCH YELLOW INTERIM EPOXY RESIN PAVEMENT MARKINGS	10,600.00	LF
S208	T20.3401	FINAL EPOXY RESIN PAVEMENT MARKING SYMBOL - ARROW (STRAIGHT, LEFT, RIGHT OR COMBINED) STANDARD 20.1.0	15.00	EACH
S209	T20.3405	FINAL EPOXY RESIN PAVEMENT MARKING SYMBOL - YIELD LINE TRIANGLE (ALL SIZES)	30.00	EACH
S210	T20.3410	FINAL EPOXY RESIN PAVEMENT MARKING WORD ("ONLY", "STOP", "YIELD", "AHEAD", "XING", "SCHOOL", OR OTHER) STANDARD 20.1.0	4.00	EACH
S211	T20.3415	FINAL EPOXY RESIN PAVEMENT MARKING SYMBOL SET - HIGHWAY-RAIL GRADE CROSSING (R, X, AND R LETTERS)	9.00	EACH
S212	T20.3416	FINAL EPOXY RESIN PAVEMENT MARKING SYMBOL SET - BIKE LANE (HELMETED BICYCLIST AND ARROW)	71.00	EACH
S213	T20.3417	FINAL EPOXY RESIN PAVEMENT MARKING SYMBOL SET - SHARED LANE MARKING FOR BICYCLES	11.00	EACH
S214	T20.4506	REMOVE PAVEMENT MARKING LINE - LESS THAN OR EQUAL TO 6 INCHES WIDE	24,294.00	LF
S215	T20.4508	REMOVE PAVEMENT MARKING LINE - GREATER THAN 6 INCHES WIDE	452.00	LF
S216	T20.4511	REMOVE PAVEMENT MARKING SYMBOL - ARROW (STRAIGHT, LEFT, RIGHT OR COMBINED)	6.00	EACH
S217	T20.4520	REMOVE PAVEMENT MARKING WORD ("ONLY", "STOP", "YIELD", "AHEAD", "XING", "SCHOOL", OR OTHER)	4.00	EACH

**Item List**

Date: 4/22/2020

Estimate Name - Advertisement  
Project Name - HSIP - Signalization of Allens Ave. C-5  
R.I. Contract No. - 2020-CT-021  
FAP Nos. - STPG-HSIP(077)

<b>Seq No.</b>	<b>Item Code</b>	<b>Description</b>	<b>Quantity</b>	<b>UM</b>
S218	T20.4525	REMOVE PAVEMENT MARKING SYMBOL SET - HIGHWAY-RAIL GRADE CROSSING (R, X, AND R LETTERS)	2.00	EACH
S219	T20.4526	REMOVE PAVEMENT MARKING SYMBOL SET - BIKE LANE (HELMETED BICYCLIST AND ARROW)	8.00	EACH
S220	T20.9901	24 INCH GREEN EPOXY RESIN PAVEMENT MARKINGS	235.00	LF









RHODE ISLAND DEPARTMENT OF TRANSPORTATION

**\* THIS IS A DISK-BASED BID \***

**ELECTRONIC BIDDING  
PROCEDURE NOTICE**

**ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID  
PREPARATION SOFTWARE PACKAGE**

Bidders **MUST** register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.

RIDOT Provides:		Bidder Must Submit:	
			
CD	Plans (on CD)	2 High-Density Compact Disks (CDs) w/Quest Lite Bid "zip" file**	Completed & Signed Proposal (Hard Copy)
			
Contract Documents (on CD)	DOQ Report (on CD)	Bid Surety (Hard Copy)	Completed & Signed (Hard Copy)

Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software  
Office Hours: 8:00 AM – 4:00 PM

**\*\*Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.**

**NO BID OFFER WILL BE CONSIDERED**  
**UNLESS ACCOMPANIED BY A COMPACT DISK (CD)**  
**CONTAINING THE BID PROPOSAL FILE**  
**GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE**

*Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI Dept. of Administration Division of Purchases Procurement Regulations*



Rhode Island Department of Transportation (RIDOT)

## Notice to Contractors

### THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

**CONTACT:** **RIDOT CONTRACTS & SPECIFICATIONS**  
Rm. 108, Two Capitol Hill, Providence, RI 02903  
Phone: **401-222-2495**  
Hours: **Mon – Fri, 8:00AM – 4:00PM**

**1. Required Registration Codes for Each Bidder.**

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

**2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.**

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

**3. Minimum Computer Hardware and Operating System Requirements.**

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

**4. Addenda, when necessary, are available on Purchases' RIVIP website.**

**at:** <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

**5. Training may be requested up to three days prior to the Bid Opening.**

Training is provided on request. Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project.

**6. Technical Support.**

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing [Quest@dot.ri.gov](mailto:Quest@dot.ri.gov).

01/25/2011

# NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)  
Contracts and Specifications

## ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040408 (2.8.4)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040408 (2.8.4)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, **UNLESS** a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495.

01/21/11

## QUEST LITE VERSION 4.4.8 (2.8.4)

### UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2.8.3) then the upgrade installation is sufficient **unless** an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
3. For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation **does not** need to be performed after the full installation is completed.)
4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. **Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.**

### **Installation Instructions – Upgrade Version**

Upgrade Quest Lite only if the current installed version is 2.8.3, and a previous upgrade has not been installed.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the “Upgrade Only” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

### **Installation Instructions – Complete Installation**

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on the computer/laptop; or
2. The installed version of Quest Lite is older than 2.8.3, i.e. 2.8.2 or under; or
3. The 2.8.3 upgrade version of Quest Lite is installed.

If any of 1 through 3 above apply, follow these instructions:

1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
  - a. Close Quest Lite.
  - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.