

REQUEST FOR QUOTE (RFQ) – BID# 7609825

2021-CH-007 HSIP INTERSECTION SAFETY IMPROVEMENTS - ROUTE 37 & NATICK AVE.

SUBMISSION DEADLINE: Friday, November 13, 2020 at 01:00 PM (ET) PRE-BID CONFERENCE: NO YES Mandatory: NO YES: Any vendor who intends to submit a bid proposal in response to this solicitation must have its designated representative attend the mandatory pre-bid conference. The representative must register at the pre-bid conference and disclose the identity of the vendor whom he/she represents. Because attendance at the pre-bid conference is mandatory, a vendor's failure to attend and register at the pre-bid conference shall result in disqualification of the vendor's bid proposal as non-responsive to the solicitation. Lisa blile Buyer Name: Lisa Hill Title: Assistant Administrator **QUESTIONS** Prospective bidders are hereby notified that all questions pertaining to this contract must be submitted to the Department of Transportation in writing through its website at http://www.dot.ri.gov/contracting/bids by accessing the questions & answers menu located within the 'contracting', then 'bidding opportunities' link. Response to the submitted questions will also be posted under this link, phone calls will not be accepted. **SURETY REQUIRED:** YES YES **BOND REQUIRED:** NO DISK BASED BID: YES: See attached Disk Based Bidding Information **NOTE TO VENDORS:** Vendors must register on-line at the Rhode Island Division of Purchases website at www.purchasing.ri.gov. Offers received without the completed four-page Rhode Island Vendor Information Program (RIVIP) Generated Bidder Certification Cover Form attached may result in disqualification.



State of Rhode Island Department of Administration Division of Purchases

RHODE ISLAND DEPARTMENT OF TRANSPORTATION

REVISED November 20, 2013

NOTICE TO VENDORS

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.

To comply with this requirement, <u>in addition to</u> the Quest Lite compatible electronic copy and one hard copy, bid proposals for *highway and bridge public works projects* must also include a duplicate original of the Quest Lite compatible electronic copy on a **read-only** CD-R media disc as the "public copy."

The public copy disc must be separately enclosed in a protective cover clearly marked "Public Copy" and include the following information (all available from the Bidder Certification Cover Form): (1) title of solicitation; (2) name of bidder and RIVIP vendor ID number; (3) bid number; and (4) date of bid.

The public copy may redact any trade secrets or commercial or financial information which is of a privileged or confidential nature pursuant to the "Access to Public Records Act," R. I. Gen. Laws §§ 38-2-1 et seq.

For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulations 5.11, 5.13, and 12.102.05 accessible at www.purchasing.ri.gov.

State of Rhode Island and Providence Plantations Department of Transportation

Notice to Contractors Special Provisions Proposal Contract Agreement Contract Bond

for the Performance of

Rhode Islan	id Contract Numbe	er: 2021-CH-007	
Rhode Islam Numbers:	ad Federal-Aid\Stat	te-Aid Project	STP-HSIP(090)
Project:	HSIP - Intersection Safety - Rt 37 & Natick Ave		
Limits:	Natick Avenue to I-295 NB Off Ramp		
City/Town: Cranston			
County:	PROVIDENCE		
	Submitted By:		
	Address:		
			~~~~
	Name of Surety:		
	Total Bid:		

(BIDDER MUST FILL IN ALL ABOVE SPACES)

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, Amended December 2010, with all revisions.
- The Rhode Island Standard Details, 1998 Edition, with all revisions.
- The Rhode Island Bridge Standard Details, 2010 Edition, with all revisions.
- The Division of Purchases Procurement Regulations Adopted December 2010.
- * Refer to Section 12.102.05 PREPARATION OF PROPOSAL of the STATE OF RHODE ISLAND PROCUREMENT REGULATIONS regarding the use of Quest Lite software for bid preparation.

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request.

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on November 13, 2020 at 1:00PM. All bidders MUST register online at www.purchasing.ri.gov. A Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 12.102.12 of the Division of Purchases Procurement Regulations Adopted December 2010 and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

DESCRIPTION: Rhode Island Contract No. 2021-CH-007, Federal Aid Project No. STP-HSIP(090), for the HSIP-Intersection Safety - Rt 37 & Natick Ave project in the City of Cranston will consist of reconstructing 1,200± feet of Route 37 Westbound, as well as the reconstruction of a portion of the I-295 Southbound Off and On Ramps.

Work will include, but not be limited to removal and disposal of flexible and rigid pavement, curbing, sidewalk, signs, sign foundations, installation of erosion controls, earth excavation, trimming and fine grading, roadway reconstruction including gravel borrow subbase and bituminous pavement, catch basins, stormwater management, loam and seed, temporary and permanent striping, signs, traffic signal modifications, barrier, guardrail, lighting modifications, flagpersons, temporary construction signs, temporary traffic control devices, field office, mobilization, maintenance and protection of traffic, and all incidentals as necessary to complete the work of this Contract to the satisfaction of the Engineer.

The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise
Affirmative Action Certification for Contractors and Consultants, to meet the established Race-Conscious Goal, or
Contract Goal, of not less than 7.00 percent of the contract bid price, to the Contractors, Subcontractors, and/or
suppliers which qualify as Disadvantaged Business Enterprises (DBE's). Failure by the Contractor to demonstrate
every good faith effort in fulfilling its DBE commitment during the construction period will result in the reduction in
contract payments by the amount determined by multiplying the awarded contract value by the established DBE
percentage, and subtracting the dollar value of the work actually performed by DBE contractors. This action will
not preclude RIDOT from imposing sanctions or other remedies available as specified in paragraph (I)(C) of the
Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants.

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel.Number (401) 222-2495. The Plans, Specifications and Special Provisions may also be examined on or after October 22, 2020 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, RI Division of Purchases Procurement Regulations, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.

Prospective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at http://www.dot.ri.gov/contracting/bids/ by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.

For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail Quest@dot.ri.gov.

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed subject to all applicable federal laws and regulations for carrying out the provisions of the Federal-Aid Highway program..

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos. 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at www.purchasing.ri.gov. It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations,

There will be no Pre-Bid Conference scheduled for this project.

SPECIAL NOTE

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY.

NOTICE TO ALL BIDDERS

The Rhode Island Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 42 U.S.C. §§ 2000d - 2000d-4 and 49 C.F.R. Part 21, Nondiscrimination in Federally-Assisted Programs of the Department of Transportation - Effectuation of Title VI of the Civil Rights Act of 1964, issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin, age, or disability in consideration for an award.

To report bid rigging activities call:

1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Date:

10/19/2020

Seq No.	Item Code	Description	Quantity UM
001	201.0402	REMOVE AND DISPOSE CONCRETE CURB	2,187.00 LF
002	201.0403	REMOVE AND DISPOSE SIDEWALKS	27.00 SY
003	201.0407	REMOVE AND DISPOSE PAVEMENT AND RIGID BASE	3,157.00 SY
004	201.0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	9,169.00 SY
005	201.0410	REMOVE AND DISPOSE CATCH BASINS	4.00 EACH
006	201.0414	REMOVE AND DISPOSE PIPE - ALL SIZES	54.00 LF
007	201.0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	733.00 LF
008	201.0421	REMOVE AND DISPOSE BITUMINOUS CURB	385.00 LF
009	201.0428	REMOVE AND DISPOSE FRAME AND GRATE OR FRAME AND COVER	10.00 EACH
010	201.0430	REMOVE AND DISPOSE CONCRETE MEDIAN BARRIER	215.00 LF
011	201.0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	29.00 EACH
012	201.0622	REMOVE AND DISPOSE OVERHEAD SIGN PANEL	1.00 EACH
013	201.0623	REMOVE AND DISPOSE OVERHEAD SIGN STRUCTURE	2.00 EACH
014	201.9901	REMOVE AND DISPOSE DELINEATOR PANEL AND POST	10.00 EACH
015	201.9902	REMOVE AND DISPOSE OVERHEAD SIGN PANEL AND FLASHER ASSEMBLY	1.00 EACH
016	201,9903	REMOVE AND DISPOSE OF RAISED CONCRETE MEDIAN	128.00 SY
017	202.0100	EARTH EXCAVATION	3,277.00 CY
018	202.0201	ROCK EXCAVATION MECHANICAL	30.00 CY
019	202.0700	COMMON BORROW	2,673.00 CY
020	202.9901	HANDLING, HAULING, STOCKPILING, MANAGEMENT, AND DISPOSAL OF CONTAMINATED SOILS	1.00 LS
021	203.0530	DEWATERING	1.00 LS
022	204.0100	TRIMMING AND FINE GRADING	21,152.00 SY
023	206.0301	COMPOST FILTER SOCK	2,501.00 LF
024	207.0210	STONE CHECK DAMS	70.00 CF
025	209.0210	HIGH FLOW SACK INSERT CATCH BASIN INLET PROTECTION	26.00 EACH
026	211.0100	CONSTRUCTION ACCESSES STANDARD 9.9.0	222.00 SY
027	213.9901	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	270.00 SY
028	302.0100	GRAVEL BORROW SUBBASE COURSE	3,986.00 CY
029	401.1000	CLASS 19.0 HMA	3,970.00 TON
030	401.2005	CLASS 12.5 HMA FOR MISCELLANEOUS WORK	600.00 TON
031	401.2100	MODIFIED CLASS 12.5 HMA	2,154.00 TON

Date:

10/19/2020

Seq No.	Item Code	Description	Quantity	UM
032	401.4000	CLASS 4.75 HMA	3.00	TON
033	402.9901	FRICTION COURSE WITHOUT PAY ADJUSTMENT	834.00	TON
034	403.0300	ASPHALT EMULSION TACK COAT	33,125.00	SY
035	410.1000	TEMPORARY PATCHING MATERIAL/TRENCHES	100.00	TON
036	601.0200	CLASS XX PORTLAND CEMENT CONCRETE	6.00	CY
037	701.0412	REINFORCED CONCRETE PIPE M 170 CLASS III 12 INCH	188.00	LF
038	701.6012	12 INCH DUCTILE IRON SEWER SAFE PIPE CLASS 52	49.00	LF
039	701.7712	12 INCH REINFORCED CONCRETE PIPE END SECTION STANDARD 2.3.0	1.00	EACH
040	702.0513	FRAME AND GRATE STANDARD 6.3.1	1.00	EACH
041	702.0515	FRAME AND GRATE HIGH CAPACITY STANDARD 6.3.3	7.00	EACH
042	702.0521	FRAME AND COVER STANDARD 6.2.0	1.00	EACH
043	702.0533	PRECAST CONCRETE APRON STONE 38" STANDARD 7.1.8	6.00	EACH
044	702.0605	PRECAST CATCH BASIN 4' DIAMETER STANDARD 4.4.0	5.00	EACH
045	702.0722	SOLID BLOCK SHALLOW TYPE "F" SQUARE CATCH BASIN STANDARD 3.5.0	1.00	EACH
046	702.9901	FOUR INCH FRAME AND GRATE	1.00	EACH
047	703.9901	SAND FILTER	1.00	LS
048	704.0100	RECONSTRUCT CATCH BASIN/CORBEL CONES	5.00	EACH
049	704.0300	RECONSTRUCT CATCH BASIN/VERTICAL WALLS	25.00	VLF
050	706.9000	PLUG AND CAP PIPE ALL SIZES	2.00	EACH
051	707.1200	ADJUST CATCH BASIN TO MANHOLE	1.00	EACH
052	707.2000	ADJUST FRAME AND GRATE TO GRADE	6.00	EACH
053	708.9040	CLEANING AND FLUSHING PIPE ALL SIZES	416.00	LF
054	708.9041	CLEANING CATCH BASINS ALL TYPES AND SIZES	10.00	EACH
S055	901.0151	TERMINAL END SECTION SINGLE FACE STANDARD 34.3.2	2.00	EACH
S056	901.0163	GUARDRAIL STEEL BEAM POST IN LEDGE STANDARD 34.1.2	10.00	EACH
S057	901.9901	STEEL BEAM GUARDRAIL SINGLE FACE (MASH)	200.00	LF
S058	901.9902	STEEL BEAM GUARDRAIL DOUBLE FACE (MASH)	50.00	LF
S059	901.9903	GUARDRAIL STEEL BEAM ANCHORAGE TRAILING END SECTION (MASH)	2.00	EACH
		MGS LONG SPAN LSC-2 GUARDRAIL SYSTEM		EACH
S061	901.9905	STEEL BEAM GUARDRAIL TRANSITION TO RIGID BARRIER (SINGLE FACED)		EACH
062	905.0110	PORTLAND CEMENT SIDEWALK MONOLITHIC STANDARD 43.1.0	5.00	CY

Date:

10/19/2020

Seq No.	Item Code	Description	Quantity UM
063	905.0131	PORTLAND CEMENT CONCRETE MEDIAN 6" MONOLITHIC	6.00 CY
064	906.0210	CEMENT CONCRETE CURB PRECAST STRAIGHT STANDARD 7.1.0	40.00 LF
065	906.0211	CEMENT CONCRETE CURB PRECAST CIRCULAR STANDARD 7.1.0	72.00 LF
066	906.0221	6' PRECAST CONCRETE TRANSITION CURB STANDARD 7.1.2	2.00 EACH
067	906.0230	CEMENT CONCRETE SLOPE FACE CURB PRECAST STRAIGHT STANDARD 7.2.0	2,111.00 LF
068	906.0231	CEMENT CONCRETE SLOPE FACE CURB PRECAST CIRCULAR STANDARD 7.2.0	46.00 LF
069	906.0250	PRECAST CONCRETE WHEELCHAIR RAMP CURB STANDARDS 7.1.3, 43.3.0 AND 43.3.1	2.00 EACH
070	906.0263	PRECAST CONCRETE RAMP STONE 18-INCH CIRCULAR STANDARD 7.1.9	1.00 EACH
071	906.0270	PRECAST CONCRETE TRANSITION CURB STANDARD 7.2.2	10.00 EACH
072	906.0271	PRECAST CONCRETE SLOPE FACE TRANSITION CURB STANDARD 7.2.1	3.00 EACH
073	906.0280	3' PRECAST CONCRETE TRANSITION CURB STANDARD 7.1.1	1.00 EACH
074	907.0100	WATER FOR DUST CONTROL	62.00 MGA L
075	909.9901	PRECAST F SHAPE CONCRETE BARRIER DOUBLE FACED – STD. 40.1.0 MODIFIED	213.00 LF
076	914.5010	FLAGPERSONS	160.00 MHRS
077	914.5020	FLAGPERSONS - OVERTIME	16.00 MHRS
078	916.9901	NARROW CONDITION IMPACT ATTENUATOR FOR TEMPORARY TRAFFIC CONTROL	3.00 EACH
079	919.0101	TEST PITS	8.00 EACH
080	920.0070	DUMPED STONE RIPRAP R-3, R-4, 4-5 STANDARD 8.3.0	6.00 CY
081	920.0150	BEDDING FOR RIPRAP FS-2 STANDARD 8.3.0	2.00 CY
082	920.0200	FILTER FABRIC FOR RIP-RAP	18.00 SY
083	922.0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29.1.0 AND 27.1.1	1,000.00 SF
084	923.0105	DRUM BARRICADE STANDARD 26.2.0	10,500.00 BDAY
085	923.0120	PLASTIC PIPE BARRICADE STANDARD 26.3.0	10.00 EACH
086	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	200.00 EACH
087	924.0113	ADVANCE WARNING ARROW PANEL	80.00 PDAY
088	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	480.00 PDAY
089	926.9901	ANCHORED PRECAST BARRIER FOR TEMPORARY TRAFFIC CONTROL (MASH TL-3)	2,460.00 LF
090	926,9902	UNANCHORED PRECAST BARRIER FOR TEMPORARY TRAFFIC CONTROL (MASH TL-3)	550.00 LF

Date: 10/19/2020

Seq No.	Item Code	Description	Quantity UM
091	928.0500	SHADOW OR ADVANCE WARNING VEHICLE WITH IMPACT ATTENUATOR AND FLASHING ARROW BOARD	320.00 HRS
092	929.0110	FIELD OFFICE	12.00 PMO
093	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	455.00 LF
094	932.0220	FULL DEPTH SAWCUT OF BITUMINOUS SIDEWALK/DRIVEWAY	10.00 LF
095	932.0230	FULL DEPTH SAWCUT OF PORTLAND CEMENT CONCRETE SIDEWALK/DRIVEWAY	48.00 LF
096	935.0400	REMOVING BITUMINOUS PAVEMENT BY MICRO MILLING	1,680.00 SY
097	935,9901	TRANSVERSE RUMBLE STRIP	2.00 EACH
098	936.0100	MOBILIZATION AND DEMOBILIZATION	1.00 LS
099	937.0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1.00 LS
100	942.0200	DETECTABLE WARNING PANEL STANDARD 48.1.0	42.00 SF
101	L01.0102	LOAM BORROW 4 INCHES DEEP	9,147.00 SY
102	L01.9901	BIOFILTRATION SWALE	270.00 SY
S103	L02.0101	GENERAL HIGHWAY SEEDING (TYPE I)	9,147.00 SY
104	L05.0506	JUTE MESH	625.00 SY
S105	T02.9901	LIGHTING SYSTEM MODIFICATIONS	1.00 LS
S106	T04.5001	6 AWG SINGLE CONDUCTOR CABLE 600V INSULATION	65.00 LF
S107	T04.5302	14 AWG 2 CONDUCTOR TWISTED SHIELDED CABLE	85.00 LF
S108	T05,0100	PRECAST TYPE A HANDHOLE STANDARD 18.2.0	1.00 EACH
		BREAK INTO EXISTING HANDHOLE	1.00 EACH
S110	Т06.5430	3 INCH SCHEDULE 80 POLYVINYL CHLORIDE PLASTIC CONDUIT - UNDER EXISTING PAVEMENT	50.00 LF
S111	T12.9901	MODIFY EXISTING TRAFFIC SIGNAL CONTROLLER CABINET	1.00 EACH
S112	T13,1000	TRAFFIC DETECTORS-LOOP, STANDARD 19.6.0	640.00 LF
S113	T14.9901	REMOVE AND REPLACE SIGNAL HEAD LED MODULE	6.00 EACH
S114	T15.0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	450,00 SF
115	T15.0200	REMOVE AND RELOCATE DIRECTIONAL REGULATORY AND WARNING SIGN	2.00 EACH
S116	T15.9901	REFLECTIVE SIGN POST PANEL - RED	12.00 EACH
S117	T15.9902	FLASHING SIGN ASSEMBLY	2.00 EACH
118	T17.0100	OVERHEAD SIGN PANELS	181.00 SF
119	T17.0204	OVERHEAD SIGN STRUCTURE 31-35 FOOT CANTILEVER - STEEL	1.00 EACH
S120	T18.9901	DELINEATOR - YELLOW	20.00 EACH
S121	T18.9902	DELINEATOR - WHITE	20.00 EACH

Date:

10/19/2020

	Item Code	Description	Quantity UM
S122	T18.9903	GUARDRAIL END DELINEATOR - GREEN	2.00 EACH
S123	T20.0706	6 INCH WHITE WATERBORNE PAINT PAVEMENT MARKINGS	11,088.00 LF
S124	T20.0712	12 INCH WHITE WATERBORNE PAINT PAVEMENT MARKINGS	4,089.00 LF
125	T20.0900	BI-DIRECTIONAL CONTROL DEVICE STANDARD 20.2.0	8.00 EACH
S126	T20.0906	6 INCH YELLOW WATERBORNE PAINT PAVEMENT MARKINGS	11,275.00 LF
S127	T20.1401	WATERBORNE PAINT PAVEMENT MARKING SYMBOL - ARROW (STRAIGHT, LEFT, RIGHT OR COMBINED) STANDARD 20.1.0	24.00 EACH
S128	T20.1405	WATERBORNE PAINT PAVEMENT MARKING SYMBOL - YIELD LINE TRIANGLE (ALL SIZES)	6.00 EACH
S129	T20.1410	WATERBORNE PAINT PAVEMENT MARKING WORD ("ONLY", "STOP", "YIELD", "AHEAD", "XING", "SCHOOL", OR OTHER) STANDARD 20.1.0	44.00 EACH
S130	T20.2406	6 INCH WHITE FINAL EPOXY RESIN PAVEMENT MARKINGS	4,085.00 LF
S131	T20.2412	12 INCH WHITE FINAL EPOXY RESIN PAVEMENT MARKINGS	1,930.00 LF
S132	T20.2804	4 INCH YELLOW FINAL EPOXY RESIN PAVEMENT MARKINGS	1,032.00 LF
S133	T20.2806	6 INCH YELLOW FINAL EPOXY RESIN PAVEMENT MARKINGS	2,225.00 LF
S134	T20.2812	12 INCH YELLOW FINAL EPOXY RESIN PAVEMENT MARKINGS	25.00 LF
S135	T20.3401	FINAL EPOXY RESIN PAVEMENT MARKING SYMBOL - ARROW (STRAIGHT, LEFT, RIGHT OR COMBINED) STANDARD 20.1.0	12.00 EACH
S136	T20.3405	FINAL EPOXY RESIN PAVEMENT MARKING SYMBOL - YIELD LINE TRIANGLE (ALL SIZES)	3.00 EACH
S137	T20.3410	FINAL EPOXY RESIN PAVEMENT MARKING WORD ("ONLY", "STOP", "YIELD", "AHEAD", "XING", "SCHOOL", OR OTHER) STANDARD 20.1.0	11.00 EACH
138	T20.4506	REMOVE PAVEMENT MARKING LINE - LESS THAN OR EQUAL TO 6 INCHES WIDE	8,220.00 LF
139	T20.4508	REMOVE PAVEMENT MARKING LINE - GREATER THAN 6 INCHES WIDE	1,400.00 LF
140	T20.4511	REMOVE PAVEMENT MARKING SYMBOL - ARROW (STRAIGHT, LEFT, RIGHT OR COMBINED)	6.00 EACH

Page 6 of 6

Item List

Date:

10/19/2020

Estimate Name - Advertising Estimate
Project Name - HSIP - Intersection Safety - Rt 37 & Natick Ave
R.I. Contract No. - 2021-CH-007
FAP Nos. - STP-HSIP(090)


Seq	Item		
No.	Code	Description	Quantity UM
141	T20.4515	REMOVE PAVEMENT MARKING SYMBOL - YIELD LINE TRIANGLE (ALL SIZES)	2.00 EACH
142	T20.4520	REMOVE PAVEMENT MARKING WORD ("ONLY", "STOP", "YIELD", "AHEAD", "XING", "SCHOOL", OR OTHER)	10.00 EACH


* THIS IS A DISK-BASED BID *

ELECTRONIC BIDDING PROCEDURE NOTICE

ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE BID PREPARATION SOFTWARE PACKAGE

Bidders MUST register in person at the RIDOT Contract Administration office to obtain the necessary Bidder Registration and Digital ID codes for the Quest Lite software.





Contact the Contracts & Specifications Office at 222-2495 to request technical assistance on issues directly related to the Quest Lite software Office Hours: 8:00 AM - 4:00 PM

**Refer to the RIDOA "Notice to Contractors" for additional information on the "Public Copy" submission requirements.

NO BID OFFER WILL BE CONSIDERED

UNLESS ACCOMPANIED BY A COMPACT DISK (CD)

CONTAINING THE BID PROPOSAL FILE

GENERATED BY THE QUEST LITE BID PREPARATION SOFTWARE

Failure to comply will result in a mandatory disqualification per Section 12.102.07 of the RI

Dept of Administration Division of Purchases Procurement Regulations

Rhode Island Department of Transportation (RIDOT)

Notice to Contractors

THIS IS A DISK-BASED BID

Bid offers will be accepted only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening. Minimum computer hardware and operating system requirements are listed here. Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.

CONTACT:

RIDOT CONTRACTS & SPECIFICATIONS

Rm. 108, Two Capitol Hill, Providence, RI 02903

Phone: 401-222-2495

Hours: Mon - Fri, 8:00AM - 4:00PM

Required Registration Codes for Each Bidder. 1.

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids Bidders must retain these codes for future use.

The required Quest Lite installation software and all applicable 2. Contract Documents are provided on a CD-ROM.

The Contract Documents include the RI DOA Division of Purchases Procurement Regulations, RI Standard Specifications, Amended December 2010 and all revisions, the RI Standard Details for Highway and Bridge Construction, Bridge Standard Details, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents

Minimum Computer Hardware and Operating System Requirements. 3.

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6 0 SP 2

4. Addenda, when necessary, are available on Purchases' RIVIP website.

at: http://www.purchasing.ri.gov/RIVIP/BidSearch.asp

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

Training may be requested up to three days prior to the Bid Opening. 5.

Training is provided on request Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project

Technical Support. 6.

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing Quest@dot.ri.gov

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)
Contracts and Specifications

ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective January 1, 2011, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software <u>MUST</u> be prepared using <u>Quest Lite Version 040408 (2.8.4)</u>. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version <u>040408 (2.8.4)</u> will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040407 (2.8.3) need only install the upgrade package to complete the conversion, UNLESS a previous upgrade installation was used to upgrade from 2.8.2 to 2.8.3, in which case these installations must be removed and the full installation performed. Earlier versions (2.8.2 or lower) will require the full installation in all instances.

For technical assistance, contact the Contracts and Specifications office at 222-2495

QUEST LITE VERSION 4.4.8 (2.8.4)

UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040408 (2.8.4). If there is no Quest Lite installation, than the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

- 1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users MUST RETAIN these codes for future use.
- 2. Many users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040407 (2 8.3) then the upgrade installation is sufficient unless an upgrade version has been previously used to upgrade version 2.8.2 to 2.8.3.
- 3 For earlier installations (versions below 2.8.3, and if an upgrade has been previously installed to upgrade to version 2.8.3), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation does not need to be performed after the full installation is completed...)
- 4. To determine if an upgrade version of Quest Lite version is present, it is generally easiest to use the "Add or Remove Programs" function from the Control Panel to view the Quest Lite installations. Should both an installation and an upgrade version be installed, both programs must be removed using the "Remove" function and the new version 2.8.4 installed.
- 5. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
- 6. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to Quest@dot.ri.gov.

Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.83, and a previous upgrade has not been installed.

- 1. Close Quest Lite before attempting the installation.
- 2. Using the project CD, double-click on the "Upgrade Only" option provided on the Start page.
- 3. When prompted for a password, enter "ridot"
- 4. Follow the instructions provided in the installation wizard to complete the installation
- 5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

Installation Instructions - Complete Installation

A complete Installation of the software is required only if Quest Lite is:

- 1. Not installed on the computer/laptop; or
- 2. The installed version of Quest Lite is older than 2 8.3, i.e. 2.8.2 or under; or
- 3 The 2.8 3 upgrade version of Quest Lite is installed

If any of 1 through 3 above apply, follow these instructions:

- 1. If a Quest Lite version 2.8.2 or older, or a 2.8.3 upgrade are currently installed,
 - a. Close Quest Lite.
 - b. Remove all the existing installation(s) of Quest Lite. To accomplish this, follow the instructions provided on pages 19 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
- 2. Using the project CD, double-click on the "Complete Installation" option provided on the Start page.
- 3 When prompted for a password, enter "ridot".
- 4. Follow the instructions provided in the installation wizard to complete the installation.
- 5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.