



Request for Quote

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
 ONE CAPITOL HILL
 PROVIDENCE RI 02908

CREATION DATE : 27-APR-09
BID NUMBER: 7243885
TITLE: PHOTOGRAPHY EQUIPMENT AND ACCESSORIES

BID CLOSING DATE AND TIME: 18-MAY-2009 10:00:00

BUYER: Melillo, Charlotte A
PHONE #: 401-574-8110

**B
I
L
L
T
O**
CCRI CONTROLLER'S OFFICE
ACCOUNTS PAYABLE
400 EAST AVENUE
WARWICK, RI 02886
US

**S
H
I
P
T
O**
CCRI KNIGHT CAMPUS
400 EAST AVE
WARWICK, RI 02886-1807
US

Requisition Number: 1134391

Line	Description	Quantity	Unit	Unit Price	Total
1	AGENCY CONTACT: THANLY HANG (401) 825-2196 PANASONIC AG-HMC150 HIGH DEFINITION CAMERA PER ATTACHED SPECIFICATIONS - NO SUBSTITUTIONS	1 00	Each		
2	PROFESSIONAL SERIES 5" TELEPROMPTER FROM AUTOCUE / QTV PER ATTACHED SPECIFICATIONS - NO SUBSTITUTIONS	1.00	Each		
3	Q-START PROMPTER SOFTWARE PACKAGE FROM AUTOCUE / QTV PER SPECIFICATIONS - NO SUBSTITUTIONS	1 00	Each		
4	LOWEL RIFA-LITE EX44 (TUNGSTEN) SOFTBOX LIGHT KIT LB45 PER ATTACHED SPECIFICATIONS - NO SUBSTITUTIONS	1 00	Each		
5	BOGEN / MANFROTTO 190XDB 3-SECTION TRIPOD (BLACK) WITH 501HDV FLUID HEAD PER ATTACHED SPECIFICATIONS Line Note to Bidders: MANUFACTURER	1 00	Each		
6	DIGITAL VIDEO CAMCORDER BAG (PEARSTONE) PER ATTACHED SPECIFICATIONS Line Note to Bidders: MANUFACTURER	1.00	Each		
7	FLIP VIDEO - MINOHD VIDEO CAMERA PER ATTACHED SPECIFICATIONS Line Note to Bidders: MANUFACTURER	2 00	Each		
8	GREEN SCREEN BACKDROP PER ATTACHED SPECIFICATIONS Line Note to Bidders: MANUFACTURER	1 00	Each		
9	BLUE SCREEN BACKDROP PER ATTACHED SPECIFICATIONS Line Note to Bidders: MANUFACTURER	1 00	Each		
10	BACKDROP TRAVEL STAND WITH CASE PER ATTACHED SPECIFICATIONS Line Note to Bidders: MANUFACTURER	1 00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer.

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....	II
BID STANDARD TERMS AND CONDITIONS	II
TERMS AND CONDITIONS FOR THIS BID	II
RIVIP INFO - BID SUBMISSION REQUIREMENTS	II
VENDOR SPECIFICATIONS	II

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

VIDEO CAMERA:

PANASONIC AG-HMC150 HIGH DEFINITION CAMERA, NO SUBSTITUTIONS, RECORDS IN A FULL RANGE OF HD FORMATS INCLUDING 1080/60i, 1080/30p, 1080/24p; 720/60p, 720/30p, 720/24p. 1/3" 3-CCD PROGRESSIVE IMAGE SYSTEM WITH EXCELLENT SENSITIVITY, SUPERB COLOR REPRODUCTION AND RESOLUTION. IN-CAMERA WAVEFORM MONITOR, VECTORSCOPE AND TWO FOCUS ASSIST DISPLAYS. CONNECTIONS INCLUDING HDMI OUT, COMPONENT OUT (D TERMINAL), COMPOSITE OUT AND RCA AUDIO OUT JACKS, XLR AUDIO INPUTS, USB 2.0 FOR FILE TRANSFER, REMOTE CONTROL FOR ZOOM, IRIS, FOCUS, START/STOP TWO LOCKING XLR INPUTS WITH SWITCHES FOR MIC/LINE, +48V PHANTOM POWER, AUTO/MANUAL LEVEL AND INTERNAL/EXTERNAL ASSIGNMENT. INCLUDES PROFESSIONAL-LEVEL ASSIST FUNCTIONS LIKE WAVEFORM MONITOR, VECTORSCOPE AND TWO FOCUS DISPLAYS. VARIETY OF EDITING SOLUTIONS (RENDER FILES TO ALMOST ANY FORMAT OR MEDIA).

TELEPROMPTER:

PROFESSIONAL SERIES 5" TELEPROMPTER FROM AUTOCUE / QTV, NO SUBSTITUTIONS, TELEPROMPTING PACKAGE INTENDED FOR USE IN SMALL- AND MEDIUM-SIZE BROADCAST AND PRODUCTION STUDIOS. HIGH -BRIGHT MONITOR WITH A COMPOSITE INPUT, LIGHTWEIGHT COLLAPSIBLE WIDE-ANGLE HOOD. FULLY ADJUSTABLE HOOD AND MOUNTING SYSTEM. ULTRA BRIGHT: HIGH-BRIGHT TELEPROMPTER DISPLAY. SUMMARY: PACKAGE INCLUDES - MONITOR, POWER SUPPLY, REMOTE CONTROL, WIDE-ANGLE HOOD, GLASS, BRACKET, GOLD PLATE, 75' (25M) COMPOSITE CABLE, USER MANUAL, ONE-YEAR WARRANTY AGAINST DEFECTS IN MATERIAL & WORKMANSHIP.

TELEPROMPTER SOFTWARE PACKAGE:

Q-START PROMPTER SOFTWARE PACKAGE FROM AUTOCUE / QTV - NO SUBSTITUTIONS - SUPPORTS IMAGE-REVERSING, WINDOWS COMPLEX LANGUAGE, SEARCH & REPLACE FUNCTIONALITY, SINGLE SCRIPT, AND SINGLE LAYOUT. INCLUDES SINGLE FONT TYPE, COLOR & SIZE ACCOMODATES SCRIPTS FROM MANY COMMON FILE FORMATS. SUPPORTS BASIC SCRIPT FORMATTING FUCTIONS & SINGLE CONTROLLER. ALSO INCLUDES UNLIMITED OFFICE-HOUR SOFTWARE SUPPORT AND ACCESS TO THE LATEST BUILDS. OPERATING REQUIREMENTS: WINDOWS XP PRO, VISTA OR MAC RUNNING WINDOWS EMULATOR VIDEO PORT. AT LEAST 2 USB PORTS. AT LEAST 512 MB RAM. INCLUDES SOFTWARE CD, SENTINEL DONGLE, ONE-YEAR WARRANTY AGAINST DEFECTS IN MATERIAL & WORKMANSHIP.

VIDEO LIGHT:

LOWEL RIFA-LITE EX44 (TUNGSTEN) SOFTBOX LIGHT KIT LB45. NO SUBSTITUTIONS. COMPACT, SELF CONTAINED, 16X16" 250 WATT AC/DC, COLLAPSIBLE SOFT LIGHT, SETS UP IN A MINUTE OR LESS. EQUIPPED FOR USE WITH 220-230 AC VOLTAGE. UNIQUE LAMP

SOCKET THAT MAY BE CHANGED OUT FOR AN OPTIONAL SOCKET THAT ACCEPTS A STANDARD E26 SCREW-IN FLOURESCENT BULB. PERMANENTLY MOUNTED HALOGEN LAMP FIXTURE IS CENTERED IN THE COLLAPSIBLE SILVER ALUMINIZED HOUSING. ACCEPTS WIDE RANGE OF BULBS (50-300W); 12, 30, 120 AND 230V. FACE OF SOFTBOX IS 16X16". 4' CAPTIVE CABLE, 230VAC CABLE, EURO PLUG. COLLAPSED LENGTH: 17" (86 CM). DIFFUSION FRONT: 16X16" (41X41CM). KIT IN CASE: 29.5 X 8 X 8.25" (75 X 20 X 21.6CM).

TRIPOD:

BOGEN / MANFROTTO 190XDB 3-SECTION TRIPOD (BLACK) WITH 501HDV FLUID HEAD - SUPPORTS 7.5 LB (3.4KG). THREE SECTION ALUMINUM ALLOY TRIPOD IS INTENDED FOR ULTRALIGHT HIGH-DEFINITION CAMCORDERS WEIGHING UP TO 7.5LB (3.4KG). FEATURES A QUICK-RELEASE CAMERA PLATE, EXTRA SMOOTH FLUID-DAMPENED PAN AND TILT MOVEMENTS WITH SEPARATE LOCKS, AND A FIXED LENGTH PAN ARM. ONE SLIDING CAMERA PLATE INCLUDED. SYSTEM IS COVERED BY A SOLID TWO-YEAR WARRANTY WITH AN ADDITIONAL THREE YEARS BY REGISTERING ONLINE OR BY MAIL. MAXIMUM WORKING HEIGHT: 57.5" (146CM), FOLDS UP TO 21" (53.5CM). 3-FACETED CENTER COLUMN WHICH ELIMINATES COLUMN ROTATION. FOUR LEG-ANGLE SETTINGS (25, 46, 66 & 88 DEGREES). ADDITIONAL FEATURES: FIXED COUNTERBALANCE OPTIMIZED FOR 5.5LB (2.5 KG) PAYLOADS, BOTH THE PAN AND TILT DRAG ARE VARIABLE TEFLON FRICTION, SLIDING CAMERA PLATE FOR UNEVEN CAMERA/LENS PAYLOADS, DUAL PAN ARM ROSETTES FOR LEFT- OR TWO-HANDED CONFIGURATIONS.

DIGITAL VIDEO CAMCORDER BAG (PEARSTONE):

FEATURES: FITS CAMCORDERS UP TO 15' LONG TOP-LOADING PADDED CORDURA NYLON BAG LARGE ZIPPERED FRONT POUCH FOUR FLEXIBLE DIVIDERS DUAL CARRYING STRAPS WITH GRIP REMOVABLE, ADJUSTABLE SHOULDER STRAP. TYPE OF CLOSURE: FULL LENGTH TWIN ZIPPER FOR QUICK ACCESS TO EQUIPMENT. EXTERIOR DIMENSIONS: 17 X 11 X 9.5" (43.18 X 27.94 X 24.13CM) (LXHxD). INTERIOR DIMENSIONS: 15 X 9.5 X 7.0" (38.1 X 24.13 X 17.78CM) (LXHxD). DESIGN: DIVIDABLE MAIN COMPARTMENT WITH ONE EXTERIOR POCKET. ACCOMMODATES: SMALL TO MEDIUM SIZED DIGITAL VIDEO CAMCORDER WITH ACCESSORIES. CARRYING/TRANSPORT OPTIONS: STRAPS WITH OVERLAPPING GRIP, SHOULDER STRAP WITH PAD. WEIGHT: 6.45LBS (2.93KG).

FLIP VIDEO - MINOHD VIDEO CAMERA:

PRODUCT SPECIFICATIONS: INTERNAL MEMORY: 4GB (60 MINUTES). SCREEN SIZE: 1.5" (TRANSFLECTIVE TFT). SCREEN RESOLUTION: 528 X 132 PIXELS. VIDEO RESOLUTION: 1280 X 720. FRAME RATE: 30 FRAMES PER SECOND (CONSTANT FRAME RATE, PROGRESSIVE SCAN). VIDEO BITRATE: 8.8 MBPS (AVERAGE - AUTO ADAPTIVE ALGORITHM). VIDEO FORMAT: H.264 VIDEO COMPRESSION, AAC AUDIO COMPRESSION, SAVES AS MP4 FILE. LENS TYPE: FIXED FOCUS (1.5M TO INFINITY). APERTURE: F/2.4 (FAST LENS FOR LOW-LIGHT ENVIRONMENTS). ZOOM: SMOOTH MULTI-STEP 2X DIGITAL. INTERFACE: 8 TOUCH-SENSITIVE CAPACITIVE BUTTONS (POWER, PLAY, DELETE, RECORD & 4-WAY NAVIGATION). DIMENSIONS: 3.94" X 1.97" X 0.63" (H X W X D). PC CONNECTION: BUILT-

IN FLIP-OUT USB ARM, (UP TO 2.0 USB SPEED). TV OUT: NTSC (CABLE INCLUDED). BATTERY LIFE: RECHARGEABLE LITHIUM ION BATTERY, CHARGES USING BUILT-IN USB ARM. INCLUDES TRIPOD MOUNT. OPERATING SYSTEMS: WINDOWS XP, WINDOWS VISTA & MAC OSX. MINIMUM REQUIREMENTS: (WINDOWS). INTEL PENTIUM 4 3.0 GHZ PROCESSOR, WINDOWS XP SP2 WITH 512 MB OF RAM OR WINDOWS VISTA WITH 2 GB OF RAM, DISPLAY MONITOR AND VIDEO CARD SUPPORT FOR 1024 X 768/24-BIT COLOR, WINDOWS MEDIA PLAYER 9.0 , MICROSOFT DIRECTX 9.0, USB 2.0 PORT. MINIMUM REQUIREMENTS: (MAC). 1.66 GHZ INTEL CORE DUO OR FASTER PROCESSOR, 1 GB OF RAM, OS X TIGER 10.4 OR LEOPARD 10.5, DISPLAY MONITOR AND VIDEO CARD SUPPORT FOR 1024 X 768/24-BIT COLOR, QUICK TIME 7, USB 2.0 PORT.

GREEN SCREEN BACKDROP:

11' X 15' PROFESSIONAL GREEN SCREEN BACKDROP. PRODUCT DETAILS: SEAMLESS, FINISHED ON ALL 4-SIDES, INCLUDES BUILT-IN ROD POCKET, MILLED, WOVEN WITH GREEN THREAD (NOT DYED) 100% MACHINE WASHABLE.

BLUE SCREEN BACKDROP:

11' X 15' PROFESSIONAL BLUE SCREEN BACKDROP. PRODUCT DETAILS: SEAMLESS, FINISHED ON ALL 4-SIDES, INCLUDES BUILT-IN ROD POCKET, MILLED, WOVEN WITH BLUE THREAD (NOT DYED) 100% MACHINE WASHABLE.

BACKDROP TRAVEL STAND WITH CASE:

PORTABLE TRAVEL STAND: PROFESSIONAL BLACK FINISH STANDS EXTENDS 10'6" COLLAPSES TO 40" ADJUSTABLE CROSS BAR EXTENDS TO 12.5' WIDE. CASE: HOLDS STANDS AND CROSSBAR ACCESSORY POUCH ON SIDE OF CASE.