

**Solicitation Information**

4/28/09

**Solicitation # 7243890**

**TITLE: I-95 RESURFACING SOUTHERN C-1  
2009-CH-031**

**Submission Deadline: 5/20/09 @ 11:30 AM (Eastern Time)**

<b>PRE-BID/ PROPOSAL CONFERENCE: Yes</b>	<b>Date: 5/5/09</b>	<b>Time: 9:00 AM</b>
<b>Mandatory: YES</b>		
<b>Location: RIDOT TMC, Room 126, Capitol Hill, Providence, RI</b>		

<b>SURETY REQUIRED: Yes</b>
-----------------------------

<b>BOND REQUIRED: Yes</b>
---------------------------

**Jerome D. Moynihan, C.P.M., CPPO  
Administrator of Purchasing Systems**

**Vendors must register on-line at the State Purchasing Website at [www.purchasing.ri.gov](http://www.purchasing.ri.gov)**

**NOTE TO VENDORS:**

**Offers received without the entire completed three-page RIVP Generated Bidder Certification Form attached may result in disqualification.**

**THIS PAGE IS NOT A BIDDER CERTIFICATION FORM**

State of Rhode Island and Providence Plantations  
Department of Transportation - Design Section

Notice to Contractors  
Special Provisions  
Proposal  
Contact Agreement  
Contract Bond

for the Performance of

Rhode Island Contract Number: 2009-CH-031

Rhode Island Federal-Aid\State-Aid Project                      IM-0953(108)  
Numbers:

Project:     I-95 Resurfacing Southern C-1

Limits:     Connecticut State Line to Exit 3

City/Town: Hopkinton, Richmond

County:     WASHINGTON

Submitted By: \_\_\_\_\_

Address: \_\_\_\_\_

Name of Surety: \_\_\_\_\_

Total Bid: \_\_\_\_\_

**(BIDDER MUST FILL IN ALL ABOVE SPACES)**

The basis of award of the Contract will be the total bid for all quantities of work in the proposal subject to review and correction as provided for in the Rhode Island Department of Transportation Standard Specifications for Road and Bridge Construction and Standard Details.

NOTE: The State of Rhode Island Standard Specifications for Road and Bridge Construction and Standard Details consists of the following:

- The Rhode Island Standard Specifications for Road and Bridge Construction, 2004 Edition, with all revisions
- The Rhode Island Standard Details, 1998 Edition, with all revisions
- The Rhode Island Bridge Standard Details, 2003 Edition, with all revisions

**\* Refer to Section 102.05 of the Standard Specifications for specifications regarding the use of Quest Lite software for bid preparation.**

The above documents may be obtained at the Rhode Island Department of Transportation, Contracts and Specifications Office, upon request

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
DEPARTMENT OF ADMINISTRATION - DIVISION OF PURCHASES

NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Sealed Proposals addressed to the State Purchasing Agent, Rhode Island Department of Administration, Division of Purchases, One Capitol Hill, Providence, Rhode Island 02903, will be opened and read in public on May 20, 2009 at 11:30AM. All bidders MUST register online at <http://www.purchasing.ri.gov>. A COMPLETED and SIGNED Bidder Certification Cover Sheet MUST accompany each bid. Bid item description and quantities estimated for this project will also be available online. Should you need assistance in registering with RIVIP or downloading a bid, call (401) 222-3766. Failure to comply will result in mandatory disqualification per Item 4 of Section 102.12 of the Rhode Island Department of Transportation's Standard Specifications for Road and Bridge Construction 1997 Edition and RI General Law 37-2-17 which references the RI Vendor Information Program (RIVIP).

**DESCRIPTION: The Project consists of milling 1.5 inches of the existing friction course and bituminous berm and replacing in kind and replacement to guardrail and associated work.**

**The Contractor will be required, in accordance with the provisions of the Disadvantaged Business Enterprise Affirmative Action Certification for Contractors and Consultants, to meet the established goal of not less than 18.00 percent of the contract bid price, including the established Race-Conscious goal of not less than 0.00 percent, to the Contractors, Subcontractors, and/or suppliers which qualify as Disadvantaged Business Enterprises (DBE's).**

Computer Disks for competitive bidding for the above described work will be furnished by the Department of Transportation, Division of Administrative Services, Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495. The Plans, Specifications and Special Provisions may also be examined on or after April 29, 2009 every weekday except holidays between the hours of 8:00 AM and 4:00 PM.

**The Bid Package consists of a single compact disk (CD) containing the following items: Construction Plans, 2004 Standard Specifications for Road and Bridge Construction, Compilations of Approved Specifications, Required Contract Provisions for Federal-Aid Construction Contracts, General Provisions, Rhode Island Standard Details, Rhode Island Bridge Standard Details, Federal Wage Rates, Contract-Specific General Provisions, Job-Specific Specifications, Distribution of Quantities, Appendices (if applicable), Quest Lite bid file, Quest Lite installation software and a Quest Lite User Manual. Only complete bid packages will be issued.**

**Propsective Bidders are hereby notified that all questions pertaining to this Contract must be submitted to the Department of Transportation in writing through its website at <http://www.dot.ri.gov/contracting/bids/> by accessing the Questions & Answers Menu located within the "Contracting", then "Contract Opportunities" link. Responses to the submitted questions will also be posted under this link. PHONE CALLS WILL NOT BE ACCEPTED.**

**For help with RIDOT's Quest Lite bid preparation software, please contact the Contracts & Specifications Office, Room 108, Two Capitol Hill, Providence, Rhode Island, 02903, Tel. Number (401)-222-2495 or e-mail [Quest@dot.ri.gov](mailto:Quest@dot.ri.gov).**

Please also note that all Bidding Documents required to be submitted and in fact submitted to the Purchasing Agent as part of a bid will be considered returned to the State and need not be returned to RIDOT.

A bid bond payable to the State of Rhode Island, in the amount of 5% of the total or gross sum of the bid must be furnished by each bidder. The Proposal Guaranty will be furnished by surety companies authorized/licensed to do business in the State of Rhode Island. The State reserves the right to retain the surety of all bidders until the successful bidder enters into the Contract or until such time as the award or cancellation of the Contract is announced at which point Sureties will be returned to all bidders by the State of Rhode Island. A performance bond of one hundred (100) percent of the contract price with a satisfactory surety company will be required of the successful bidder. All surety companies must be listed with The Department of the Treasury, Fiscal Services, Circular 570, (Latest Revision published by the Federal Register). The Department of Transportation reserves the right to reject any or all bids.

Required Contract Provisions - The attention of prospective bidders is called to the fact that this project is to be bid upon and the contract executed under the rules and regulations for carrying out the provisions of the Federal-Aid Highway Act, subject to all appropriate Federal Laws, including Title VI of the Civil Rights Act of 1964, as amended and supplemented, and the required provisions for Federal - Aid Contracts, as provided for in Chapters 85, 86 and 88 of the Public Laws of Rhode Island, 1960.

Wages of labor on Federal -Aid Highway Projects - the prevailing rate of wages for laborers and mechanics employed by contractors or subcontractors on the initial construction of highway projects on the Federal - Aid Highway System, authorized under the Federal Highway Act of 1968, shall be paid wages at rates not less than those prevailing on the same type of work on similar construction in the immediate locality as determined by the United States Secretary of Labor, in accordance with the Act of August 30, 1935, known as the Davis - Bacon Act, under Decision Nos 1 through 6 as applicable.

Prevailing wage rates and Davis - Bacon Wage Determination Reference Materials are available online at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). It is advisable to print only the pages applicable to this bid; the rates active on the Rhode Island Vendor Information Program's bid solicitation date for this project are applicable for the duration of the contract resulting from this bid.

Work Hours Act of 1962 - This contract is subject to Work Hours Act of 1962, Public Law 87-581 and implementing regulations

Pre-Bid Conference - A Pre-Bid Conference will be held in Providence, Rhode Island, at on May 5, 2009 at , for the purpose of reviewing construction problems and/or operations concerning the project. Individuals requesting interpreter services for the hearing impaired must notify 401-222-4971 (T D D ) a minimum of at least three (3) business days, seventy-two (72) hours prior to the conference date

## **SPECIAL NOTE**

ANY REFERENCE TO THE RHODE ISLAND DEPARTMENT OF PUBLIC WORKS OR THE DIRECTOR OF PUBLIC WORKS SHOULD BE REVISED TO THE RHODE ISLAND DEPARTMENT OF TRANSPORTATION AND THE DIRECTOR OF TRANSPORTATION RESPECTIVELY

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: **1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

The hotline is part of the DOT's continuing effort to identify, and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## Item List

Date: 4/22/2009

Estimate Name - PS&E  
 Project Name - I-95 Resurfacing Southern C-1  
 R.I. Contract No. - 2009-CH-031  
 FAP Nos. - IM-0953(108)

Seq No.	Item Code	Description	Quantity	UM
001	201 0401	REMOVE AND DISPOSE GRANITE CURB	5 00	LF
002	201 0409	REMOVE AND DISPOSE FLEXIBLE PAVEMENT	741 00	SY
003	201 0415	REMOVE AND DISPOSE GUARDRAIL AND POST ALL TYPES	22,218 00	LF
004	201 0423	REMOVE AND DISPOSE HANDHOLE	1 00	EACH
005	201 0610	REMOVE AND DISPOSE DIRECTIONAL, WARNING, REGULATORY, SERVICE, AND STREET SIGNS	5 00	EACH
006	201 9901	REMOVE AND DISPOSE CHATTER STRIP	1,160 00	SY
007	201 9902	REMOVE AND DISPOSE EXISTING LOOPS AND LOOP WIRE	20 00	EACH
008	201 9903	REMOVE AND DISPOSE PIEZOELECTRIC AXLE SENSOR ASSEMBLY	1 00	LS
009	201 9904	REMOVE AND DISPOSE REINFORCED CONCRETE MEDIAN SLAB	715 00	SY
010	202 0100	EARTH EXCAVATION	8,950 00	CY
011	203 0700	PERVIOUS FILL	75 00	CY
012	204 0100	TRIMMING AND FINE GRADING	54,995 00	SY
013	213.0100	PLACEMENT OF MILLINGS BENEATH GUARDRAIL	16,500 00	LF
014	401.0200	BITUMINOUS SURFACE COURSE TYPE I-1	601 00	TON
015	402.0871	DENSE FRICTION COURSE WITH MATERIAL TRANSFER VEHICLE	32,354 00	TON
016	402.0880	RAMP FRICTION COURSE	3,825 00	TON
017	403 0300	ASPHALT EMULSION TACK COAT	436,646 00	SY
018	408 0100	CLEANING AND SEALING CRACKS IN BITUMINOUS CONCRETE PAVEMENT: CRACKS LESS THAN 1 INCH IN WIDTH	300,000 00	LF
019	408 0200	CLEANING AND SEALING CRACKS IN BITUMINOUS CONCRETE PAVEMENT: CRACKS 1 INCH AND OVER IN WIDTH	75,000 00	LF
020	410 1000	TEMPORARY PATCHING MATERIAL/TRENCHES	200 00	TON
021	413 9901	RIDEABILITY PRICE ADJUSTMENT	100,000.00	EACH
022	601 0200	CLASS XX PORTLAND CEMENT CONCRETE	5 00	CY
023	702 0511	FRAME AND COVER STANDARD 6 1 0	2 00	EACH
024	702 0540	GRANITE INLET STONE 5 FOOT STANDARD 7 3 5	1 00	EACH
025	707.0900	ADJUST MANHOLES TO GRADE	36 00	EACH
026	803 9903	PARTIAL REMOVAL AND DISPOSAL OF BITUMINOUS PAVEMENT ON BRIDGE	3,268 00	SY
027	808 1611	PREFORMED JOINT FILLER EXPANDED RUBBER 1/4"	1,055 00	SF
028	808 1616	PREFORMED JOINT FILLER EXPANDED RUBBER 1-1/2"	186 00	SF
029	810.0700	WELDED WIRE FABRIC (PLAIN)	715 00	SF
030	820 0110	CONCRETE SURFACE TREATMENT (PROTECTIVE COATING)	401,250 00	SF
031	820.0200	HIGH PRESSURE WATER CLEANING OF CONCRETE SURFACES	401,250 00	SF

## Item List

Date: 4/22/2009

Estimate Name - PS&E  
 Project Name - I-95 Resurfacing Southern C-1  
 R I Contract No. - 2009-CH-031  
 FAP Nos. - IM-0953(108)

Seq No.	Item Code	Description	Quantity	UM
032	821 1690	SAW & SEALING JOINTS IN BITUMINOUS CONCRETE PAVEMENT	356.00	LF
033	901 0101	GUARDRAIL STEEL BEAM SINGLE FACE EARH AND ASPHALT	17,450.00	LF
034	901 0160	REFLECTORIZED TRIANGULAR DELINEATORS STANDARD 34 2.5	2,000.00	EACH
035	901 0191	GUARDRAIL STEEL BEAM ANCHORAGE TRAILING END SECTION STANDARD 34 3.4	33.00	EACH
036	901 0196	GUARDRAIL CONNECTION TO EXISTING ENDPOST TRAILING END SECTION, STANDARD 34 3.6	8.00	EACH
037	901 0197	GUARDRAIL CONNECTION TO EXISTING ENDPOST APPROACH END SECTION, STANDARD 34 3.5	4.00	EACH
038	901 9901	GUARDRAIL END TREATMENT NON-ENERGY ABSORBING	28.00	EACH
039	901 9902	GUARDRAIL END TREATMENT ENERGY ABSORBING	18.00	EACH
040	901 9903	THREE BEAM GUARDRAIL DOUBLE FACED ASSEMBLY	4,250.00	LF
041	901 9904	THREE BEAM GUARDRAIL ASSEMBLY	600.00	LF
042	901 9905	BRIDGE GUARDRAIL	1,320.00	LF
043	905 9901	REINFORCED CONCRETE MEDIAN SLAB, CLASS XX (AE)	75.00	CY
044	906 0602	BITUMINOUS BERM STANDARD 7.5.1	161,000.00	LF
045	910 9901	RUMBLE STRIPS	139,480.00	LF
046	914.5010	FLAGPERSONS	12,000.00	MHRS
047	914.5020	FLAGPERSONS - OVERTIME	4,000.00	MHRS
048	922 0100	TEMPORARY CONSTRUCTION SIGNS STANDARD 29 1.0 AND 27 1.1	6,000.00	SF
049	922 9901	AMERICAN RECOVERY AND REINVESTMENT ACT SIGN ASSEMBLY	183.00	SF
050	923.0105	DRUM BARRICADE STANDARD 26.2.0	20,000.00	B DAY
051	923.0200	FLUORESCENT TRAFFIC CONES STANDARD 26.1.0	1,000.00	EACH
052	924.0113	ADVANCE WARNING ARROW PANEL	700.00	P DAY
053	925.0112	PORTABLE CHANGEABLE MESSAGE SIGN	1,400.00	P DAY
054	928.0800	TRUCK MOUNTED ATTENUATOR WITH TRUCK MOUNTED FLASHING ARROW BOARD	700.00	P DAY
055	929.0100	FIELD OFFICES 240 SQUARE FOOT MINIMUM	12.00	PMO
056	931.0110	CLEANING AND SWEEPING PAVEMENT	8,740.00	HSY
057	932.0100	CUTTING AND MATCHING ASPHALT	1,185.00	LF
058	932.0200	FULL-DEPTH SAWCUT OF BITUMINOUS PAVEMENT	25.00	LF
059	932.9901	SAW CUT PAVEMENT 4 INCHES IN DEPTH	2,705.00	LF
060	932.9902	SAW CUT REINFORCED CONCRETE MEDIAN SLAB, FULL DEPTH	368.00	LF
061	934.1000	SURVEY PARTY	25.00	P DAY
062	935.9901	MICRO MILLING	434,000.00	SY

## Item List

Date: 4/22/2009

Estimate Name - PS&E  
 Project Name - I-95 Resurfacing Southern C-1  
 R.I Contract No - 2009-CH-031  
 FAP Nos - IM-0953(108)

Seq No.	Item Code	Description	Quantity	UM
063	936 0110	MOBILIZATION	1 00	LS
064	937 0200	MAINTENANCE AND MOVEMENT TRAFFIC PROTECTION	1 00	LS
065	943 0100	TRAINEE MAN-HOURS	1,000.00	MNH R
066	L01 0104	PLANTABLE SOIL 4 INCHES DEEP	53,700 00	SY
067	L02 0101	GENERAL HIGHWAY SEEDING (TYPE 1)	53,700 00	SY
068	L08.0109	TREE TRIMMING	8 00	MHRS
069	T03 9901	GROUND ROD ARRAY	1 00	EACH
070	T04.5302	14 AWG 2 CONDUCTOR TWISTED SHIELDED CABLE	1,680 00	LF
071	T05 0100	PRECAST TYPE A HANDHOLE STANDARD 18 2 0	1 00	EACH
072	T05 0400	BREAK INTO EXISTING HANDHOLE	1 00	EACH
073	T06 9901	1" FLEXIBLE PVC CONDUIT	50 00	LF
074	T13 1000	TRAFFIC DETECTORS-LOOP, STANDARD 19 6 0	1,950 00	LF
075	T13 9901	CLASS I PIEZOELECTRIC SENSORS	8 00	EACH
076	T13 9902	AUTOMATIC VEHICLE CLASSIFICATION/WEIGH-IN MOTION (AVC/WIM)TEST VEHICLE	2 00	PDAY
077	T13 9903	TRAFFIC DETECTOR - LOOP (DRY CUT)	1,130 00	LF
078	T13 9904	AVC/WIM PAVEMENT TEMPERATURE SENSOR	1 00	EACH
079	T13 9905	AUTOMATIC VEHICLE CLASSIFICATION/WEIGH-IN MOTION (AVC/WIM) DATA COLLECTION UNIT ELECTRONICS REPAIR	15,000 00	EACH
080	T15 0100	DIRECTIONAL REGULATORY AND WARNING SIGNS	46 00	SF
081	T18 9901	GROUND MOUNIED FLEXIBLE FIBERGLASS DELINEATOR, WHITE	500 00	EACH
082	T18 9902	GROUND MOUNIED FLEXIBLE FIBERGLASS DELINEATOR, YELLOW	350 00	EACH
083	T18 9903	BARRIER MOUNTED FIBERGLASS DELINEATOR, YELLOW	160 00	EACH
084	T20 0006	6 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	318,000 00	LF
085	T20 0012	12 INCH WHITE FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	3,700 00	LF
086	T20 0106	6 INCH YELLOW FAST - DRYING WATERBORNE PAVEMENT MARKING PAINT	262,400 00	LF
087	T20.0900	BI-DIRECTIONAL CONTROL DEVICE STANDARD 20 2 0	20 00	EACH
088	T20 2006	6 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	164,000 00	LF
089	T20 2012	12 INCH EPOXY RESIN PAVEMENT MARKINGS WHITE	9,104 00	LF
090	T20.2016	6 INCH EPOXY RESIN PAVEMENT MARKINGS YELLOW	131,200.00	LF
091	T20.9901	YIELD LINE EPOXY RESIN PAVEMENT MARKING WHITE	220 00	LF

# NOTICE TO HIGHWAY AND BRIDGE CONTRACTORS

Rhode Island Department of Transportation (RIDOT)  
Contracts and Specifications

## ELECTRONIC BIDDING PROCEDURES QUEST LITE UPGRADE

Effective April 1, 2009, bid offers for all RIDOT Contracts requiring the use of the Department's Quest Lite bid preparation software **MUST** be prepared using **Quest Lite Version 040407 (2.8.3)**. Failure to comply with this requirement could result in the disqualification of your bid offer.

Full installation and upgrade-only software packages, including installation directions, for Quest Lite Version **040407 (2.8.3)** will be provided on the Project Advertising CD's, which are available to prospective bidders through the Contracts and Specifications office on or after the scheduled project advertising date.

Contractors presently using Quest Lite Version 040406 (2.8.2) need only install the upgrade package to complete the conversion. Earlier versions will require the full installation.

For technical assistance, contact the Contracts and Specifications office at 222-2495.






03/18/09

**\* THIS IS A DISK-BASED BID \***

**ELECTRONIC BIDDING  
PROCEDURE NOTICE**

All Bidders MUST register in person at the office of Contract Administration to obtain necessary Bidder Registration and Digital ID's for the Department's bid preparation software (Quest Lite).

ALL BID OFFERS MUST BE PREPARED USING THE QUEST LITE SOFTWARE PACKAGE.

RHODE ISLAND DEPARTMENT OF TRANSPORTATION	
<b>RIDOT Provides:</b>	<b>Bidder Must Submit:</b>
 CD	 CD
 Plans (on CD)	 Completed & Signed Proposal
 Contract Documents (on CD)	 Completed Bond
 DOQ Report (on CD)	 Completed & Signed

Call the Contracts & Specifications Office at 222-2495 to request technical support on issues directly related to the Department's Electronic Disk-Based Bidding Program.  
Office Hours: 8:00 AM – 4:00 PM

**NO BID OFFER WILL BE CONSIDERED**  
**UNLESS ACCOMPANIED BY A COMPACT DISK (CD)**  
**CONTAINING THE BID PROPOSAL FILE**  
**GENERATED BY THE RIDOT BID PREPARATION PROGRAM (QUEST LITE)**  
*Failure to comply will result in a mandatory disqualification per Section 102.07 of Part 100, General Requirements and Covenants of the RI Dept. of Transportation's Standard Specifications for the Road and Bridge Construction, 2004 Edition*

Rhode Island Department of Transportation (RIDOT)

## Notice to Contractors

# THIS IS A DISK-BASED BID

Bid offers will be accepted *only on a CD generated by RIDOT-supplied software called Quest Lite; each CD must be accompanied by a hard copy signed offer printed from the software and submitted at the Bid Opening.* Minimum computer hardware and operating system requirements are listed here. *Training is strongly recommended for all new bidders and others unfamiliar with these procedures. SEE BELOW.*

**CONTACT:**            **RIDOT CONTRACTS & SPECIFICATIONS**  
Rm. 108, Two Capitol Hill, Providence, RI 02903  
Phone: **401-222-2495**  
Hours: **Mon – Fri, 8:00AM – 4:00PM**

**1. Required Registration Codes for Each Bidder.**

Registration Codes for RIDOT software are necessary to install and use the software; a firm only needs to register once to acquire secure, unique bidder identification codes to be used with all RIDOT disk-based construction project bids. Bidders must retain these codes for future use.

**2. The required Quest Lite installation software and all applicable Contract Documents are provided on a CD-ROM.**

The Contract Documents include the RI Standard Specifications, 2004 edition and all subsequent revisions and addenda, the RI Standard Details for Highway and Bridge Construction, General Provisions, Special Provisions, Distribution of Quantities and Engineering Plans, and all other applicable documents.

**3. Minimum Computer Hardware and Operating System Requirements.**

- Windows XP SP2 w/Pentium IV processor
- CD-ROM Drive, Floppy Drive, Printer & 15" Monitor (17" recommended)
- 20GB Hard Disk with 1GB free (40 GB with 5 GB free recommended)
- 512 MB RAM (1 GB recommended)
- 32 MB Video Card (64 MB SVGA recommended)
- Internet Explorer 6.0 SP 2

**4. Addenda, when necessary, are available on Purchases' RIVIP website.**

**at:** <http://www.purchasing.ri.gov/RIVIP/BidSearch.asp>

RIDOT will make all necessary addenda available at Purchases' web site. It is the plan-holders responsibility to poll the RIVIP to keep up-to-date on addenda.

**5. Training may be requested up to three days prior to the Bid Opening.**

Training is provided on request. Arrangements must be made through the RIDOT Contracts & Specifications Office at least three (3) days prior to the Bid Opening of the project.

**6. Technical Support.**

Assistance is available upon request by contacting the Contracts & Specifications office during work hours or emailing [Quest@dot.ri.gov](mailto:Quest@dot.ri.gov).

## QUEST LITE VERSION 040407 (2.8.3)

### UPGRADE & FULL INSTALLATION

All bid offers prepared using the Department of Transportation's Quest Lite software must use the Quest Lite Version 040407 (2.8.3). If there is no Quest Lite installation, then the full installation must be completed. For earlier versions of Quest Lite, either the upgrade or full installation will be required to be completed. Both versions (upgrade and full installation) are provided on this project CD.

Before proceeding with any installations, note the following:

1. All users must register with the Department of Transportation in order to use Quest Lite. At the time of registration, users are provided with a set of unique company ID codes (Site Code, Bidder Code and company Short Name). Users **MUST RETAIN** these codes for future use.
2. Most users who currently have Quest Lite installed will only require the installation of the upgrade version. To determine if the upgrade installation is sufficient, the present version of the Quest Lite installation must be determined. This is accomplished in Quest Lite by clicking on Help/About. If the present version is 040406 (2.8.2) then the upgrade installation is sufficient.
3. For earlier versions (versions below 2.8.2), the full installation of Quest Lite is required. (Note: if the full installation is required, the upgrade installation does not need to be performed after the full installation is completed.)
4. It is recommended that users consult the Quest Lite User Manual provided on this CD prior to attempting the installation of the upgrade or full program installation.
5. After completing the installation of the upgrade or full installation, it is recommended that a test bid be submitted to the Department to ensure the program is functioning correctly and that the Quest Lite bid files can be correctly imported into the Department's Quest program. Test bids may be submitted on a CD to the Contracts office in Room 109 of the RIDOT Headquarters, or by e-mail to [Quest@dot.ti.gov](mailto:Quest@dot.ti.gov).

### Installation Instructions – Upgrade Version

Upgrade Quest Lite only if the current installed version is 2.8.2.

1. Close Quest Lite before attempting the installation.
2. Using the project CD, double-click on the "Upgrade Only" option provided on the Start page.
3. When prompted for a password, enter "ridot".
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after installing the upgrade, users may be prompted to enter their company bidder codes.

03/18/2009

### **Installation Instructions – Complete Installation**

A complete Installation of the software is required only if Quest Lite is:

1. Not installed on your computer/laptop; or
2. Your version of Quest Lite is older than 2.8.2, i.e. 2.8.1 or under

If either 1 or 2 (above) apply, follow these instructions:

1. If a Quest Lite version 2.8.1 or older is currently installed,
  - a. Close Quest Lite.
  - b. Remove the existing installation of Quest Lite. To accomplish this, follow the instructions provided on pages 19 – 25 of the Quest Lite User Manual provided with this project CD. Follow the installation removal directions for the operating system in use on the machine.
2. Using the project CD, double-click on the “Complete Installation” option provided on the Start page.
3. When prompted for a password, enter “ridot”.
4. Follow the instructions provided in the installation wizard to complete the installation.
5. When executing Quest Lite for the first time after completing the installation, the user will be prompted to enter the company bidder codes provided by the Department. Once this information is entered, the installation process will be complete.

For technical assistance, contact the Contracts & Specifications office at 222-2495.